



SEE AD INSIDE BACK COVER



SEE AD ON BACK COVER



SEE AD ON PAGE 13





SEE AD ON PAGE 12



SEE AD ON PAGE 17



SEE AD ON PAGE 5



SEE AD ON PAGE 22





SEE AD ON PAGE 11



SEE AD ON PAGE 26

INSTRUMENTS VERONICS INC.

SEE AD ON PAGE 18



SEE AD ON PAGE 19



SEE AD INSIDE FRONT COVER



VALVES & MANIFOLDS PROTECTIVE DEVICES

Shut-off valves, valve manifolds or monoflanges, can be used to securely separate pressure measuring instruments from the process during commissioning, maintenance or calibration.



Calibration Pressure Flow Temperature Force Level









REACTOR MULTIPOINTS

Multipoint sensor assemblies are used in various applications in the refining and petrochemical industry. WIKA is a world leader in multipoint sensor thermometry and the preferred solution of many major companies and licensors. Our preferred advanced multipoint solutions include FLEX-R® and FLEX-O® designs.

Distributed Products











3

Sarnia facilities for Control Valve, Mechanical, Instrumentation & Combustion Services

Lakeside provides field and in-shop services for all types and brands of valves. We are service ready to support your control, isolation, actuation and safety relief valve needs.

- Actuator Rebuilds
- Upgrades & Conversions
- On-Site Relief Valve Services
- Steam Testing & Certifications
- Asset Management Services
- Repairs & Preventative Maintenance of Electric & Electro Hydraulic Actuators
- Recommended Spares, Drawings & Wiring Diagrams Available
- Start-up & Calibration Services Offered



FISHER BETTIS ASCO ROSEMOUNT MICRO MOTION ANDERSON GREENWOOD VANESSA CLARKSON KEYSTONE EIM TOPWORX KUNKLE BAUMANN BIFFI ENARDO SHAFER NEOTECHA EL-O-MATIC YARWAY KTM CROSBY SEMPELL PENBERTHY VAREC Hancock FieldQ

Sarnia • Mississauga • Hamilton • Sudbury • Thunder Bay • Winnipeg • Port Elgin www.lakesidecontrols.com | info@lakesidecontrols.com | 1.519.332.2300

















































APG.

























Scan to visit our website

www.daviscontrols.com | 1-800-701-7460 | info@daviscontrols.com



Index Of Supplier Advertisements

4	P	•	
ч	L		

Cancoppas Limited
Davis Controls Ltd2
E Electrozad Supply Company
Franklin Empire Inc17
H Heaters Controls & Sensors Ltd15
Intertec Instrumentation Ltd10
Lakeside Processing Controls LtdInside Front Langtree Controls Limited10
M
MacWeld Machining5
Provincial Controls
SPEC (Sarnia) Limited
Thermo-Kinetics Company Ltd. 11 Thermon. 17
V Vanko
W Wajax15 Westech Industrial Ltd



FEATURED PARTNERS



Over 55 Years in the Industry

Westech Industrial Ltd. stands as Canada's trusted partner for comprehensive process control and instrumentation solutions, fostering enduring partnerships across diverse sectors.

- **√** ANALYTICAL & SAMPLING
- **(V)** BIOGAS & WASTEWATER TREATMENT
- *√* **COMBUSTION EQUIPMENT**
- **√** CUSTOM FABRICATION
- **√** FIRE & GAS SYSTEMS
- **√** INSTRUMENTATION
- POWER & ELECTRICAL CONTROLS
- **√** VALVES & MECHANICAL



1-800-912-9262 westech-ind.com

Message from the Reference Guide Committee

Greetings fellow ISA members and users of this Reference Manual.

On behalf of ISA Sarnia Section we would like to welcome you to the 26th edition of this Reference Guide. Sarnia Section Reference Guide Committee in partnership with Grafiks Marketing & Communications is proud to present this first-class resource as purchasing guide and go-to reference for the Instrumentation, Controls & Automation community. You can also visit on-line version of this Reference Guide at www.isasarnia.com.

Every year, we strive to enhance this Guide in its participation and content. We are also increasing our electronic footprint and trying our best to make our on-line version as user-friendly as possible. Look forward to some exciting announcement from us regarding our electronic presence, in the year 2024.

We would like to thank all the technical contributors and all the advertisers for their continued support. We would also like to thank all the users of this Reference Guide; it is your valuable support that has kept this Guide strong for the last 25 years. We would like to request all users, when you call or write to any of the advertisers, to please mention that you have seen their advertisement in the ISA Sarnia Reference Guide.

The reference guide generates much-needed revenue for ISA Sarnia section to function and offer the valuable programs that it has been offering to the local automation community for the past 76 years. It is therefore we would like to request all users to helpus get more advertisers for this guide. When you are dealing with any suppliers/manufacturers that you don't find part of this guide, please mention to them how important it is for them to be part of this Reference Guide.

We continue to strive to make the technical information section in this guide more accurate and current and in doing that, we are always looking for new technical information and volunteers to review this section. Your small-time commitment will make this guide even more useful for everyone so please contact anyone of the committee members listed here.

Enjoy your new 2024 Reference Guide. Cheers everyone!

ATTENTION MEMBERS OF ISA

If you would like to ensure that you advertise in this publication on an annual basis contact:

ISA Reference Guide Committee

Kalpen Vachharajani..519-336-7301 **Mike Murray**......519-336-1495 **Ken Armitage**.....519-336-3453 **Kevin Noon**.....519-331-5377



Kalpen Vachharajani ^{Chairman}



Mike Murray Committee Member



Ken Armitage
Committee Member



Kevin Noon Committee Member



For additional copies call:

Kevin Noon 519-331-5377

or

Provincial Controls 519-336-7301

For information about the 2024 Guide contact: Grafiks Marketing & Communications info@grafiks.com

Published by:



E: info@grafiks.com

North America's Leading Thermowell & Instrumentation Hardware Manufacturer



Thermowells

- Flanged Thermowell
- Threaded Thermowell
- Socket Weld Thermowell
- Limited Space Thermowell
- Helical Thermowell
- Vanstone Thermowell
- Tri-Clamp Thermowell
- Weld-in Thermowell



Orifice Plates

- Paddle Orifice Plate
- Universal Orifice Plate
- Custom Orifice Plate
- RTJ Orifice Plate



Orifice Accessories

- Orifice Wafer Assembly
- Integral Orifice Assembly Multi-Stage Restriction Orifice
- Restriction Orifice Union
- Orifice Flange Union



Pressure Vessels

- Level Chamber
- Seal Pot

Valves

- Needle Valves
- Manifold Valves
- Flange x Flange Manifold
- Low Profile Instrument Manifold
- Double Block and Bleed



Bleed and Flush Rings

- Bleed Ring
- Flush Ring
- Bleed Ring Assembly
- Flush Ring Assembly

Gauge Siphons

- Finned Gauge Siphon
- Compact Gauge Siphon



Specialty Products

- Wake Frequency Software
- Spacer/Spectacle Blind
- Stilling Well
- Spool Piece







© 519-332-1388 ✓ sales@mac-weld.com 🕀 www.mac-weld.com



Contents

- Message from the Reference Guide Committee
- Message from the Sarnia Section President
- Past Presidents
- ISA Dates to Remember
- Why Should I Join ISA?
- 21 Electronic Addresses (E-mail, Web)
- ISA Membership Benefits 62
- Index of Supplier Advertisements
- Product Category/Supplier Cross Reference
- Principal Brand Name/Supplier Cross Reference
- **63** Technical Sections



Sarnia

Sarnia, ON N7T 7H9

www.isasarnia.com

P.O. Box 206

"Dedicated to advancing the knowledge and practice related to the theory, design, manufacture and use of instruments and controls in science and industry."

ISA Sarnia Section President's Message



Welcome everyone to this year's edition of the Reference Guide. On behalf of the ISA Sarnia Section Executives and membership, I proudly present to you the 26th edition of the Reference Guide to the Instrumentation and Control Market. The Reference Guide has been and still remains the best purchasing guide and go-to

reference for people in the field of instrumentation, control systems and automation. This Reference Guide can also be accessed through our website at **www.isasarnia.com**.

In this Global Economy where the Internet brings so many markets closer together, your ability to adapt quickly and make informed decisions is paramount to success and profitability. Having strong technical skills and a quick handy reference helps you lead the pack. Automation and Controls is a big part of everything we do. Most industrial applications require control systems just to function. They make things more efficient and less resource intense. With more and more of a focus on energy efficiency and low carbon foot prints it is more important than ever that we use Automation and Controls to make things faster, smarter and more energy efficient.

As an organization, ISA provides immense opportunities to its members to become a valuable asset for their company by providing them access to technical standards, training, knowledge bases and even industry experts through great networking opportunities. ISA has a great network of Sections, Districts and Divisions that are globally connected. Making use of these global connections provides a unique opportunity to ISA members and throughthem to their employers. Quality programs are the essence of what ISA is all about and we, your Sarnia Section Executives, are committed to offer you just that. The Reference Guide is one of the several activities Sarnia Section is undertaking this year. Some other programs and events planned for this year include dinner meetings, educational

seminars, engineering week, golf tournament, etc. Visit our section website **www.isasarnia.com** often as the details of the programs are constantly updated.

I would like to thank the Reference Guide committee and Grafiks for their diligence and hard work in producing this publication consistently for 26 years. I would also like to thank all the advertisers and technical contributors for their support. Without them this successful publication would not continue. Thank you, the user of this Reference Guide, enjoys all the great references and support our advertisers. When you call or write to any of the advertisers, please mention that you have seen their advertisement in the ISA Sarnia Reference Guide.

I would like to encourage every one of you to become a member of ISA and if you are already, become an active member of this premier organization and make the most out of your membership. The last couple of years have been challenging for all of us and for ISA. We will continue to move forward and adapt to this ever changing world. As much as things change they still remain the same in some aspects. We are human after all and it is the networking and social aspect of ISA that can really be of benefit. I'm looking forward to seeing everyone at the dinner meetings and other fun activities.

All the best.

Dave Woodill ISA Sarnia Section President

Things To Do Today

- Join ISA
- Attend Conference
- Attend Dinner Meeting
- Bring in New Member
- Join a Division
- ☐ Read IN-TECH

www.isasarnia.com



Sarnia Section

ISA Sarnia Section Executive Group

To find or contact any of your 2023/2024 ISA Sarnia Executive, visit our website at **www.isasarnia.com** and look for the Executive Group, or scan the QR code.



Past Presidents

1 454 1 105	1001103				
1945/46	ISA officially	1965/66	Ted Stock	1995/96	Mike Murray
	was born as the Instrument Society	1966/67	Ted Stock	1996/97	Randy Dennie
	of America on	1967/68	Bill Rion	1997/98	Andrew Tucker
	April 28 1945,	1968/69	Bud Dodds	1998/99	Mike Murray
	in Pittsburgh, Pennsylvania, USA	1969/70	Ray Wechselberger	1999/2000	Mike Murray
1946/47	Albert F. Sperry,	1970/71	Bill Glendon	2000/2001	Randy Dennie
,	chairman of Panelit	1971/72	Curt McDonald	2001/2002	Randy Dennie
	Corporation, became ISA's first	1972/73	Everett Maness	2002/2003	Kalpen Vachharajani
	president in 1946.	1973/74	Stan Thrift	2003/2004	Don Murch
	Sarnia Section not	1974/75	Bernard West	2004/2005	Brian Smith
1947/48	yet chartered. C.G. Elder	1975/76	E.A. Comello	2005/2006	Don Murch
1947/40	(Sarnia Section	1976/77	Jim Henrikson	2006/2007	R. Steven Webster
	received charter	1977/78	Jim Johnson	2007/2008	Brian Davidson
10.40./40	September 1, 1947)	1978/79	Ron Thurier	2008/2009	Brian Davidson
1948/49	W.J. Graeb	1979/80	Dave Braedley	2009/2010	Jeff Talbot
1949/50	Ken Goldring	1980/81	John Stassen	2010/2011	Jeff Talbot
1950/51	Amby Upfold	1981/82	Wayne Jamieson	2011/2012	Rob Dickson
1951/52	Ken Goldring	1982/83	Frank Bandura	2012/2013	Rob Dickson
1952/53	Amby Upfold	1983/84	John Tranter	2013/2014	Mike Murray
1953/54	Warren McKay	1984/85	Robb Sharp	2014/2015	Mike Murray
1954/55	Jack Heatley	1985/86	Ron Kells	2015/2016	Kalpen Vachharajani
1955/56	Larry Hall	1986/87	Howie Whitton	2016/2017	Kalpen Vachharajani
1956/57	Harold Kohlmeier	1987/88	Joe Lobo	2017/2018	Mike Murray
1957/58	Ron Asselstine	1988/89	Irvin Hawkes	2018/2019	Mike Murray
1958/59	Mike Hicks	1989/90	Rich Paterson	2019/2020	Mike Murray
1959/60	Mike Hicks	1990/91	Ken Blair	2020/2021	Mike Murray
1960/61	Mike Hicks	1991/92	Jim Lomax	2021/2022	Kalpen Vachharajani
1961/62	George Mills	1992/93	Bob Kelly	2022/2023	Dave Woodill
1962/63	Robert Brayne	1993/94	Bill Arundell	-	
1963/64	Robert Newman	1994/95	Larry Corbett		
1964/65	Robert Newman	,	-		

Sarnia Section General Member Meetings Sarnia Golf and Curling Club

Year 2024: January 29, March 25, May 27 (AGM),

September 30, November 25

Year 2025: January 27, March 31, May 26 (AGM),

September 29, November 24

Executive MeetingsSarnia Golf and Curling Club

Year 2024: February 26, April 19, June 24, August 26,

October 28, December 9

Year 2025: February 24, April 28, June 30, August 25,

October 27, December 8

International Society of Automation

Setting the Standard for Automation™

Why should you join ISA?

ISA is Your Organization

Join ISA to engage with peers and subject matter experts around the world, sharing and developing best practices to advance the profession.

We are creating the future of automation, and we need your skills, perspective, and insight to make it happen.



Standards

ISA develops consensus industry standards for automation technologies and applications in key areas such as security, safety, batch control, enterprise integration, wireless communications,

ISA members have access to all ISA standards, recommended practices, and technical reports online.

traditional instrumentation, measurement, and control.

Education and Training

ISA has leading-edge training available on topics that matter most: communications, control systems, cybersecurity, plant maintenance, and safety. Courses are offered online via self-instruction, online instructor-assisted, or at a regional classroom location.

ISA offers unbiased, vendor-neutral training and education programs where you can develop your skills through indepth, real-world material. ISA members are eligible for course discounts.

• Geographic Sections

ISA Sections engage in the community to provide information, resources, and scholarships to advance the automation

Network with professionals in your local area through geographic sections.

profession. By participating in your local section, you will have opportunities to access resources such as table top exhibits, subject matter experts, networking and leadership opportunities, and local employment opportunities.

• Technical Divisions

ISA Technical Divisions exchange information in newsletters with timely technical articles and news, and through exclusive division online communities.

Divisions align members around specific technical areas of interest and expertise across a widerange of automation disciplines.

- · Analysis Division
- · Automatic Controls and Robotics Division
- Automation Project Management and Delivery Division
- · Building Automation Systems Division
- · Chemical and Petroleum Division
- · Communications Division
- Construction and Design Division
- Education Division
- · Food and Pharmaceutical Division
- · Mining and Metals Division
- · Power Industry Division
- · Process Measurement and Control Division
- · Pulp and Paper Division
- · Safety and Security Division
- Smart Manufacturing and IIoT Division
- · Test Measurement Division
- · Water and Wastewater Division

Conferences and Events

ISA organizes many events around the world. By attending an event, you will have the opportunity to exchange ideas, engage with ISA leaders in policy-setting and strategizing during the annual leadership conference, and discover new

ISA hosts topic-focused and industry-specific, face-to-face events in dozens of countries throughout the year. Members can hear expert speakers and panel discussions at a discounted rate.

technologies alongside some of the brightest minds in the automation industry. Review ISA's calendar for worldwide events.

Publishing

Written and reviewed by experts, ISA Publications help keep automation professionals fully informed about the latest technical developments, applications, trends, and

Through ISA's publications, members have access to thousands of articles and technical papers at no charge.

standards. Technical topics include safety, cybersecurity, instrumentation, process control, wireless technology, and many others.

Certification

ISA Certification provides an objective, third-party assessment and confirmation of a person's skills, and gives them the opportunity to stand out from the crowd and be recognized. ISA currently offers two certification

ISA members can apply to take ISA's Certified Control Systems Technician® (CCST®) and Certified Automation Professional® (CAP®) exams at a discount.

programs: Certified Automation Professional® (CAP®) and Certified Control Systems Technician® (CCST®).

ISA Connect

ISA Connect is an online community to engage in technical conversations and share best practices.

The ISA Connect Technical Discussion Forum is exclusively for members.

Members will have the ability to network and communicate with other members around the world, contribute and subscribe to technical discussions, share and access resources in the technical library, and discover opportunities to get involved in ISA.

Membership benefits at-a-glance

Member Programs

- Local section
- · Technical divisions
- Automation Career Center
- · Leadership opportunities
- · Member Directory
- · Use of ISA member logo
- · ISA Connect Technical Discussion Forum
- Expert Directory

Standards and Publications

- · Online viewing of ISA Standards
- · Access and downloads of ISA Technical Library
- Online viewing of ISA Transactions
- · InTech magazine
- · Discount on books
- Subscriptions to Automation.com newsletters

Education and Certification

Discounts on:

- Training Course Registration
- CCST® and CAP® Certification Programs
- CAP® and CST Associate Recognition Programs
- · Conference Registration

To join ISA, visit www.isa.org/join

Offering Engineering and Technical Services in the field of Instrumentation, Electrical and Process Control System Engineering.

We have earned a solid reputation for consistently delivering high-quality service to our Clients by concentrating on...

Commitment to our people Developing and retaining highly skilled employees by

offering and retaining highly skilled employees by offering the appropriate training, mentoring and compensation... a large factor in our success today.

Commitment to our clients

Our projects begin with a sound understanding of our client's needs and expectations and end with a successful project and satisfied client.

Meeting and exceeding our clients expectation is always our goal.

Commitment to Safety

With well over 1 Million hours of work without a Recordable Injury.

LANGTREE Controls Limited

1569 Wellington Street, Sarnia, Ontario 519.344.6868 | www.langtreecontrols.com







STOCKING DISTRIBUTORS FACTORY REPRESENTATIVES

Serving the Process Industry Since 1987

866 Philip Street East, Unit #7, Sarnia ON N7T 126 T: 519-336-2405 • F: 519-336-1177 E-Mail: info@specsarnia.com



Rupture Disks & Accessories



Vibration Switches & Cap



Steam Traps, Analytical & Leak Detection Products



Heat Tracing Products



Positive Displacement Meters



Pressure & Temperature Switches



Dry Release & Safe Breakaway Couplings, Industrial Hoses"





Mechanical Seals Repair & Replacement



Loading Rack Equipment & Accessories



IMBIBER BEADS®

Encapsulating Absorbent for Hazardous Liquids

Matasorb_®

Premium Oil-Only & Universal Adsorbents



Liquid Level Detection Railcar & Tank Trucks



Automated Non-Contact Oil Spill Sensor Monitor & Alarm

Specializing In:

- Over Pressure Protection
- Level Gauges
- Steam Traps
- Heat Trace & Heaters
- Flow Meters/Pressure
- Mechanical Seals
- Working at Height Structures/Gangways
- Hard Shell Cases
- Absorbents/Spill Containment
- Permanent Boom/Oil Monitoring Systems

www.specsarnia.com





Providing Eastern Canada with more than 20 years of integrated solutions in process measurement and automation. Our comprehensive range of industrial grade products, unrivaled technical support and services are strategically aligned to help your business realize the tangible benefits of increased production quality, efficiency and reduced environmental impact in the short, medium and long-term.

A valuable resource, a reliable partner!

Sarnia Branch

1129 Vanier Road, Sarnia, ON N7S 3Y6, Canada

Contact Us

Phone: 519 332-5000 info@everestautomation.com





















SARNIA | OAKVILLE | SAULT STE. MARIE | SUDBURY | MONTREAL | QUEBEC | HALIFAX | EDMONTON



1-800-265-1430

519-918-5224

Conval Process Solutions Inc.

www.convalpsi.com

nfo@convalpsi.com

























Your source for industrial flow control solutions.















- Fluid System Components - Application Support - Swagelok® Fabrication Solutions - System Evaluation & Advisory Services -Training and Education - Materials Management

Authorized Sales and Service Centre

Phone: 519.336.3453 | Fax: 519.336.1537 | Email: sales@soac.swagelok.com

Swagelok

Swagelok Ontario



There is Value in Membership

ISA is a member-focused association, centered on offering you the community and tools needed to shape the future of automation. We focus on values like excellence, integrity, diversity, collaboration, and professionalism. ISA is not just an association, we are a community, built for professionals like you.



ISA Connect

Engage in technical discussions both online and live - with automation professionals like yourself all around the world.



Career Center

Search job boards, build your resume, or get help career planning - all the tools you need to advance your career in automation.



Standards

Access over 150 standards that reflect the expertise of industry leaders from around the world!



Networking

Enhance your professional network by connecting with members in your local community or in your technical specialty.



Education and Training

Receive discounts on training courses, event registrations, books, and professional credentials.







www.hcs77.com







- · Liquid, Gas, Flare and Steam Flow Meters
- · Hygrometers/Dew point Analyzers
- · Gas and Oxygen Analyzers



- Pressure Transmitters
- Calibrators
- Controllers
- · Gauges and Hand Pumps

Honeywell Analytics

- · Fixed Gas Detection
- · Industrial Flame & Gas Systems
- · Wireless Gas Detection
- · Controllers and Systems



· Magnetic, Turbine and Paddlewheel Flow Meters and Controls



Proven Data Logging Solutions



- Relative Humidity
- · CO2 Measurement





- Ultrasonic Inspection
- · Leak Detection
- · Bearing Analysis

www.veronics.com

114-1100 South Service Rd., Stoney Creek, ON L8E 0C5 T: (905) 643-7020, F: (905) 643-7030 E: info@veronics.com



NETWORK & PROCESS SOLUTIONS

TECHNICAL SERVICES



Operational Intelligence

Informed Decisions



Productivity

Output and Capacity





Proudly Serving the Process Industry in Southwestern Ontario for 65 years.

519-336-8550 | 625 Scott Rd., Sarnia sarsales@electrozad.com www.electrozad.com

SIEMENS

Reliable Process
Instrumentation &
Control for your
processes, every day

Siemens Process Instrumentation and Automation solutions from one single source Franklin Empire

To operate units of complex processes reliably its components must be rugged, field-tested and work together seamlessly. Siemens process instruments keep operators on top of the process performance, process parameters and analysis data.


siemens.ca | franklinempire.com



SOLUTIONS INDUSTRIAL PROCESS HEATING

Thermon is the leading single-source provider of industrial process heating, delivering comprehensive, engineered solutions for complex projects, including hazardous area applications.

Since 1954, we've led the industry in designing a full spectrum of custom services that address every essential process heating requirement, from beginning to end.





For the Thermon office nearest you visit us at ...

www.thermon.com

© Thermon, Inc.



SOLUTIONS FOR

MEASUREMENT & CONTROL

PMV Valve Control

POSITIONERS

- Highly Reliable User Friendly
- Pneumatic Electro Pneumatic
- Digital Hi Air Delivery Zero Bleed
- · General Purpose, Explosion Proof, Intrinsically Safe
- Epoxy Coated Aluminum or Stainless Steel
- Certified for Natural Gas
- HART, Foundation Fieldbus, Profibus
- Valve Diagnostic Software Included

POSITION FEEDBACK MONITORS

- **Assorted Materials**
 - Aluminum
 - **Engineered Resin**
 - Stainless Steel
- Assorted Switch Options
 - Mechanical
 - Proximity
 - Namur
 - Built In Solenoid Valves







BEISENSORS

Position - Speed

INDUSTRIAL ENCODERS

- Incremental
- Absolute
- General Purpose
- Explosion Proof
- Wireless
- Gray Scale SSI or CANBUS Output



Flow Metering POSITIVE DISPLACEMENT

- High Accuracy -Repeatability
- · Install in any piping configuration
 - Assorted Materials
 - Aluminum
 - Stainless Steel
 - Ryton
- · Broad Range of Sizes and Flow Capacities
 - 1/4"(100 LPH) > 4" (1200 LPM)



ADDITIONAL

- Thermal Mass
- Transit Time Ultrasonic
- Electromagnetic
- Vortex
- Doppler Ultrasonic







Mississauga, ON Montreal, QC

(800) 595-0514 www.cancoppas.com controls@cancoppas.com

www.spssales.com



Featuring: Instrument & Flowmeter Calibration & Repair, Lined Spool Fabrication, Loading Systems Services, Emergency Safety Shower & Eye/Facewash Maintenance and Repair, Hydrostatic Testing, Instrument & Control Panel Assemblies, and Analyzer Sample Condition Systems

















765 Evett St, Sarnia, ON N7S 5N3 Telephone: (519) 336-8820 Fax: (519) 336-2033 Email: info@spssales.com



Offering you Engineered Solutions to all your Instrumentation, Valves, Network & Communications Requirements







Unique Solutions for Oil Production and Processing Applications



Gas & Oil Shutoff Valves, Flame Scanners & Ignitors



Safety Transmitters & Switches



Flame, Gas and System Products



Air-Blown Fiber® Solution that can grow quickly & cost-effectively as you grow



Control Room, Technology and



Sensors, Connectivity Products, Fieldbus



& Automation Interface Products





Signal Isolators & Conditioners, Alarm Trips and Telemetry Products



ASCO Solenoids, Valves, Sensors & Systems

numatics Valves, Cylinders, Motion Control, Air Prep., Sensors

Topworx Valve Controllers, Switch Boxes & Sensor Technologies

AVENTICS Valves, Cylinders, Motion Control, Air Prep., Sensors



Mobile Phones

Device Networking for

industries, Industrial Ethernet, Wireless Serial &

- Enclosures

LUENTA

Leader in Flare Gas Flow Measurement

- WLAN Radios
- Tracking Solutions

Hazardous Area Equipment

- Monitors
- PDAs

Also Representing:

- Smar
- Babbitt Level
- Dwyer
- Trident Air Dryers
- Orange Research
- Perma-Cal **Industries**
- Ernst
- Primary Flow Signal
- Leviton

- · Frontline Test Eq.
- B&B Electronics
- MACTek Corp.
- Fluke
- ExLoc
- Wika
- Stainless Valve
- Conant Controls
- Precision Digital

- Alco Valves
- Imperial Eastman
- Mac-Weld
- Drexan Heat **Tracing**
- Barber Pig Valves
- BETA Calibrators
- Thermo-Kinetics
- Kvtola
- ICP DAS

Service Offering

- Certified Calibration Services
- Industrial Safety Services Fire & Gas **Systems**
- Valve Automation Services
- Control Panel Fabrication
- Safety System Services
- Control Network Security Consulting

One Stop Shop for all your **Communications** & Networking Requirements

Provider of Test, Measurement, **Calibration &** Recording **Instruments**

864 Philip St. E., Sarnia, ON N7T 1Z6 • Phone: 519-336-7301 • Fax: 519-336-8082 www.provincialcontrols.com • Email: sales@provincialcontrols.com



Where People & Positions Meet

Your success is our success. That's why we provide the forum for employers and job hunters to meet and form valuable partnerships toward mutual success.

Search for jobs or post your resume and you'll see the results

Visit our site at **jobs.isa.org** and see for yourself what the excitement is all about.

Quick Facts

- ISA members can view all ISA standards, recommended practices, and technical reports online, free of charge.
- 2 ISA members receive a 20%* discount on all ISA training courses both classroom and online. They can also access all pre-recorded ISA webinars for free.
- 3 ISA members receive a 20% discount when they apply to take ISA's Certified Control Systems Technician* (CCST*) and Certified Automation Professional* (CAP*) exams.
- 4 ISA members receive a discount on all ISA conference and symposia registrations. In some cases,

- joining ISA when you register for an event is like getting your membership for free!
- 5 ISA members get a 20% discount on ISA published books, plus a free subscription to InTech magazine and online access to ISA Transactions. They also receive regular editions of two e-newsletters: Automation Weekly and ISA Insights.
- 6 ISA members get unlimited technical division memberships.
- 7 Getting involved in an ISA section is one of the most convenient ways to network and get engaged with others in your profession.



Join the International Society of Automation

ISA is the professional home for engineers, technicians, leaders, and students engaged in industrial automation.

ISA is Your Organization

Join ISA to engage with peers and subject matter experts around the world, sharing and developing best practices to advance the profession. Build your resume and your reputation, but even better, use this opportunity to inspire the next generation of technical professionals.

We are creating the future of automation, and we need your skills, perspective, and insight to make it happen. Join us!

ISA, founded in 1945, is the global professional organization for automation. We develop standards and educate the industry on critical topics like safety, cybersecurity, instrumentation, control systems, and much more.

Electronic Addresses (Web Sites, E-mail)

Cancoppas Limited

www.cancoppas.com controls@cancoppas.com

CB Automation Inc.

www.cbautomation.com sales@cbautomation.com

CGIS

www.cgis.ca

Conval Process Solutions Inc.

www.convalpsi.com

Davis Controls Ltd.

www.daviscontrols.com

Electrozad Supply

www.electrozad.com sarsales@electrozad.com

Everest Automation

www.evermarkautomation.com info@evermarkautomation.com

Franklin Empire Inc.

www.franklinempire.com

Heaters Controls & Sensors

www.hcs77.com hcs@hcs1.com

Intertec Instrumentation Limited

www.intertec.info info@intertec-inst.com

Lakeside Process Controls Ltd.

www.lakesidecontrols.com

Langtree Controls Limited

www.langtreecontrols.com

Mac-Weld Machining

www.mac-weld.com

Provincial Controls

www.provincialcontrols.com sales@provincialcontrols.com

SPEC (Sarnia) Limited

www.specsarnia.com info@specsarnia.com

SPS Industrial & Instrumentation Specialists

www.spssales.com eko@spssales.com

Swagelok Ontario

www..swagelok.com

Thermo-Kinetics Company Ltd.

www.thermo-kinetics.com

Thermon

www.thermon.com

Vanko Analytical & Instrumentation Specialists

www.vega.com

Veronics Instruments Inc.

www.veronics.com info@veronics.com

Wajax

www.wajax.com

Westech Industrial Ltd.

www.westech-ind.com

WIKA Instruments Ltd.

www.wika.ca info@wika.ca



InTech CUS An hink doot coming the floatments of administration of administration

InTech Magazine

The most current issue of ISA's flagship publication is available online in a Digital Edition—an easily sharable format that lets you flip virtual pages on your tablet or desktop screen or download a PDF of the entire magazine.

Also online, you can access the InTech Magazine Archives — digital magazine articles from 2016 to the present.

InTech FOCUS Ebooks

The InTech FOCUS series of ebooks, published in PDF format, covers fundamental automation and instrumentation topics through technical articles contributed by industry experts, including ISA members.

Also available: InTech Plus Newsletters

InTech Plus newsletters combine technical articles, automation basics, event coverage, book excerpts, and more in an easy-to-scan format delivered to your inbox.

Subscribe through the website: www.isa.org/intech-home/subscribe.













Our Sarnia Location

is here to take care of all vour instrumentation needs: 519-464-3270

PROUDLY CELEBRATING OVER 35 YEARS!

Our team of local, factory trained, and experienced field service technicians are here to support all of your field requirements, throughout Canada



Contactless nucleonic instrumentation for level, density, phase, online moisture



Extensive range of innovative level solutions



High-visibility magnetic level indication and highaccuracy magnetostrictive level transmitters



Leading provider of reliable, accurate and stable gas measurement solutions



Portable gas detection, toxic and combustibles, vapours and oxygen



Flowrox pinch and knife gate valves, slurry, dosing and metering pumps



Valves; butterfly, ball, control, specialty automation and controls



Water and steam quality monitoring instruments



Environmental monitoring stack flow, opacity, stack gas measurements





VOC gas analyzers, including baseline gas chromatographs, hydrocarbon analyzer

DREXELBROOK®



point and continuous level



POWERED BY ACOEM

Ambient air measurements, air quality monitors



Ultrasonic technology for flare gas measurement, gas venting



Distillation, viscometers, total sulfur, physical property, oil in water



Oil in water analyzers



Smart pressure, differential pressure and temperature transmitters



Particulate monitoring and control solutions

customerservice@vanko.net

Boucherville **Toronto** Sarnia

Winnipeg

Regina

1-800-307-8554

Edmonton

www.vanko.net

Calgary

Vancouver



PRODUCT CATEGORY/ SUPPLIER CROSS REFERENCE

IMPORTANT NOTICE

The ISA Sarnia Section Reference Guide has been carefully compiled. Every precaution was taken to prevent errors or omissions to ensure maximum accuracy. ISA cannot guarantee the correctness of the information provided to them, and therefore shall not be liable for damages resulting from errors or omissions in this directory. We apologize for any errors made. If the information provided on your company has changed please contact us so that the changes will be made for next years Reference Guide. Your assistance is greatly appreciated.

Publications Committee



Cross Reference	Page	Cross Reference	Page
A lti In-thuti		Angleman Scrateria Daviera	
Acceleration Instrumentation	Incido Frant	Analyzer System Design	10
Lakeside Process Controls LtdVeronics Instruments Inc		Cancoppas Limited Davis Controls Limited	
	10	Everest Automation Inc	
Acoustic Emissions Instrumentation		Intertec Instrumentation Ltd	
Thermo-Kinetics Company Ltd	11	Lakeside Process Controls Ltd	
Actuators, Electric		Provincial Controls	
Conval Process Solutions Inc	13	SPS Industrial & Instrumentation Specialists	
Davis Controls Limited		Swagelok Ontario	
Electrozad Supply Company		Vanko Analytical & Instrumentation Specialists	
Everest Automation Inc		Westech Industrial Ltd	
Franklin Empire Inc			3
Lakeside Process Controls Ltd	Inside Front	Analyzers, Carbon Dioxide	
SPS Industrial & Instrumentation Specialists		Cancoppas Limited	
Swagelok Ontario		Everest Automation Inc	
Thermo-Kinetics Company Ltd		Lakeside Process Controls Ltd	
Wajax		Provincial Controls	
Westech Industrial Ltd	3	Vanko Analytical & Instrumentation Specialists	
Actuators, Hydraulic		Veronics Instruments Inc	
CGIS - The World's Best Valves	Pack Cover	Westech Industrial Ltd	3
		Analyzers, Carbon Monoxide	
Davis Controls Limited		Cancoppas Limited	18
Everest Automation Inc		Everest Automation Inc	12
Franklin Empire Inc Lakeside Process Controls Ltd		Heaters Controls & Sensors Ltd	
SPS Industrial & Instrumentation Specialists		Provincial Controls	19
Westech Industrial Ltd		Vanko Analytical & Instrumentation Specialists	
	3	Veronics Instruments Inc	16
Actuators, Pneumatic		Westech Industrial Ltd	3
CGIS - The World's Best Valves		Analyzaya Chyamatagyanha	
Conval Process Solutions Inc		Analyzers, Chromatographs Cancoppas Limited	10
Davis Controls Limited		Everest Automation Inc	
Electrozad Supply Company		Lakeside Process Controls Ltd	
Everest Automation Inc		Vanko Analytical & Instrumentation Specialists	
Franklin Empire Inc		Westech Industrial Ltd	
Lakeside Process Controls Ltd			
Provincial Controls		Analyzers, Combustible Gas	
SPS Industrial & Instrumentation Specialists		Cancoppas Limited	
Wajax		Davis Controls Limited	
Westech Industrial Ltd	3	Everest Automation Inc	
Air Compressors		Lakeside Process Controls Ltd	
Provincial Controls	19	Provincial Controls	
Air Drvers		Vanko Analytical & Instrumentation Specialists	
CB Automation Inc	Incido Back	Veronics Instruments Inc	
Davis Controls Limited		Westech Industrial Ltd	3
Provincial Controls		Analyzers, Flue Gas	
_	13	Cancoppas Limited	18
Alarm Systems		Davis Controls Limited	2
CB Automation Inc		Everest Automation Inc	12
Davis Controls Limited		Lakeside Process Controls Ltd	Inside Front
Electrozad Supply Company		Provincial Controls	
Franklin Empire Inc		Vanko Analytical & Instrumentation Specialists	22
Provincial Controls		Veronics Instruments Inc	16
SPEC (Sarnia) Limited		Westech Industrial Ltd	3
SPS Industrial & Instrumentation Specialists		Analyzers, Gas On-Stream	
Westech Industrial Ltd	3	Cancoppas Limited	18
Amplifiers		Everest Automation Inc	
CB Automation Inc	Inside Back	Lakeside Process Controls Ltd	
Electrozad Supply Company	16	Vanko Analytical & Instrumentation Specialists	
Analyzer Shelters		Veronics Instruments Inc	
Cancoppas Limited	18	Westech Industrial Ltd	
Davis Controls Limited			
Electrozad Supply Company		Analyzers, Hydrocarbon	÷-
Everest Automation Inc		Cancoppas Limited	
Intertec Instrumentation Ltd		Everest Automation Inc	
Provincial Controls		Lakeside Process Controls Ltd	
SPS Industrial & Instrumentation Specialists		Vanko Analytical & Instrumentation Specialists	
Vanko Analytical & Instrumentation Specialists		Veronics Instruments Inc	
Westech Industrial Ltd		Westech Industrial Ltd	3

Cross Reference	Page	Cross Reference	Page
Analyzers, Hydrogen Sulphide		Vanko Analytical & Instrumentation Specialists	22
Cancoppas Limited	18	Westech Industrial Ltd	
Electrozad Supply Company		Analyzers, Water Quality	
Everest Automation Inc	12	Cancoppas Limited	19
Lakeside Process Controls Ltd	Inside Front	Davis Controls Limited	
Provincial Controls		Electrozad Supply Company	
Vanko Analytical & Instrumentation Specialists	22	Everest Automation Inc	
Veronics Instruments Inc	16	Franklin Empire Inc	
Westech Industrial Ltd	3	Lakeside Process Controls Ltd	
Analyzers, Infra-Red		Vanko Analytical & Instrumentation Specialists	
Cancoppas Limited	18	Westech Industrial Ltd	
Electrozad Supply Company			
Everest Automation Inc		Annunciators CB Automation Inc	Incido Dael
Lakeside Process Controls Ltd	Inside Front	Davis Controls Limited	
SPS Industrial & Instrumentation Specialists	18	Electrozad Supply Company	
Vanko Analytical & Instrumentation Specialists	22	Heaters Controls & Sensors Ltd	
Veronics Instruments Inc	16	Lakeside Process Controls Ltd	
Westech Industrial Ltd	3	Provincial Controls	
Analyzers, Moisture			
Cancoppas Limited	18	Anti-Surge Controls	
Davis Controls Limited		CB Automation Inc	
Everest Automation Inc		Lakeside Process Controls Ltd	
Provincial Controls		Provincial Controls	19
Vanko Analytical & Instrumentation Specialists		Automation Engineering Services	
Veronics Instruments Inc		CB Automation Inc	Inside Back
Westech Industrial Ltd		Electrozad Supply Company	16
	-	Everest Automation Inc	12
Analyzers, Oxygen Cancoppas Limited	10	Franklin Empire Inc	17
		Lakeside Process Controls Ltd	Inside Fron
Davis Controls Limited Electrozad Supply Company		Provincial Controls	19
Everest Automation Inc		Barriers, Intrinsic Safety	
Lakeside Process Controls Ltd		CB Automation Inc	Inside Back
Provincial Controls		Cancoppas Limited	
Vanko Analytical & Instrumentation Specialists		Davis Controls Limited	
Veronics Instruments Inc		Electrozad Supply Company	16
Westech Industrial Ltd		Franklin Empire Inc	
		Heaters Controls & Sensors Ltd	
Analyzers, Ph	10	Provincial Controls	19
Cancoppas Limited		Thermo-Kinetics Company Ltd	
Davis Controls Limited		Vanko Analytical & Instrumentation Specialists	
Electrozad Supply Company Everest Automation Inc		WIKA Instruments Ltd	Inside Fron
Franklin Empire Inc		Batterv	
Lakeside Process Controls Ltd		Electrozad Supply Company	16
Provincial Controls		Heaters Controls & Sensors Ltd	15
SPEC (Sarnia) Limited		Provincial Controls	
Wajax		Blending & Batching Systems	
Westech Industrial Ltd		CB Automation Inc	Insida Racl
		Cancoppas Limited	
Analyzers, Solids On-Stream	10	Davis Controls Limited	
Cancoppas Limited		Electrozad Supply Company	
Electrozad Supply Company Everest Automation Inc		Everest Automation Inc	
Lakeside Process Controls Ltd			
SPEC (Sarnia) Limited		Boiler & Furnace Instrumentation	la siala Da al
Westech Industrial Ltd		CB Automation Inc	
Westech maustral Lta	3	Cancoppas Limited	
Analyzers, Stack Gas		Davis Controls Limited	
Cancoppas Limited		Electrozad Supply Company	
Davis Controls Limited		Everest Automation Inc	
Everest Automation Inc		Franklin Empire Inc	
Lakeside Process Controls Ltd		Heaters Controls & Sensors Ltd	
Vanko Analytical & Instrumentation Specialists		Lakeside Process Controls Ltd	
Westech Industrial Ltd	3	Provincial Controls	
Analyzers, Ultraviolet		Swagelok Ontario	
Cancoppas Limited		Thermo-Kinetics Company Ltd	
Everest Automation Inc		WIKA Instruments Ltd	
Franklin Empire Inc		Wajax	
Lakeside Process Controls Ltd	Inside Front		

Cross Reference	Page	Cross Reference	Page
Westech Industrial Ltd	3	Everest Automation Inc	12
		Franklin Empire Inc	
Cable Tubing & Support Systems	Incido Dools	Provincial Controls	
CB Automation IncElectrozad Supply Company		Thermo-Kinetics Company Ltd	
Provincial Controls		Communications Systems, Design	
Swagelok Ontario		Electrozad Supply Company	16
Wajax		Everest Automation Inc	12
•		Franklin Empire Inc	
Calibration Instrumentation & Service		Provincial Controls	
CB Automation Inc		Thermon	17
Conval Process Solutions Inc		Communications Systems, Telemetry	
Davis Controls Limited		CB Automation Inc	Inside Back
Electrozad Supply Company		Davis Controls Limited	
Franklin Empire Inc		Electrozad Supply Company	
Heaters Controls & Sensors Ltd		Everest Automation Inc	
Provincial Controls		Franklin Empire Inc	
SPEC (Sarnia) Limited		Provincial Controls	
Thermo-Kinetics Company LtdVeronics Instruments Inc			
		Computers, Industrial	Incido Dool
WIKA Instruments Ltd		CB Automation Inc Davis Controls Limited	
Westech Industrial Ltd		Electrozad Supply Company	
	3	Everest Automation Inc	
Calibration Standards		Franklin Empire Inc	
Franklin Empire Inc		Heaters Controls & Sensors Ltd	
Provincial Controls		Provincial Controls	
Thermo-Kinetics Company Ltd		Conductivity Instrumentation	19
WIKA Instruments Ltd		Cancoppas Limited	10
Wajax	15	Davis Controls Limited	
Calorimeters		Electrozad Supply Company	
Everest Automation Inc	12	Everest Automation Inc	
Franklin Empire Inc	17	Franklin Empire Inc	
Westech Industrial Ltd	3	Lakeside Process Controls Ltd	Inside Front
Cameras Security / Camera Process		Provincial Controls	
Davis Controls Limited	2	SPS Industrial & Instrumentation Specialists	
Electrozad Supply Company	16	Thermo-Kinetics Company Ltd	
Provincial Controls	19	Westech Industrial Ltd	
Thermo-Kinetics Company LtdLtd	11		
Chemical Injectors Pneumatic		Configuration DSC/PLC	10
Combustion Controls		Cancoppas Limited	
CB Automation Inc	Inside Back	Everest Automation Inc	
Cancoppas Limited		Franklin Empire Inc	
Heaters Controls & Sensors Ltd		Lakeside Process Controls Ltd	
Lakeside Process Controls Ltd		Langtree Controls Limited Provincial Controls	
Langtree Controls Limited		Provincial Controls	19
Provincial Controls		Consulting Engineering Services	
Thermo-Kinetics Company Ltd		Everest Automation Inc	
Vanko Analytical & Instrumentation Specialists.		Lakeside Process Controls Ltd	
Westech Industrial Ltd		Langtree Controls Limited	
		Provincial Controls	19
Commissioning & Start-Up Services	Incido Doole	Control Consoles	
CB Automation Inc		Cancoppas Limited	18
		Everest Automation Inc	
Davis Controls Limited		Lakeside Process Controls Ltd	Inside Front
Electrozad Supply Company		Provincial Controls	19
Everest Automation Inc		Thermo-Kinetics Company LtdLtd	11
Franklin Empire IncHeaters Controls & Sensors Ltd			
Lakeside Process Controls Ltd		Controllers, Analog Cancoppas Limited	10
Provincial Controls		Davis Controls Limited	
Thermon		Electrozad Supply Company	
Vanko Analytical & Instrumentation Specialists.		Everest Automation Inc	
WIKA Instruments Ltd		Franklin Empire Inc	
Westech Industrial Ltd		Heaters Controls & Sensors Ltd	
	3	Lakeside Process Controls Ltd	
Communications Equipment, Networks		Provincial Controls	
CB Automation Inc		SPEC (Sarnia) Limited	
Davis Controls Limited		Thermo-Kinetics Company Ltd	
Electrozad Supply Company	16	WIKA Instruments Ltd	

Cross Reference	Page	Cross Reference	Page
Controllers, Digital		Control Systems, General	
CB Automation Inc	Inside Back	CB Automation Inc	Inside Back
Cancoppas Limited		Cancoppas Limited	
Davis Controls Limited		Davis Controls Limited	
Electrozad Supply Company		Everest Automation Inc	12
Everest Automation Inc		Franklin Empire Inc	
Franklin Empire Inc		Heaters Controls & Sensors Ltd	15
Heaters Controls & Sensors Ltd		Lakeside Process Controls Ltd	
Lakeside Process Controls Ltd	Inside Front	Provincial Controls	19
Provincial Controls	19	SPS Industrial & Instrumentation Specialists	18
SPEC (Sarnia) Limited	11	Thermo-Kinetics Company Ltd	11
Thermo-Kinetics Company LtdLtd	11	Control Systems, Integration	
Veronics Instruments Inc		Cancoppas Limited	10
WIKA Instruments Ltd	Inside Front	Everest Automation Inc	
Controllers, Electrical Heat Tracing		Franklin Empire Inc	
CB Automation Inc	Incido Pack	Heaters Controls & Sensors Ltd	
Electrozad Supply Company		Lakeside Process Controls Ltd	
Heaters Controls & Sensors Ltd		Provincial Controls	
Provincial Controls		SPS Industrial & Instrumentation Specialists	
SPEC (Sarnia) Limited		Thermo-Kinetics Company Ltd	
SPS Industrial & Instrumentation Specialists		Westech Industrial Ltd	
Thermo-Kinetics Company Ltd			
Thermon		Control Systems, Pneumatic	
Veronics Instruments Inc		Cancoppas Limited	
	10	Franklin Empire Inc	
Controllers, Pneumatic		Heaters Controls & Sensors Ltd	
Cancoppas Limited		Langtree Controls Limited	
Davis Controls Limited		Provincial Controls	
Electrozad Supply Company		SPS Industrial & Instrumentation Specialists	18
Franklin Empire Inc		Converters, Analog To Digital	
Heaters Controls & Sensors Ltd		CB Automation Inc	Inside Back
Lakeside Process Controls Ltd		Cancoppas Limited	18
Provincial Controls		Davis Controls Limited	2
SPEC (Sarnia) Limited	11	Electrozad Supply Company	
Controls Ratio / Batch		Everest Automation Inc	
CB Automation Inc	Inside Back	Franklin Empire Inc	17
Cancoppas Limited	18	Heaters Controls & Sensors Ltd	15
Davis Controls Limited	2	Provincial Controls	19
Everest Automation Inc	12	SPEC (Sarnia) Limited	11
Franklin Empire Inc	17	Converters, Digital To Analog	
Provincial Controls	19	CB Automation Inc	Inside Back
Thermo-Kinetics Company LtdLtd	11	Cancoppas Limited	
WIKA Instruments Ltd	Inside Front	Davis Controls Limited	
Control Systems, Analog		Electrozad Supply Company	
CB Automation Inc	Inside Back	Everest Automation Inc	
Cancoppas Limited		Franklin Empire Inc	
Electrozad Supply Company		Heaters Controls & Sensors Ltd	
Everest Automation Inc		SPEC (Sarnia) Limited	
Franklin Empire Inc			
Heaters Controls & Sensors Ltd		Corrosion Instrumentation	
Lakeside Process Controls Ltd		CB Automation Inc	
Provincial Controls		Franklin Empire Inc	
SPS Industrial & Instrumentation Specialists		Lakeside Process Controls Ltd	Inside Front
Thermo-Kinetics Company Ltd		Counters, Electromechanical	
		CB Automation Inc	Inside Back
Control Systems, Digital		Davis Controls Limited	2
CB Automation Inc		Electrozad Supply Company	16
Cancoppas Limited		Heaters Controls & Sensors Ltd	15
Davis Controls Limited		Provincial Controls	19
Electrozad Supply Company		Counters, Electronic	
Everest Automation Inc		CB Automation Inc	Inside Rack
Franklin Empire Inc		Davis Controls Limited	
Heaters Controls & Sensors Ltd		Electrozad Supply Company	
Lakeside Process Controls Ltd		Franklin Empire Inc	
Provincial Controls		Heaters Controls & Sensors Ltd	
SPS Industrial & Instrumentation Specialists		Provincial Controls	
Thermo-Kinetics Company Ltd			19
WIKA Instruments Ltd	inside Front	Data Acquisition Systems	

CB Automation Inc......Inside Back

Cross Reference	Page	Cross Reference	Page
Cancoppas Limited	18	Cancoppas Limited	18
Davis Controls Limited		Electrozad Supply Company	
Electrozad Supply Company		Everest Automation Inc	
Franklin Empire Inc		Franklin Empire Inc	
Heaters Controls & Sensors Ltd		Heaters Controls & Sensors Ltd	
Lakeside Process Controls Ltd		Intertec Instrumentation Ltd	10
Provincial Controls		Provincial Controls	
Thermo-Kinetics Company Ltd		SPS Industrial & Instrumentation Specialists	
Veronics Instruments Inc		Swagelok Ontario	
WIKA Instruments Ltd		Thermo-Kinetics Company Ltd	
Westech Industrial Ltd		Wajax	
Density Instrumentation		Westech Industrial Ltd	
Cancoppas Limited	18	Encoders	
Davis Controls Limited	2	Cancoppas Limited	18
Electrozad Supply Company	16	Davis Controls Limited	2
Everest Automation Inc	12	Electrozad Supply Company	16
Franklin Empire Inc	17	Franklin Empire Inc	17
Lakeside Process Controls Ltd	Inside Front	Heaters Controls & Sensors Ltd	15
Provincial Controls	19	Engine Test Equipment	
Vanko Analytical & Instrumentation Specialists	22	Cancoppas Limited	10
Westech Industrial Ltd		Veronics Instruments Inc	
Display Systems		Environmental	
CB Automation Inc		Cancoppas Limited	18
Cancoppas Limited	18	Franklin Empire Inc	
Davis Controls Limited	2	SPEC (Sarnia) Limited	
Electrozad Supply Company		Vanko Analytical & Instrumentation Specialists	
Everest Automation Inc	12	Westech Industrial Ltd	
Franklin Empire Inc			
Heaters Controls & Sensors Ltd	15	Environmental & Water Quality	4.0
Provincial Controls	19	Cancoppas Limited	
Veronics Instruments Inc	16	Franklin Empire Inc	
Dryers		SPEC (Sarnia) Limited	
CB Automation Inc	Inside Back	Vanko Analytical & Instrumentation Specialists	
Davis Controls Limited		Westech Industrial Ltd	3
Thermon		Fiber Optics Data Links	
Electrical Heating Cable		Provincial Controls	19
CB Automation Inc	Inside Back	Field Service	
Heaters Controls & Sensors Ltd		CB Automation Inc	Inside Back
Provincial Controls		CGIS - The World's Best Valves	Back Cover
SPEC (Sarnia) Limited		Davis Controls Limited	
SPS Industrial & Instrumentation Specialists		Everest Automation Inc	12
Thermon		Franklin Empire Inc	17
Veronics Instruments Inc		Provincial Controls	19
	10	SPS Industrial & Instrumentation Specialists	18
Electrical Measuring Instrumentation		Swagelok Ontario	
CB Automation Inc	Inside Back	WIKA Instruments Ltd	
Cancoppas Limited	18	Westech Industrial Ltd	
Conval Process Solutions Inc	13		
Davis Controls Limited		Fieldbus - Components	
Electrozad Supply Company		CB Automation Inc	
Franklin Empire Inc		CGIS - The World's Best Valves	
Heaters Controls & Sensors Ltd	15	Davis Controls Limited	
Provincial Controls	19	Everest Automation Inc	
SPEC (Sarnia) Limited		Franklin Empire Inc	
WIKA Instruments Ltd	Inside Front	Lakeside Process Controls Ltd	
Westech Industrial Ltd	3	Provincial Controls	
Emergency Shut Down - ESD Systems		Vanko Analytical & Instrumentation Specialists	
Electrozad Supply Company	16	Wajax	15
Lakeside Process Controls Ltd		Fieldbus - Services	
Provincial Controls		CGIS - The World's Best Valves	Back Cove
		Everest Automation Inc	12
Emission Analyzer Service	10	Franklin Empire Inc	17
Cancoppas Limited		Lakeside Process Controls Ltd	Inside Front
Everest Automation Inc		Provincial Controls	19
Westech Industrial Ltd	3	Wajax	15
Enclosures, Instrument		Filters, Gas	
CB Automation Inc	Inside Back	Davis Controls Limited	
		Dravingial Controls	10

Cross Reference	Page	Cross Reference	Page
SPS Industrial & Instrumentation Specialists	18	Everest Automation Inc	12
Swagelok Ontario		Franklin Empire Inc	
Thermon		Lakeside Process Controls Ltd	
Wajax		Provincial Controls	
Westech Industrial Ltd		Thermo-Kinetics Company LtdLtd	
		Veronics Instruments Inc	
Filters, Liquid	10	WIKA Instruments Ltd	
SPS Industrial & Instrumentation Specialists		Wajax	
Swagelok Ontario			
Thermon		Flow Indicators & Gauges	Incido Dool
Wajax		CB Automation Inc	
Westech Industrial Ltd	3	Cancoppas Limited	
Filtration Systems, Bulk		Davis Controls Limited	
Davis Controls Limited		Electrozad Supply Company	
SPS Industrial & Instrumentation Specialists	18	Everest Automation Inc	
Thermon	17	Franklin Empire Inc	
Wajax		Heaters Controls & Sensors Ltd	
Westech Industrial Ltd	3	Lakeside Process Controls Ltd	
Fire & Heat Actuated Detectors		Provincial Controls	
Lakeside Process Controls Ltd	Inside Front	SPEC (Sarnia) Limited	
Provincial Controls		SPS Industrial & Instrumentation Specialists	
		Swagelok Ontario	
Fire Detection Lakeside Process Controls Ltd	Incido Frant	Thermo-Kinetics Company Ltd	
		Veronics Instruments Inc	
Provincial Controls		WIKA Instruments Ltd	
Thermo-Kinetics Company LtdVeronics Instruments Inc		Wajax	
		Westech Industrial Ltd	
Westech Industrial Ltd	3		
Fittings, Manifolds & Seals		Flow Meters	
CB Automation Inc		CB Automation Inc	
Conval Process Solutions Inc		CGIS - The World's Best Valves	
Everest Automation Inc		Cancoppas Limited	
Lakeside Process Controls Ltd		Davis Controls Limited	
Provincial Controls		Electrozad Supply Company	
SPEC (Sarnia) Limited		Everest Automation Inc	
SPS Industrial & Instrumentation Specialists		Franklin Empire Inc	
Thermo-Kinetics Company Ltd		Lakeside Process Controls Ltd	
WIKA Instruments Ltd		Provincial Controls	
Wajax		SPEC (Sarnia) Limited	
Westech Industrial Ltd	3	SPS Industrial & Instrumentation Specialists Swagelok Ontario	
Flame Arrestors			
Conval Process Solutions Inc		Thermo-Kinetics Company LtdVanko Analytical & Instrumentation Specialists	
Everest Automation Inc		Veronics Instruments Inc	
Lakeside Process Controls Ltd	Inside Front	Waiax	
Veronics Instruments Inc	16	Westech Industrial Ltd	
Westech Industrial Ltd	3		
Flame Detectors		Flow Provers	
Everest Automation Inc	12	CB Automation Inc	
Lakeside Process Controls Ltd		Electrozad Supply Company	
Provincial Controls		Franklin Empire Inc	
Thermo-Kinetics Company Ltd		Provincial Controls	19
Vanko Analytical & Instrumentation Specialists		SPS Industrial & Instrumentation Specialists	
Veronics Instruments Inc		Thermo-Kinetics Company LtdLtd	
WIKA Instruments Ltd		WIKA Instruments Ltd	Inside Fron
Wajax		Flow Regulators, Gas	
Westech Industrial Ltd		CB Automation Inc	Inside Bacl
		Conval Process Solutions Inc	13
Flow Calibrators CB Automation Inc	Incido Doole	Davis Controls Limited	
		Electrozad Supply Company	16
Cancoppas Limited		Lakeside Process Controls Ltd	
Franklin Empire Inc		Provincial Controls	
Lakeside Process Controls Ltd Provincial Controls		SPS Industrial & Instrumentation Specialists	18
Veronics Instruments Inc		Thermo-Kinetics Company LtdLtd	1
WIKA Instruments Ltd		Westech Industrial Ltd	
WINA HISTUITIETIUS EUU	Iriside Front	Flow Sensors	
Flow Computers		CB Automation Inc	Inside Red
CB Automation Inc		Cancoppas Limited	
Davis Controls Limited		Carlooppus Enrited	
Electrozad Supply Company	16		

Cross Reference	Page	Cross Reference	Page
Conval Process Solutions Inc	13	Electrozad Supply Company	16
Davis Controls Limited		Everest Automation Inc	
Electrozad Supply Company		Provincial Controls	
Everest Automation Inc		SPS Industrial & Instrumentation Specialists	18
Franklin Empire Inc		Swagelok Ontario	14
Heaters Controls & Sensors Ltd		Thermo-Kinetics Company LtdLtd	
Lakeside Process Controls Ltd		Wajax	
Provincial Controls		Westech Industrial Ltd	
SPEC (Sarnia) Limited			
SPS Industrial & Instrumentation Specialists		Flowmeters, Magnetic	Incido Dool
Thermo-Kinetics Company Ltd		CB Automation Inc	
Vanko Analytical & Instrumentation Specialists		Cancoppas Limited	
WIKA Instruments Ltd		Davis Controls Limited	
Wajax		Electrozad Supply Company	
Westech Industrial Ltd		Everest Automation Inc	
		Franklin Empire Inc	
Flow Switches		Lakeside Process Controls Ltd	
CB Automation Inc		Provincial Controls	
Conval Process Solutions Inc		SPS Industrial & Instrumentation Specialists	
Davis Controls Limited		Swagelok Ontario	
Electrozad Supply Company		Thermo-Kinetics Company Ltd	
Everest Automation Inc		Wajax	15
Franklin Empire Inc		Westech Industrial Ltd	3
Heaters Controls & Sensors Ltd		Flowmeters, Mass	
Lakeside Process Controls Ltd		Cancoppas Limited	18
Provincial Controls		Davis Controls Limited	
SPEC (Sarnia) Limited		Electrozad Supply Company	
SPS Industrial & Instrumentation Specialists		Everest Automation Inc	12
Thermo-Kinetics Company Ltd		Franklin Empire Inc	
WIKA Instruments Ltd	Inside Front	Lakeside Process Controls Ltd	
Wajax		Provincial Controls	
Westech Industrial Ltd	3	SPEC (Sarnia) Limited	
Flow Totalizers		SPS Industrial & Instrumentation Specialists	
CB Automation Inc	Inside Back	Thermo-Kinetics Company Ltd	
Cancoppas Limited		Wajax	
Davis Controls Limited		Westech Industrial Ltd	
Electrozad Supply Company			
Everest Automation Inc		Flowmeters, Opacity	_
Franklin Empire Inc		Davis Controls Limited	2
Lakeside Process Controls Ltd		Electrozad Supply Company	
Provincial Controls		Lakeside Process Controls Ltd	
SPEC (Sarnia) Limited		Provincial Controls	······································
SPS Industrial & Instrumentation Specialists		SPS Industrial & Instrumentation Specialists	
Thermo-Kinetics Company Ltd		Thermo-Kinetics Company Ltd	
Veronics Instruments Inc		Vanko Analytical & Instrumentation Specialists	
		Wajax	15
Wajax	15	Flowmeters, Pitot / Insertion Type	
Flow Transmitters		CB Automation Inc	Inside Back
CB Automation Inc	Inside Back	Davis Controls Limited	
Cancoppas Limited	18	Electrozad Supply Company	
Conval Process Solutions Inc	13	Everest Automation Inc	
Davis Controls Limited	2	Franklin Empire Inc	
Electrozad Supply Company	16	Lakeside Process Controls Ltd	
Everest Automation Inc	12	Provincial Controls	
Franklin Empire Inc	17	SPS Industrial & Instrumentation Specialists	
Heaters Controls & Sensors Ltd	15	Thermo-Kinetics Company LtdLtd	
Lakeside Process Controls Ltd		Veronics Instruments Inc	
Provincial Controls	19	WIKA Instruments Ltd	
SPEC (Sarnia) Limited	11	Wajax	
SPS Industrial & Instrumentation Specialists	18		
Swagelok Ontario		Westech Industrial Ltd	3
Thermo-Kinetics Company Ltd		Flowmeters, Positive Displacement	
Vanko Analytical & Instrumentation Specialists		CB Automation Inc	Inside Back
Veronics Instruments Inc		Cancoppas Limited	18
Wajax		Davis Controls Limited	2
Westech Industrial Ltd		Electrozad Supply Company	16
	9	Everest Automation Inc	
Flowmeters, Armoured Tube		Provincial Controls	19
CB Automation Inc		SPEC (Sarnia) Limited	
Cancoppas Limited	18	SPS Industrial & Instrumentation Specialists	

Cross Reference	Page	Cross Reference	Page
Thermo-Kinetics Company Ltd	11	Franklin Empire Inc	1
Wajax		Lakeside Process Controls Ltd	
Westech Industrial Ltd	3	Provincial Controls	19
Flowmeters, Solids		SPEC (Sarnia) Limited	1
CB Automation Inc	Incido Daele	SPS Industrial & Instrumentation Specialists	18
Cancoppas Limited		Thermo-Kinetics Company Ltd	
		Veronics Instruments Inc	
Davis Controls Limited		Wajax	15
Electrozad Supply Company		Westech Industrial Ltd	
Everest Automation Inc			
Franklin Empire Inc		Gas Detectors - Portable	
Lakeside Process Controls Ltd		Cancoppas Limited	
Provincial Controls		Davis Controls Limited	
SPEC (Sarnia) Limited		Electrozad Supply Company	
SPS Industrial & Instrumentation Specialists		Everest Automation Inc	
Thermo-Kinetics Company Ltd		Franklin Empire Inc	1
Wajax		Heaters Controls & Sensors Ltd	
Westech Industrial Ltd	3	Provincial Controls	
Flowmeters, Swirl & Vortex		SPEC (Sarnia) Limited	
Cancoppas Limited	18	Thermo-Kinetics Company Ltd	
Davis Controls Limited		Vanko Analytical & Instrumentation Specialists	22
Electrozad Supply Company		Wajax	
Everest Automation Inc		Westech Industrial Ltd	
Franklin Empire Inc		Gas Detectors, Toxic & Lethal	
Lakeside Process Controls Ltd		Cancoppas Limited	15
Provincial Controls		Davis Controls Limited	
SPEC (Sarnia) Limited		Electrozad Supply Company	14
SPS Industrial & Instrumentation Specialists		Everest Automation Inc	
•			
Thermo-Kinetics Company Ltd		Franklin Empire Inc	
Veronics Instruments Inc		Heaters Controls & Sensors Ltd Lakeside Process Controls Ltd	
Wajax			
Westech Industrial Ltd	3	Provincial Controls	
Flowmeters, Ultrasonic		Thermo-Kinetics Company Ltd	
CB Automation Inc	Inside Back	Wajax	
Cancoppas Limited	18	Westech Industrial Ltd	
Davis Controls Limited	2	Gases, Calibration & Carrier	
Electrozad Supply Company	16	Cancoppas Limited	18
Everest Automation Inc	12	Electrozad Supply Company	16
Franklin Empire Inc	17	Everest Automation Inc	
Lakeside Process Controls Ltd		Franklin Empire Inc	1
Provincial Controls	19	Provincial Controls	
SPEC (Sarnia) Limited	11	Wajax	1
SPS Industrial & Instrumentation Specialists		Westech Industrial Ltd	
Thermo-Kinetics Company Ltd			
Vanko Analytical & Instrumentation Specialists	22	Heat Tracing, Electrical	
Veronics Instruments Inc		CB Automation Inc	
Wajax		Electrozad Supply Company	
Westech Industrial Ltd		Heaters Controls & Sensors Ltd	
		Provincial Controls	
Flowmeters, Venturi & Flow		SPEC (Sarnia) Limited	
CB Automation Inc		SPS Industrial & Instrumentation Specialists	
Cancoppas Limited		Swagelok Ontario	
Davis Controls Limited		Thermon	
Electrozad Supply Company	16	Heat Tracing, Steam	
Everest Automation Inc	12	SPEC (Sarnia) Limited	1
Franklin Empire Inc		SPS Industrial & Instrumentation Specialists	18
Lakeside Process Controls Ltd	Inside Front	Swagelok Ontario	
Provincial Controls	19	Thermon	
SPEC (Sarnia) Limited	11	Veronics Instruments Inc	
SPS Industrial & Instrumentation Specialists	18	WIKA Instruments Ltd	
Thermo-Kinetics Company Ltd	11		11 13146 1 1011
WIKA Instruments Ltd	Inside Front	Heaters, Enclosure	
Wajax	15	CB Automation Inc	
Westech Industrial Ltd		Heaters Controls & Sensors Ltd	15
		Humidity Instrumentation, General	
Flowmeters, Vortex	10	CB Automation Inc	Inside Bacl
Cancoppas Limited		Davis Controls Limited	
Davis Controls Limited		Everest Automation Inc	
Electrozad Supply Company	lb	Franklin Empire Inc.	

Cross Reference	Page	Cross Reference	Page
Heaters Controls & Sensors Ltd	15	Franklin Empire Inc	17
Provincial Controls		Heaters Controls & Sensors Ltd	15
Thermo-Kinetics Company Ltd		Intertec Instrumentation Ltd	
WIKA Instruments Ltd		Provincial Controls	
Westech Industrial Ltd		SPS Industrial & Instrumentation Specialists	
		Wajax	
Ignition Instrumentation, Service	10	Westech Industrial Ltd	
Everest Automation Inc			
Thermo-Kinetics Company Ltd	II	Insulated Instrument Tubing	
Indicators, Electronic		CB Automation Inc	
CB Automation Inc	Inside Back	Electrozad Supply Company	
Cancoppas Limited	18	SPS Industrial & Instrumentation Specialists	
Davis Controls Limited	2	Swagelok Ontario	
Electrozad Supply Company	16	Thermon	1/
Everest Automation Inc		Insulation Covers, Flexible	
Franklin Empire Inc	17	CB Automation Inc	Inside Back
Heaters Controls & Sensors Ltd		Heaters Controls & Sensors Ltd	
Provincial Controls		Intertec Instrumentation Ltd	
SPEC (Sarnia) Limited		Provincial Controls	
SPS Industrial & Instrumentation Specialists			
Thermo-Kinetics Company Ltd		Intrinsic Safety Interfaces	
Wajax		CB Automation Inc	
	13	Franklin Empire Inc	
Indicators, General Purpose		Heaters Controls & Sensors Ltd	
CB Automation Inc	Inside Back	Provincial Controls	
Cancoppas Limited	18	Thermo-Kinetics Company LtdLtd	11
Davis Controls Limited	2	WIKA Instruments Ltd	Inside Front
Electrozad Supply Company	16	Laboratory Sampling Systems	
Everest Automation Inc	12	Everest Automation Inc	12
Franklin Empire Inc	17	Provincial Controls	
Heaters Controls & Sensors Ltd	15	SPEC (Sarnia) Limited	
Provincial Controls	19		
SPEC (Sarnia) Limited		SPS Industrial & Instrumentation Specialists	
SPS Industrial & Instrumentation Specialists		Swagelok Ontario	14
Thermo-Kinetics Company Ltd		Level, Capacitance	
Wajax		CB Automation Inc	Inside Back
•		Cancoppas Limited	18
Installation Commissioning & Start-Up		Davis Controls Limited	2
CB Automation Inc		Electrozad Supply Company	16
Cancoppas Limited		Everest Automation Inc	12
Electrozad Supply Company		Franklin Empire Inc	17
Everest Automation Inc		Provincial Controls	19
Franklin Empire Inc		SPEC (Sarnia) Limited	11
Heaters Controls & Sensors Ltd		Thermo-Kinetics Company LtdLtd	
Lakeside Process Controls Ltd		Vanko Analytical & Instrumentation Specialists	
Provincial Controls	19	Wajax	15
WIKA Instruments Ltd	Inside Front	Westech Industrial Ltd	
Westech Industrial Ltd	3		-
Instrument Air Systems		Level, Differential Pressure	
Provincial Controls	19	CB Automation Inc	
Swagelok Ontario		Cancoppas Limited	
Veronics Instruments Inc		Conval Process Solutions Inc	
		Davis Controls Limited	
Instrument Certification & Calibration		Electrozad Supply Company	
Conval Process Solutions Inc		Everest Automation Inc	
Electrozad Supply Company		Franklin Empire Inc	
Franklin Empire Inc	17	Lakeside Process Controls Ltd	Inside Front
Heaters Controls & Sensors Ltd		MacWeld Machining	5
Lakeside Process Controls Ltd	Inside Front	Provincial Controls	
Provincial Controls		SPEC (Sarnia) Limited	11
SPS Industrial & Instrumentation Specialists		SPS Industrial & Instrumentation Specialists	18
Thermo-Kinetics Company Ltd	11	Thermo-Kinetics Company Ltd	
Veronics Instruments Inc		Vanko Analytical & Instrumentation Specialists	22
WIKA Instruments Ltd	Inside Front	Veronics Instruments Inc	
Wajax		WIKA Instruments Ltd	
·		Wajax	15
Instrument Housing & Enclosures CB Automation Inc	Incido Paole	Westech Industrial Ltd	
Cancoppas Limited			
• •		Level, Float - Operated CB Automation Inc	Incide Da-I
Electrozad Supply Company	16 12	Canconnas Limited	INSIDE BACK19

Cross Reference	Page	Cross Reference	Page
Davis Controls Limited	2	Everest Automation Inc	12
Everest Automation Inc		Franklin Empire Inc	17
Franklin Empire Inc		Heaters Controls & Sensors Ltd	15
Heaters Controls & Sensors Ltd		Lakeside Process Controls Ltd	
Lakeside Process Controls Ltd		Provincial Controls	
MacWeld Machining		SPEC (Sarnia) Limited	
Provincial Controls		SPS Industrial & Instrumentation Specialists	
SPEC (Sarnia) Limited		Thermo-Kinetics Company Ltd	
SPS Industrial & Instrumentation Specialists		Vanko Analytical & Instrumentation Specialists	
Thermo-Kinetics Company Ltd		Westech Industrial Ltd	5
Vanko Analytical & Instrumentation Specialists		Level, Sensors	
WIKA Instruments Ltd		CB Automation Inc	Inside Back
Wajax		Cancoppas Limited	
Westech Industrial Ltd	3	Davis Controls Limited	2
Level, Instrumentation, Solids		Electrozad Supply Company	16
CB Automation Inc	Inside Back	Everest Automation Inc	12
Cancoppas Limited	18	Franklin Empire Inc	17
Davis Controls Limited		Heaters Controls & Sensors Ltd	
Electrozad Supply Company	16	Lakeside Process Controls Ltd	Inside Front
Everest Automation Inc	12	Provincial Controls	
Franklin Empire Inc		SPS Industrial & Instrumentation Specialists	
Heaters Controls & Sensors Ltd		Thermo-Kinetics Company Ltd	1
Lakeside Process Controls Ltd		Vanko Analytical & Instrumentation Specialists	
Provincial Controls		Veronics Instruments Inc	
SPEC (Sarnia) Limited		WIKA Instruments Ltd	Inside Front
SPS Industrial & Instrumentation Specialists		Wajax	15
Thermo-Kinetics Company Ltd		Westech Industrial Ltd	3
Vanko Analytical & Instrumentation Specialists		Level, Switches	
WIKA Instruments Ltd		CB Automation Inc	Inside Back
Wajax		Cancoppas Limited	
Westech Industrial Ltd	3	Davis Controls Limited	
Level, Magnetic Gauges		Electrozad Supply Company	16
CB Automation Inc	Inside Back	Everest Automation Inc	
Cancoppas Limited	18	Franklin Empire Inc	17
Davis Controls Limited	2	Heaters Controls & Sensors Ltd	15
Everest Automation Inc	12	Lakeside Process Controls Ltd	Inside Front
Franklin Empire Inc	17	Provincial Controls	19
Heaters Controls & Sensors Ltd	15	SPEC (Sarnia) Limited	
Lakeside Process Controls Ltd		SPS Industrial & Instrumentation Specialists	
Provincial Controls	19	Swagelok Ontario	
SPEC (Sarnia) Limited		Thermo-Kinetics Company Ltd	1
SPS Industrial & Instrumentation Specialists		Vanko Analytical & Instrumentation Specialists	
Thermo-Kinetics Company Ltd		Veronics Instruments Inc	
Vanko Analytical & Instrumentation Specialists		WIKA Instruments Ltd	
WIKA Instruments Ltd		Wajax	
Wajax		Westech Industrial Ltd	3
Westech Industrial Ltd	3	Limit Switches	
Level, Non-Contact		CB Automation Inc	Inside Back
CB Automation Inc	Inside Back	Cancoppas Limited	18
Cancoppas Limited	18	Conval Process Solutions Inc	13
Davis Controls Limited	2	Davis Controls Limited	2
Electrozad Supply Company	16	Electrozad Supply Company	16
Everest Automation Inc	12	Everest Automation Inc	12
Franklin Empire Inc	17	Franklin Empire Inc	17
Heaters Controls & Sensors Ltd	15	Heaters Controls & Sensors Ltd	15
Lakeside Process Controls Ltd	Inside Front	Lakeside Process Controls Ltd	Inside Front
MacWeld Machining	5	Provincial Controls	19
Provincial Controls		SPEC (Sarnia) Limited	
SPEC (Sarnia) Limited		SPS Industrial & Instrumentation Specialists	
SPS Industrial & Instrumentation Specialists		Wajax	
Thermo-Kinetics Company Ltd		Westech Industrial Ltd	3
Vanko Analytical & Instrumentation Specialists		Load Cells	
Wajax		CB Automation Inc	Inside Back
Westech Industrial Ltd	3	Cancoppas Limited	
Level, Optical, Sonic, Thermal		Davis Controls Limited	
Cancoppas Limited	18	Everest Automation Inc	
Davis Controls Limited		Franklin Empire Inc	17

Cross Reference	Page	Cross Reference	Page
Heaters Controls & Sensors Ltd	15	Monitors, Industrial	
WIKA Instruments Ltd		CB Automation Inc	Inside Back
Wajax		Cancoppas Limited	
Manifolds, Instrument		Davis Controls Limited	
CB Automation Inc	Insido Back	Electrozad Supply Company	16
Conval Process Solutions Inc		Everest Automation Inc	12
Everest Automation Inc		Provincial Controls	
Franklin Empire Inc		SPEC (Sarnia) Limited	
Lakeside Process Controls Ltd		Vanko Analytical & Instrumentation Specialists	
MacWeld Machining		Veronics Instruments Inc	
Provincial Controls		Wajax	
SPS Industrial & Instrumentation Specialists		Westech Industrial Ltd	
Swagelok Ontario		Multiplexers	
Thermo-Kinetics Company Ltd		CB Automation Inc	Inside Bacl
WIKA Instruments Ltd	Inside Front	Electrozad Supply Company	
Wajax	15	Lakeside Process Controls Ltd	
Manometers		Thermo-Kinetics Company LtdLtd	1
Davis Controls Limited	2	Oil In Water Monitors	
Everest Automation Inc		Davis Controls Limited	,
Provincial Controls		Everest Automation Inc	
WIKA Instruments Ltd		Franklin Empire Inc	
Wajax		Provincial Controls	
		SPEC (Sarnia) Limited	
Mass Flowmeters	10	Thermo-Kinetics Company Ltd	
Cancoppas Limited		Vanko Analytical & Instrumentation Specialists	
Davis Controls Limited		Westech Industrial Ltd	
Electrozad Supply Company			
Everest Automation Inc		Optical Instrumentation Electrozad Supply Company	1/
Franklin Empire IncLakeside Process Controls Ltd		Drawingial Controls	It
Provincial Controls		Provincial Controls Thermo-Kinetics Company Ltd	
SPEC (Sarnia) Limited		WIKA Instruments Ltd	
SPS Industrial & Instrumentation Specialists		Westech Industrial Ltd	
Thermo-Kinetics Company Ltd			
Vanko Analytical & Instrumentation Specialists		Optical Instrumentation - Fiber Optical	
Veronics Instruments Inc		Electrozad Supply Company	
Waiax		Provincial Controls	
Westech Industrial Ltd		Thermo-Kinetics Company LtdLtd	1
		Orifice Plates	
Modems		CB Automation Inc	Inside Back
CB Automation Inc		Everest Automation Inc	12
Electrozad Supply Company		Franklin Empire Inc	17
Everest Automation IncLakeside Process Controls Ltd		Lakeside Process Controls Ltd	
Provincial Controls		MacWeld Machining	
	19	Provincial Controls	
Moisture Instrumentation		SPS Industrial & Instrumentation Specialists	
CB Automation Inc		Thermo-Kinetics Company LtdLtd	
Davis Controls Limited		WIKA Instruments Ltd	
Everest Automation Inc		Wajax	15
Franklin Empire Inc		Panel Meters, Analog	
Heaters Controls & Sensors Ltd		Cancoppas Limited	18
Provincial ControlsSPS Industrial & Instrumentation Specialists		Davis Controls Limited	
•		Electrozad Supply Company	
Thermo-Kinetics Company LtdVanko Analytical & Instrumentation Specialists		Franklin Empire Inc	
Veronics Instruments Inc		Heaters Controls & Sensors Ltd	
Westech Industrial Ltd		Provincial Controls	
Westech madstral Eta		SPEC (Sarnia) Limited	
Monitors, General		SPS Industrial & Instrumentation Specialists	
CB Automation Inc		Thermo-Kinetics Company Ltd	
Cancoppas Limited		Veronics Instruments Inc	16
Davis Controls Limited		Panel Meters, Digital	
Electrozad Supply Company		CB Automation Inc	Inside Back
Everest Automation Inc		Cancoppas Limited	18
Provincial Controls		Davis Controls Limited	
SPEC (Sarnia) Limited		Electrozad Supply Company	16
Veronics Instruments Inc		Everest Automation Inc	12
Wajax		Franklin Empire Inc	
Westech Industrial Ltd	3	Heaters Controls & Sensors Ltd	1!

Cross Reference	Page	Cross Reference	Page
Dravingial Controls	10	Davier Complies Standby 9 Uninterwentable	_
Provincial ControlsSPEC (Sarnia) Limited		Power Supplies, Standby & Uninterruptable Davis Controls Limited	}
SPS Industrial & Instrumentation Specialists		Electrozad Supply Company	
Thermo-Kinetics Company Ltd		Franklin Empire Inc	
Veronics Instruments Inc		Provincial Controls	
WIKA Instruments Ltd	Inside Front	Pressure Calibrators	
Wajax	15	Cancoppas Limited	18
Panels Instrument		Davis Controls Limited	
Cancoppas Limited	18	Franklin Empire Inc	
Electrozad Supply Company	16	Provincial Controls	
Everest Automation Inc	12	SPEC (Sarnia) Limited	
Franklin Empire Inc		Veronics Instruments Inc	
Heaters Controls & Sensors Ltd		WIKA Instruments Ltd	
Intertec Instrumentation Ltd		Wajax	15
Provincial ControlsSPS Industrial & Instrumentation Specialists		Pressure Controllers	
Swagelok Ontario		Cancoppas Limited	
Thermo-Kinetics Company Ltd		Davis Controls Limited	
Veronics Instruments Inc		Everest Automation Inc	
WIKA Instruments Ltd	Inside Front	Franklin Empire Inc Heaters Controls & Sensors Ltd	
Westech Industrial Ltd		Lakeside Process Controls Ltd	
Pinch Valves		Provincial Controls	
Conval Process Solutions Inc	13	SPEC (Sarnia) Limited	
Everest Automation Inc	12	Thermo-Kinetics Company LtdLtd	
Franklin Empire Inc	17	Veronics Instruments Inc	
Wajax	15	WIKA Instruments Ltd	
PLC Programming Services		Wajax	
Davis Controls Limited	2	Westech Industrial Ltd	3
Electrozad Supply Company	16	Pressure Indicators & Gauges	
Everest Automation Inc		CB Automation Inc	
Lakeside Process Controls Ltd		Cancoppas Limited	
Langtree Controls Limited		Conval Process Solutions Inc	
Provincial ControlsThermo-Kinetics Company Ltd		Davis Controls Limited Everest Automation Inc	
Wajax		Franklin Empire Inc	
	10	Heaters Controls & Sensors Ltd	
Pollution Instrumentation Everest Automation Inc	10	Lakeside Process Controls Ltd	
Lakeside Process Controls Ltd		Provincial Controls	19
SPEC (Sarnia) Limited		SPEC (Sarnia) Limited	
Vanko Analytical & Instrumentation Specialists		SPS Industrial & Instrumentation Specialists	
Westech Industrial Ltd		Thermo-Kinetics Company Ltd	
Power Instruments		Veronics Instruments Inc	
CB Automation Inc	Inside Back	WIKA Instruments Ltd Waiax	
Electrozad Supply Company			13
Franklin Empire Inc	17	Pressure Instrumentation	
Heaters Controls & Sensors Ltd		CB Automation Inc Cancoppas Limited	
Lakeside Process Controls Ltd		Conval Process Solutions Inc	
Provincial Controls		Davis Controls Limited	
Thermo-Kinetics Company Ltd	II	Electrozad Supply Company	
Power Supplies		Everest Automation Inc	
CB Automation Inc		Franklin Empire Inc	17
Davis Controls Limited		Heaters Controls & Sensors Ltd	
Electrozad Supply CompanyFranklin Empire Inc		Lakeside Process Controls Ltd	
Heaters Controls & Sensors Ltd		Provincial Controls	
Provincial Controls		SPEC (Sarnia) Limited	
Westech Industrial Ltd		SPS Industrial & Instrumentation Specialists Swagelok Ontario	
		Thermo-Kinetics Company Ltd	
Power Supplies, Instrument CB Automation Inc	Inside Back	Veronics Instruments Inc	
Davis Controls Limited		WIKA Instruments Ltd	
Electrozad Supply Company		Wajax	
Franklin Empire Inc		Westech Industrial Ltd	3
Heaters Controls & Sensors Ltd		Pressure Regulators	
Provincial Controls	19	CB Automation Inc	Inside Back
		Cancoppas Limited	
		Conval Process Solutions Inc	13

Cross Reference	Page	Cross Reference	Page
Davis Controls Limited		Proximity Sensors	
Everest Automation Inc		CB Automation Inc	
Franklin Empire Inc		Cancoppas Limited	
Heaters Controls & Sensors Ltd		Davis Controls Limited	
Lakeside Process Controls Ltd		Electrozad Supply Company	
Provincial Controls		Everest Automation Inc	
SPEC (Sarnia) Limited		Franklin Empire Inc	
SPS Industrial & Instrumentation Specialists		Heaters Controls & Sensors Ltd	
Swagelok Ontario		Provincial Controls	
WIKA Instruments Ltd		SPS Industrial & Instrumentation Specialists	I
Wajax Westech Industrial Ltd		Pumps, Chemical Injection	
		CB Automation Inc	
Pressure Snubbers		SPS Industrial & Instrumentation Specialists	
CB Automation Inc		Vanko Analytical & Instrumentation Specialists	
Conval Process Solutions Inc		Veronics Instruments Inc	
Davis Controls Limited		Wajax	15
Everest Automation Inc		Panel Heaters, Air	
Heaters Controls & Sensors Ltd		CB Automation Inc	Inside Bacl
Provincial Controls		Heaters Controls & Sensors Ltd	
SPS Industrial & Instrumentation Specialists		Intertec Instrumentation Ltd	
WIKA Instruments Ltd		Provincial Controls	19
Wajax	15	SPS Industrial & Instrumentation Specialists	
Pressure Switches		·	
CB Automation Inc	Inside Back	Pumps, Metering CB Automation Inc	Incido Pacl
Cancoppas Limited		Cancoppas Limited	
Conval Process Solutions Inc			
Davis Controls Limited	2	SPS Industrial & Instrumentation Specialists	
Electrozad Supply Company		Veronics Instruments Inc	
Everest Automation Inc		Pushbuttons	
Franklin Empire Inc		CB Automation Inc	
Heaters Controls & Sensors Ltd		Electrozad Supply Company	
Lakeside Process Controls Ltd		Franklin Empire Inc	
Provincial Controls	19	Heaters Controls & Sensors Ltd	15
SPEC (Sarnia) Limited		Provincial Controls	19
SPS Industrial & Instrumentation Specialists		Radiation Instrumentation / Nuclear	
Thermo-Kinetics Company LtdLtd		Cancoppas Limited	18
WIKA Instruments Ltd		Everest Automation Inc	
Wajax		Lakeside Process Controls Ltd	
Westech Industrial Ltd	3	Wajax	
Pressure Transducers / Transmitters		Recorders	
CB Automation Inc	Inside Back	CB Automation Inc	Incido Pacl
Cancoppas Limited		Cancoppas Limited	
Conval Process Solutions Inc		Davis Controls Limited	
Davis Controls Limited		Electrozad Supply Company	
Electrozad Supply Company		Everest Automation Inc	
Everest Automation Inc		Franklin Empire Inc	
Franklin Empire Inc		Heaters Controls & Sensors Ltd	
Heaters Controls & Sensors Ltd		Provincial Controls	
Lakeside Process Controls Ltd		Thermo-Kinetics Company Ltd	
Provincial Controls		Veronics Instruments Inc	
SPEC (Sarnia) Limited		WIKA Instruments Ltd	
SPS Industrial & Instrumentation Specialists		Wajax	
Swagelok Ontario		vvajax	Iš
Thermo-Kinetics Company Ltd		Regulators, Back Pressure	
WIKA Instruments Ltd		CB Automation Inc	Inside Bacl
Waiax		Davis Controls Limited	2
Westech Industrial Ltd		Everest Automation Inc	12
		Franklin Empire Inc	
Programmable Logic Controllers		Lakeside Process Controls Ltd	
Cancoppas Limited		Provincial Controls	
Davis Controls Limited		SPEC (Sarnia) Limited	
Electrozad Supply Company		SPS Industrial & Instrumentation Specialists	
Everest Automation Inc		Swagelok Ontario	14
Franklin Empire Inc		WIKA Instruments Ltd	Inside Fron
Heaters Controls & Sensors Ltd		Wajax	
Provincial Controls		Westech Industrial Ltd	
Thermo-Kinetics Company Ltd	11		

Wajax.....15

Cross Reference	Page	Cross Reference	Page
Regulators, Differential Pressure		Lakeside Process Controls Ltd	Inside Front
CB Automation Inc	Inside Back	Provincial Controls	19
Davis Controls Limited		SPEC (Sarnia) Limited	
Everest Automation Inc		SPS Industrial & Instrumentation Specialists	
Franklin Empire Inc		Wajax	15
Lakeside Process Controls Ltd		Rentals Instruments / Systems	
Provincial Controls		Cancoppas Limited	18
SPEC (Sarnia) Limited		Davis Controls Limited	
SPS Industrial & Instrumentation Specialists		Franklin Empire Inc	
WIKA Instruments Ltd		Provincial Controls	
		SPS Industrial & Instrumentation Specialists	
Regulators, Flow		Veronics Instruments Inc	
CB Automation Inc		WIKA Instruments Ltd	
Conval Process Solutions Inc		Wajax	
Davis Controls Limited		Westech Industrial Ltd	3
Everest Automation Inc		Repair Instrument Service	
Franklin Empire IncLakeside Process Controls Ltd		CGIS - The World's Best Valves	
Provincial Controls		Cancoppas Limited	
SPEC (Sarnia) Limited		Conval Process Solutions Inc	
SPS Industrial & Instrumentation Specialists		Everest Automation Inc	
WIKA Instruments Ltd		Franklin Empire Inc	
Wajax		Heaters Controls & Sensors Ltd	
Westech Industrial Ltd		Lakeside Process Controls Ltd Provincial Controls	
		SPS Industrial & Instrumentation Specialists	
Regulators, Pressure CB Automation Inc	Insido Back	Thermo-Kinetics Company Ltd	
Conval Process Solutions Inc		Veronics Instruments Inc	
Davis Controls Limited		WIKA Instruments Ltd	
Everest Automation Inc		Wajax	
Franklin Empire Inc		Westech Industrial Ltd	
Lakeside Process Controls Ltd			
Provincial Controls		RO (Reverse Osmosis) Membrane Filtration Provincial Controls	10
SPEC (Sarnia) Limited	11		19
SPS Industrial & Instrumentation Specialists	18	Rupture Discs	
Swagelok Ontario	14	CB Automation Inc	
WIKA Instruments Ltd	Inside Front	Heaters Controls & Sensors Ltd	
Wajax		Lakeside Process Controls Ltd	
Westech Industrial Ltd	3	Provincial Controls	
Regulators, Temperature		SPEC (Sarnia) Limited Swagelok Ontario	
Conval Process Solutions Inc	13	Wajax	
Davis Controls Limited	2		13
Everest Automation Inc		Safety, Interlock System, Showers	
Franklin Empire Inc	17	Davis Controls Limited	
Heaters Controls & Sensors Ltd		Electrozad Supply Company	
Lakeside Process Controls Ltd		Provincial Controls	19
Provincial Controls		Sampling Systems	
SPEC (Sarnia) Limited		Cancoppas Limited	
SPS Industrial & Instrumentation Specialists		Electrozad Supply Company	
WIKA Instruments Ltd		Intertec Instrumentation Ltd	
Westech Industrial Ltd	3	Lakeside Process Controls Ltd	
Regulators, Temperature & Pressure		Provincial Controls	
CB Automation Inc		SPEC (Sarnia) Limited	
Davis Controls Limited		SPS Industrial & Instrumentation Specialists Swagelok Ontario	
Everest Automation Inc		Veronics Instruments Inc	
Franklin Empire Inc		Wajax	
Heaters Controls & Sensors Ltd		Westech Industrial Ltd	
Lakeside Process Controls Ltd			
Provincial Controls		Sanitary	Incide D
SPEC (Sarnia) Limited		CB Automation Inc	
SPS Industrial & Instrumentation Specialists		Heaters Controls & Sensors Ltd	
Wika Instruments Ltd		WIKA Instruments Ltd	
Westech Industrial Ltd	3	Westech Industrial Ltd	3
Regulators, Vacuum		Scada Systems	
CB Automation Inc		CB Automation Inc	
Davis Controls Limited		Davis Controls Limited	
Everest Automation Inc		Electrozad Supply Company	
Franklin Empire Inc	1/	Everest Automation Inc	12

Cross Reference	Page	Cross Reference	Page
Heaters Controls & Sensors Ltd	15	Space Heaters Explosion-Dreef	
Lakeside Process Controls Ltd		Space Heaters, Explosion-Proof CB Automation Inc	Insido Back
Provincial Controls		Electrozad Supply Company	
Thermo-Kinetics Company Ltd		Heaters Controls & Sensors Ltd	
		Intertec Instrumentation Ltd	
Scada Systems Engineering Service			
CB Automation Inc		Speed Controls & Variable Frequency Drive	
Electrozad Supply Company		CB Automation Inc	
Everest Automation Inc		Davis Controls Limited	
Franklin Empire Inc		Electrozad Supply Company	
Heaters Controls & Sensors Ltd		Franklin Empire Inc	
Lakeside Process Controls Ltd	Inside Front	Heaters Controls & Sensors Ltd	15
Provincial Controls	19	Provincial Controls	
Sensors, Analytical or Chemical		Thermo-Kinetics Company LtdLtd	11
Cancoppas Limited	18	Westech Industrial Ltd	3
Electrozad Supply Company		Speed Sensors	
Everest Automation Inc		CB Automation Inc	Inside Back
Franklin Empire Inc		Davis Controls Limited	
Lakeside Process Controls Ltd		Electrozad Supply Company	
Provincial Controls		Franklin Empire Inc	
SPEC (Sarnia) Limited		Veronics Instruments Inc	
Thermo-Kinetics Company Ltd			10
Wajax		Strain & Stress Instrumentation	
Westech Industrial Ltd		CB Automation Inc	
westech industrial Ltd	3	Davis Controls Limited	2
Signal Conditioners		Everest Automation Inc	12
CB Automation Inc	Inside Back	WIKA Instruments Ltd	Inside Front
Cancoppas Limited	18	Strain Gauge	
Electrozad Supply Company	16	CB Automation Inc	Inside Back
Everest Automation Inc	12	Cancoppas Limited	
Franklin Empire Inc	17	Davis Controls Limited	
Heaters Controls & Sensors Ltd		Everest Automation Inc	
Provincial Controls	19	Heaters Controls & Sensors Ltd	
Thermo-Kinetics Company LtdLtd		WIKA Instruments Ltd	
WIKA Instruments Ltd			
Wajax		Wajax	15
•		Surge Protection	
Smoke Detectors	10	CB Automation Inc	Inside Back
Electrozad Supply Company		Conval Process Solutions Inc	13
Franklin Empire Inc		Electrozad Supply Company	16
Provincial Controls	19	Franklin Empire Inc	17
Software - General		Swagelok Ontario	14
CB Automation Inc	Inside Back	Tank Gauging Systems	
Davis Controls Limited	2	CB Automation Inc	Incido Back
Electrozad Supply Company	16	Cancoppas Limited	
Heaters Controls & Sensors Ltd		Conval Process Solutions Inc	
Provincial Controls	19	Davis Controls Limited	
Thermo-Kinetics Company LtdLtd	11		
Salar Barrar Systems		Electrozad Supply Company	
Solar Power Systems CB Automation Inc	Incido Doole	Everest Automation Inc	
CD Automation inc	IIISIUE Dack	Franklin Empire Inc	
Electrozad Supply Company		Lakeside Process Controls Ltd	
Heaters Controls & Sensors Ltd		Provincial Controls	
Provincial Controls	19	SPEC (Sarnia) Limited	
Solenoid Valves		Swagelok Ontario	
Conval Process Solutions Inc	13	Thermo-Kinetics Company Ltd	
Electrozad Supply Company	16	WIKA Instruments Ltd	
Everest Automation Inc	12	Westech Industrial Ltd	3
Franklin Empire Inc	17	Tank Inventory Systems	
Lakeside Process Controls Ltd		Cancoppas Limited	18
Provincial Controls	19	Conval Process Solutions Inc	13
SPS Industrial & Instrumentation Specialists		Davis Controls Limited	2
Veronics Instruments Inc		Electrozad Supply Company	
Wajax	15	Everest Automation Inc	
Westech Industrial Ltd		Franklin Empire Inc	
		Lakeside Process Controls Ltd	
Sound & Hearing Instrumentation	10	Provincial Controls	
Electrozad Supply Company		SPEC (Sarnia) Limited	
Thermo-Kinetics Company Ltd		Swagelok Ontario	
Veronics Instruments Inc	16	Thermo-Kinetics Company LtdLtd	

Electrozad Supply Company16

Cross Reference	Page	Cross Reference	Page
Telemetry Systems		Everest Automation Inc	12
CB Automation Inc	Inside Back	Franklin Empire Inc	
Davis Controls Limited		Heaters Controls & Sensors Ltd	
Everest Automation Inc		Lakeside Process Controls Ltd	
		Provincial Controls	
Franklin Empire Inc			
Lakeside Process Controls Ltd		SPEC (Sarnia) Limited	
Provincial Controls	19	SPS Industrial & Instrumentation Specialists	
Temperature Calibrators		Veronics Instruments Inc	
Davis Controls Limited	2	Wajax	15
Franklin Empire Inc		Temperature Indicators, Thermal	
Heaters Controls & Sensors Ltd		Cancoppas Limited	10
		Conval Process Solutions Inc.	IC
Provincial Controls			
SPEC (Sarnia) Limited		Davis Controls Limited	
SPS Industrial & Instrumentation Specialists		Electrozad Supply Company	
Thermo-Kinetics Company Ltd		Everest Automation Inc	
Veronics Instruments Inc	16	Franklin Empire Inc	17
WIKA Instruments Ltd	Inside Front	Heaters Controls & Sensors Ltd	15
Wajax	15	Lakeside Process Controls Ltd	Inside Front
•		Provincial Controls	
Temperature Controllers, Electronic		SPS Industrial & Instrumentation Specialists	
CB Automation Inc		Thermo-Kinetics Company Ltd	۱۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰۰
Cancoppas Limited	18		
Davis Controls Limited	2	Veronics Instruments Inc	
Electrozad Supply Company	16	WIKA Instruments Ltd	
Everest Automation Inc		Wajax	15
Franklin Empire Inc		Temperature Regulators	
Heaters Controls & Sensors Ltd		Davis Controls Limited	,
		Flacture and Committee Committee	
Intertec Instrumentation Ltd		Electrozad Supply Company	
Lakeside Process Controls Ltd		Franklin Empire Inc	
Provincial Controls		Heaters Controls & Sensors Ltd	
SPEC (Sarnia) Limited	11	Lakeside Process Controls Ltd	Inside Front
SPS Industrial & Instrumentation Specialists	18	Provincial Controls	19
Thermo-Kinetics Company LtdL	11	SPEC (Sarnia) Limited	1
Thermon		SPS Industrial & Instrumentation Specialists	
Veronics Instruments Inc		Thermo-Kinetics Company LtdLtd	
WIKA Instruments Ltd		WIKA Instruments Ltd	
Wajax		Wajax	
	15	·	15
Temperature Controllers, Pneumatic		Temperature Sensors, Filled	
Cancoppas Limited	18	CB Automation Inc	Inside Back
Davis Controls Limited	2	Cancoppas Limited	18
Electrozad Supply Company	16	Davis Controls Limited	
Franklin Empire Inc		Electrozad Supply Company	
Heaters Controls & Sensors Ltd		Everest Automation Inc	
Provincial Controls		Franklin Empire Inc	
SPEC (Sarnia) Limited		Heaters Controls & Sensors Ltd	
SPS Industrial & Instrumentation Specialists		Lakeside Process Controls Ltd	
Veronics Instruments Inc		Provincial Controls	
WIKA Instruments Ltd	Inside Front	SPS Industrial & Instrumentation Specialists	18
Temperature Indicators, Electronic		Thermo-Kinetics Company LtdLtd	1
•	Incido Doole	Veronics Instruments Inc	16
CB Automation Inc		WIKA Instruments Ltd	Inside Front
Cancoppas Limited		Wajax	
Conval Process Solutions Inc	13	·	
Davis Controls Limited	2	Temperature Sensors, Resistance	
Electrozad Supply Company	16	CB Automation Inc	Inside Back
Everest Automation Inc	12	Cancoppas Limited	18
Franklin Empire Inc	17	Davis Controls Limited	2
Heaters Controls & Sensors Ltd		Electrozad Supply Company	
Provincial Controls		Everest Automation Inc	
SPEC (Sarnia) Limited		Franklin Empire Inc	
SPS Industrial & Instrumentation Specialists		Heaters Controls & Sensors Ltd	
Thermo-Kinetics Company Ltd	11	Lakeside Process Controls Ltd	
Veronics Instruments Inc	16	Provincial Controls	19
WIKA Instruments Ltd	Inside Front	SPS Industrial & Instrumentation Specialists	18
Wajax		Thermo-Kinetics Company LtdLtd	
		Veronics Instruments Inc	
Temperature Indicators, Pneumatic		WIKA Instruments Ltd	
Cancoppas Limited			
Davis Controls Limited	2	Wajax	I5

Cross Reference	Page	Cross Reference	Page
Temperature Sensors, Thermal		Temperature Transmitters, Pneumatic	
CB Automation Inc	Inside Back	Cancoppas Limited	18
Cancoppas Limited	18	Davis Controls Limited	2
Davis Controls Limited	2	Electrozad Supply Company	16
Electrozad Supply Company	16	Everest Automation Inc	12
Everest Automation Inc	12	Franklin Empire Inc	
Franklin Empire Inc		Heaters Controls & Sensors Ltd	15
Heaters Controls & Sensors Ltd	15	Provincial Controls	19
Lakeside Process Controls Ltd	Inside Front	SPEC (Sarnia) Limited	11
Provincial Controls	19	SPS Industrial & Instrumentation Specialists	18
SPEC (Sarnia) Limited	11	Thermo-Kinetics Company LtdLtd	11
SPS Industrial & Instrumentation Specialists	18	Veronics Instruments Inc	16
Thermo-Kinetics Company Ltd		Towningle Industrial	
Thermon	17	Terminals, Industrial Davis Controls Limited	2
Veronics Instruments Inc			
WIKA Instruments Ltd		Electrozad Supply Company	
Wajax		Heaters Controls & Sensors Ltd	
•		Provincial Controls	19
Temperature Switches		Test Equipment	
CB Automation Inc		Cancoppas Limited	18
Cancoppas Limited		Conval Process Solutions Inc	
Conval Process Solutions Inc		Electrozad Supply Company	
Davis Controls Limited		Franklin Empire Inc	
Electrozad Supply Company		Heaters Controls & Sensors Ltd	
Everest Automation Inc		Provincial Controls	
Franklin Empire Inc	17	SPS Industrial & Instrumentation Specialists	
Heaters Controls & Sensors Ltd	15	WIKA Instruments Ltd	
Lakeside Process Controls Ltd	Inside Front	Wajax	
Provincial Controls	19	,	13
SPEC (Sarnia) Limited	11	Thermocouple Extension Wire	
SPS Industrial & Instrumentation Specialists	18	CB Automation Inc	Inside Back
Thermo-Kinetics Company LtdLtd		Conval Process Solutions Inc	13
WIKA Instruments Ltd	Inside Front	Davis Controls Limited	2
Wajax		Electrozad Supply Company	
Westech Industrial Ltd		Everest Automation Inc	12
		Franklin Empire Inc	17
Temperature Transmitters		Heaters Controls & Sensors Ltd	15
CB Automation Inc		Provincial Controls	19
Cancoppas Limited		SPS Industrial & Instrumentation Specialists	18
Conval Process Solutions Inc		Thermo-Kinetics Company Ltd	11
Davis Controls Limited		Thermon	
Electrozad Supply Company		WIKA Instruments Ltd	
Everest Automation Inc		Wajax	15
Franklin Empire Inc		•	
Heaters Controls & Sensors Ltd	15	Thermocouples	
Lakeside Process Controls Ltd	Inside Front	CB Automation Inc	
Provincial Controls	19	Conval Process Solutions Inc	
SPEC (Sarnia) Limited	11	Davis Controls Limited	
SPS Industrial & Instrumentation Specialists	18	Electrozad Supply Company	16
Thermo-Kinetics Company Ltd	11	Everest Automation Inc	12
Veronics Instruments Inc		Franklin Empire Inc	17
WIKA Instruments Ltd		Heaters Controls & Sensors Ltd	15
Wajax		Lakeside Process Controls Ltd	Inside Front
•		MacWeld Machining	5
Temperature Transmitters, Electronic		Provincial Controls	19
CB Automation Inc		SPEC (Sarnia) Limited	
Cancoppas Limited		SPS Industrial & Instrumentation Specialists	
Conval Process Solutions Inc		Thermo-Kinetics Company Ltd	
Davis Controls Limited	2	Thermon	
Electrozad Supply Company	16	Veronics Instruments Inc	
Everest Automation Inc	12	WIKA Instruments Ltd	
Franklin Empire Inc	17	Wajax	
Heaters Controls & Sensors Ltd	15	Westech Industrial Ltd	
Lakeside Process Controls Ltd	Inside Front		3
Provincial Controls		Thermowells	
SPEC (Sarnia) Limited		CB Automation Inc	
SPS Industrial & Instrumentation Specialists		Conval Process Solutions Inc	13
Thermo-Kinetics Company Ltd		Davis Controls Limited	2
Veronics Instruments Inc		Electrozad Supply Company	16
WIKA Instruments Ltd		Everest Automation Inc	12

Cross Reference	Page	Cross Reference	Page
Heaters Controls & Sensors Ltd	15	Franklin Empire Inc	17
Lakeside Process Controls Ltd		Heaters Controls & Sensors Ltd	
Provincial Controls		Lakeside Process Controls Ltd	
SPEC (Sarnia) Limited		Provincial Controls	
SPS Industrial & Instrumentation Specialists	18	SPEC (Sarnia) Limited	11
Thermo-Kinetics Company Ltd	11	SPS Industrial & Instrumentation Specialists	18
Veronics Instruments Inc	16	Thermo-Kinetics Company Ltd	
WIKA Instruments Ltd	Inside Front	Veronics Instruments Inc	
Wajax	15	Wajax	
Timers, Electronic		Westech Industrial Ltd	3
CB Automation Inc		Vacuum Instrumentation	
Davis Controls Limited		Conval Process Solutions Inc	
Electrozad Supply Company		Franklin Empire Inc	
Franklin Empire Inc		Lakeside Process Controls Ltd	
Heaters Controls & Sensors Ltd		Provincial Controls	
Provincial Controls		SPS Industrial & Instrumentation Specialists	
SPEC (Sarnia) Limited		Swagelok Ontario	
Wajax	15	Wajax	15
Transducers		Valve Positioners	
CB Automation Inc		CGIS - The World's Best Valves	
Cancoppas Limited		Cancoppas Limited	
Conval Process Solutions Inc		Conval Process Solutions Inc	
Davis Controls Limited		Everest Automation Inc	
Electrozad Supply Company Everest Automation Inc		Franklin Empire IncLakeside Process Controls Ltd	
Franklin Empire Inc		Provincial Controls	
Heaters Controls & Sensors Ltd		SPS Industrial & Instrumentation Specialists	
Lakeside Process Controls Ltd		Swagelok Ontario	
Provincial Controls		Wajax	
SPEC (Sarnia) Limited		·	
Thermo-Kinetics Company Ltd		Valves, 3 & 4 Way	Incido Doole
Veronics Instruments Inc		CB Automation Inc CGIS - The World's Best Valves	
WIKA Instruments Ltd		Conval Process Solutions Inc	
Wajax	15	Davis Controls Limited	
Traps, Airline, Steam		Electrozad Supply Company	
Everest Automation Inc	12	Everest Automation Inc	
	-	Franklin Empire Inc	
Tube Benders Swagelok Ontario	1/1	Lakeside Process Controls Ltd	Inside Front
	14	Provincial Controls	
Tube Couplings		SPS Industrial & Instrumentation Specialists	
Swagelok Ontario	14	Swagelok Ontario	14
Tubing, Instrument / Fittings		WIKA Instruments Ltd	
Electrozad Supply Company		Wajax	
Everest Automation Inc	·······	Valves, Analyzer	
Provincial Controls		CGIS - The World's Best Valves	Back Cover
SPEC (Sarnia) Limited		Everest Automation Inc	12
SPS Industrial & Instrumentation Specialists		Franklin Empire Inc	
Swagelok Ontario		Lakeside Process Controls Ltd	
Veronics Instruments Inc		Provincial Controls	
	13	SPS Industrial & Instrumentation Specialists	
Turbidity Instrumentation		Swagelok Ontario	
Cancoppas Limited		Wajax Westech Industrial Ltd	
Davis Controls Limited		westech industrial Ltd	3
Electrozad Supply Company Everest Automation Inc		Valves, Ball	
Franklin Empire Inc		CGIS - The World's Best Valves	
Lakeside Process Controls Ltd		Conval Process Solutions Inc	
Provincial Controls		Davis Controls Limited	
SPEC (Sarnia) Limited		Electrozad Supply Company	
Wajax		Everest Automation Inc	
Westech Industrial Ltd		Franklin Empire IncLakeside Process Controls Ltd	
Ultrasonic Transducers & Transmitters		Provincial Controls	
CB Automation Inc	Incido Pack	SPEC (Sarnia) Limited	
Cancoppas Limited		SPS Industrial & Instrumentation Specialists	
Davis Controls Limited		Swagelok Ontario	
Electrozad Supply Company		Vanko Analytical & Instrumentation Specialists	
Everest Automation Inc		WIKA Instruments Ltd	
	······························		

Cross Reference	Page	Cross Reference	Page
Wajax	15	Provincial Controls	19
Westech Industrial Ltd		SPS Industrial & Instrumentation Specialists	
Valves, Butterfly		WIKA Instruments Ltd	
CGIS - The World's Best Valves	Back Cover	Valves, Diaphragm	
Conval Process Solutions Inc		CGIS - The World's Best Valves	Back Cover
Electrozad Supply Company		Electrozad Supply Company	
Everest Automation Inc		Everest Automation Inc	
Franklin Empire Inc		Franklin Empire Inc	
Lakeside Process Controls Ltd		Lakeside Process Controls Ltd	
Provincial Controls	19	Provincial Controls	19
SPS Industrial & Instrumentation Specialists		SPS Industrial & Instrumentation Specialists	18
Vanko Analytical & Instrumentation Specialists	22	Swagelok Ontario	14
Wajax	15	Wajax	15
Westech Industrial Ltd	3	WIKA Instruments Ltd	Inside Front
Valves, Check		Valves, Gate	
CGIS - The World's Best Valves	Back Cover	CGIS - The World's Best Valves	Back Cover
Conval Process Solutions Inc	13	Conval Process Solutions Inc	
Everest Automation Inc	12	Electrozad Supply Company	16
Franklin Empire Inc	17	Everest Automation Inc	12
Lakeside Process Controls Ltd	Inside Front	Franklin Empire Inc	17
Provincial Controls	19	Lakeside Process Controls Ltd	Inside Front
SPEC (Sarnia) Limited		Provincial Controls	
SPS Industrial & Instrumentation Specialists		SPS Industrial & Instrumentation Specialists	
Swagelok Ontario	14	Vanko Analytical & Instrumentation Specialists	22
Wajax	15	Wajax	
Westech Industrial Ltd	3	Westech Industrial Ltd	3
Valves, Control		Valves, Globe & Angle	
CGIS - The World's Best Valves	Back Cover	CGIS - The World's Best Valves	Back Cover
Conval Process Solutions Inc	13	Conval Process Solutions Inc	13
Electrozad Supply Company	16	Electrozad Supply Company	16
Everest Automation Inc	12	Everest Automation Inc	12
Franklin Empire Inc	17	Franklin Empire Inc	17
Heaters Controls & Sensors Ltd		Lakeside Process Controls Ltd	Inside Front
Lakeside Process Controls Ltd		Provincial Controls	
Provincial Controls		SPS Industrial & Instrumentation Specialists	
SPS Industrial & Instrumentation Specialists		Swagelok Ontario	14
Vanko Analytical & Instrumentation Specialists		Vanko Analytical & Instrumentation Specialists	
Westech Industrial Ltd	3	Wajax	
Valves, Control Diagnostic & Repair Service		Westech Industrial Ltd	3
CGIS - The World's Best Valves	Back Cover	Valves, High Performance Metal Seated	
Electrozad Supply Company	16	CGIS - The World's Best Valves	
Everest Automation Inc		Conval Process Solutions Inc	
Franklin Empire Inc		Electrozad Supply Company	
Lakeside Process Controls Ltd		Everest Automation Inc	
Provincial Controls		Franklin Empire Inc	
SPS Industrial & Instrumentation Specialists		Lakeside Process Controls Ltd	
WIKA Instruments Ltd		Provincial Controls	
Westech Industrial Ltd	3	SPS Industrial & Instrumentation Specialists	
Valves, Control, Low Flow		Swagelok Ontario	
CB Automation Inc		Vanko Analytical & Instrumentation Specialists	
CGIS - The World's Best Valves	Back Cover	Westech Industrial Ltd	3
Conval Process Solutions Inc	13	Valves, Instrument Manifold	
Everest Automation Inc	12	CB Automation Inc	Inside Back
Franklin Empire Inc	17	CGIS - The World's Best Valves	Back Cover
Lakeside Process Controls Ltd	Inside Front	Conval Process Solutions Inc	13
Provincial Controls		Everest Automation Inc	12
SPS Industrial & Instrumentation Specialists	18	Franklin Empire Inc	
Westech Industrial Ltd		Lakeside Process Controls Ltd	
WIKA Instruments Ltd	Inside Front	Provincial Controls	
Valves, Control, Pneumatic		SPEC (Sarnia) Limited	
CGIS - The World's Best Valves	Back Cover	SPS Industrial & Instrumentation Specialists	
Conval Process Solutions Inc		Swagelok Ontario	
Electrozad Supply Company		Wajax	
Everest Automation Inc		WIKA Instruments Ltd	
Franklin Empire Inc	17	Westech Industrial Ltd	3
Lakeside Process Controls Ltd	Inside Front		

Cross Reference	Page	Cross Reference	Page
Values Knife Cate		Lakeside Process Controls Ltd	Incido Eront
Valves, Knife Gate	De els Cesses		
CGIS - The World's Best Valves		Provincial Controls	
Conval Process Solutions Inc		SPEC (Sarnia) Limited	
Everest Automation Inc		Swagelok Ontario	
Franklin Empire Inc		westech industrial Ltd	3
Lakeside Process Controls Ltd		Valves, Solenoid	
Provincial Controls		CGIS - The World's Best Valves	
SPS Industrial & Instrumentation Specialists		Conval Process Solutions Inc	13
Vanko Analytical & Instrumentation Specialis		Davis Controls Limited	2
Wajax		Everest Automation Inc	12
Westech Industrial Ltd	3	Franklin Empire Inc	17
Valves, Multiport		Heaters Controls & Sensors Ltd	15
CGIS - The World's Best Valves	Back Cover	Lakeside Process Controls Ltd	Inside Front
Conval Process Solutions Inc	13	Provincial Controls	19
Everest Automation Inc	12	SPS Industrial & Instrumentation Specialists	18
Franklin Empire Inc	17	Swagelok Ontario	14
Lakeside Process Controls Ltd	Inside Front	Variable Speed Drives, Motors	
Provincial Controls	19	Davis Controls Limited	2
SPS Industrial & Instrumentation Specialists		Electrozad Supply Company	
Swagelok Ontario	14	Franklin Empire Inc	
Wajax	15	Heaters Controls & Sensors Ltd	
WIKA Instruments Ltd	3	Lakeside Process Controls Ltd	
Valves, Needle		Provincial Controls	
CB Automation Inc	Incide Back Cover	Westech Industrial Ltd	
CGIS - The World's Best Valves			
Conval Process Solutions Inc		Velocity Instrumentation	
Everest Automation Inc		Lakeside Process Controls Ltd	Inside Front
		Vibration Instrumentation	
Franklin Empire Inc Lakeside Process Controls Ltd		Cancoppas Limited	18
MacWeld Machining		Heaters Controls & Sensors Ltd	
Provincial Controls		Lakeside Process Controls Ltd	
SPEC (Sarnia) Limited		SPEC (Sarnia) Limited	
SPS Industrial & Instrumentation Specialists		Veronics Instruments Inc	
Swagelok Ontario		WIKA Instruments Ltd	
WIKA Instruments Ltd			-
Wajax		Viscosity Instrumentation	10
Westech Industrial Ltd		Cancoppas Limited	
	3	Everest Automation Inc	
Valves, Pinch		Lakeside Process Controls Ltd	
CGIS - The World's Best Valves		Westech Industrial Ltd	3
Conval Process Solutions Inc		Weight Instrumentation	
Everest Automation Inc		CB Automation Inc	
Franklin Empire Inc		Cancoppas Limited	18
Lakeside Process Controls Ltd		Davis Controls Limited	2
SPS Industrial & Instrumentation Specialists	18	Everest Automation Inc	12
Swagelok Ontario	14	Franklin Empire Inc	
Wajax	15	Lakeside Process Controls Ltd	Inside Front
Valves, Plastic		WIKA Instruments Ltd	3
CGIS - The World's Best Valves	Back Cover	Wireless Transmission	
Conval Process Solutions Inc		CB Automation Inc	Inside Back Cover
Everest Automation Inc		Cancoppas Limited	
Franklin Empire Inc		Conval Process Solutions Inc	
Lakeside Process Controls Ltd		Davis Controls Limited	
SPS Industrial & Instrumentation Specialists		Electrozad Supply Company	
Swagelok Ontario		Everest Automation Inc	
Wajax		Franklin Empire Inc	
,	13	Heaters Controls & Sensors Ltd	
Valves, Plug	5	Lakeside Process Controls Ltd	
CGIS - The World's Best Valves		SPS Industrial & Instrumentation Specialists	
Conval Process Solutions Inc		Thermo-Kinetics Company Ltd	
Everest Automation Inc			
Franklin Empire Inc		Wajax WIKA Instruments Ltd	
Lakeside Process Controls Ltd		WITH ITSUUTIENES EU	3
Swagelok Ontario	14		
Valves, Relief, Safety			
CGIS - The World's Best Valves	Back Cover		
Conval Process Solutions Inc			
Franklin Empire Inc			



Volunteer		
Expert Directory		

Engage like never before!



Our exclusive, members-only community is a platform for you to connect, share, and get the most out of your ISA experience anytime, anywhere.

Start Connecting



Engage in technical discussions

- Access technical knowledge available anytime, any place!
- Tag and locate posts by industry topic
- Enjoy personalized notifications based on your interests



Build your professional network

- Search the Member Directory
- · Add peers as contacts



Connect with sections and divisions

- Stay up-to-date on programs and activities
- · Discover opportunities to volunteer and get involved



Enhance your personal profile

- Add your story, your interests, and your accolades
- Build your volunteer and expert profiles to learn about and be matched with opportunities



PRINCIPAL BRAND NAME/ SUPPLIER CROSS REFERENCE



Cross Reference	Page	Cross Reference	Page
3M		Alpha	
Electrozad Supply Company	16	Electrozad Supply Company	16
A-Line Lighting (Liteline) ABB Access Franklin Empire Inc	17	America BOA SPS Industrial & Instrumentation Specialists	18
A+ Westech Industrial Ltd	3	American Lighting Ameriux Amlite Franklin Empire Inc	17
A+ Genie Filters Westech Industrial Ltd		Ametek Mocon	
AB Chance	3	Vanko Analytical & Instrumentation Specialists AMP	› ZZ
Electrozad Supply Company	16	Electrozad Supply Company	16
ABB		Amphenal	
Electrozad Supply Company	16	Electrozad Supply Company	16
ABB Process Analytics Everest Automation Inc	12	Amphenol Veronics Instruments Inc	16
ABZ Butterfly Valves Wajax	15	Amprobe Anamet Andis Franklin Empire Inc	17
Acculite		AMS	
Electrozad Supply Company	16	Lakeside Process Controls Ltd	Inside Front
Acculite (Acuity) Aculux (Acuity) Adesso Franklin Empire Inc	17	Anaconda Electrozad Supply Company	16
ACR	10	Anamet	
Veronics Instruments Inc	16	Electrozad Supply Company	16
Acromag Inc. Davis Controls Limited	2	Anderson Greenwood Lakeside Process Controls Ltd	Inside Front
Adorne (Legrand) Advantech Aero-Motive Franklin Empire Inc	17	Anfield Sensors Inc. Davis Controls Limited	2
Advanced Energy		Antaira Technologies	
Thermo-Kinetics Company Ltd	11	Davis Controls Limited	2
Aeromotive Electrozad Supply Company	16	Anton Paar Westech Industrial Ltd	3
AEV Lakeside Process Controls Ltd	Inside Front	APG Sensors Davis Controls Limited	2
AF Lighting Aimlite Aiphone		Apollo Valves	
Franklin Empire Inc	17	Conval Process Solutions Inc	13
AGAR Corporation Provincial Controls	19	Appleton Electrozad Supply Company	16
Agastat	10	Ari Armaturen	10
Electrozad Supply Company	16	Everest Automation Inc	12
Air King Electrozad Supply Company	16	Arista Arlington Artcraft Franklin Empire Inc	17
Air Torque		Arjay	
Electrozad Supply Company	16	Westech Industrial Ltd	3
AirOptics Westech Industrial Ltd	3	Arjay Engineering Ltd. Davis Controls Limited	2
Aladdin Light Lift Alcan Alico		Arrow Hart	
Franklin Empire Inc 17		Electrozad Supply Company	16
Alcan Electrozad Supply Company	16	Artemide ATC Atlantic Lighting Franklin Empire Inc	17
ALCO Valves Group	4=	Asco	
Conval Process Solutions Inc	13	Conval Process Solutions Inc Lakeside Process Controls Ltd	
Alco Valves Ltd. Provincial Controls	19	Provincial Controls	
Allen-Bradley		Asco Electric	
Electrozad Supply Company	16	Electrozad Supply Company Provincial Controls	
Alltemp Sensors WIKA Instruments Ltd	Incido Frant		19
WINA HISHUITIEHIS ELU	IIISIUE FIONL		

Cross Reference	Page	Cross Reference	Page
Ashcroft Conval Process Solutions Inc	13	BARTEC/Benke/ORB Westech Industrial Ltd	3
ASI Keco Westech Industrial Ltd	3	Baum Plastic-Lined Piping Systems SPS Industrial & Instrumentation Specialists	18
ASL WIKA Instruments Ltd	Inside Front	Baumann Lakeside Process Controls Ltd	
AT Controls Wajax	15	Baumer Bega / Limburg Beghelli Franklin Empire Inc	17
ATC Electrozad Supply Company		Baumer Inc. Davis Controls Limited	
Heaters Controls & Sensors Ltd Aube (Honeywell) Axis Lighting		BEHA (Greenlee) Electrozad Supply Company	
Franklin Empire Inc	17	BEI - Industrial Encoders Cancoppas Limited	
Vanko Analytical & Instrumentation Specialists Autrol - Tecktrol	22	Bel Products Belden Bemag Franklin Empire Inc	
Cancoppas Limited	18	Bel Products Inc. Electrozad Supply Company	
Auvesy-MDT CB Automation Inc	Inside Back	Belden	
Aventics Provincial Controls	19	Electrozad Supply Company BelGas	
AW-Lake Davis Controls Limited Wajax		Conval Process Solutions Inc Berthold Vanko Analytical & Instrumentation Specialists	
Aysix Cancoppas Limited	18	Besa Lighting Bircher Reglomat Blackburn Franklin Empire Inc	(ABB)
Azbil Wajax	15	Bestobell SPEC (Sarnia) Limited	1
B-Line Electrozad Supply Company	16	Beta - Martel Corporation Provincial Controls	19
B-Line (Eaton) Baldor Barbican Franklin Empire Inc	17	Bettis Lakeside Process Controls Ltd	
B&B Electronics Provincial Controls	19	Biffi Lakeside Process Controls Ltd	
Babbitt Level Controls Provincial Controls	19	Bindicator Wajax	
Bach Simpson Electrozad Supply Company	16	BinMaster Cancoppas Limited	
Badger Meter Wajax		Blackline Safety Westech Industrial Ltd	
Westech Industrial Ltd Baker Hughes	3	Bliss Anand SPEC (Sarnia) Limited	
Veronics Instruments Inc	16	Provincial Controls Blue-White	
Davis Controls Limited Balston	2	Wajax	15
Davis Controls Limited	2	Bonfiglioli Brad Harrison (Molex) Brady Franklin Empire Inc	17
Electrozad Supply Company	16	Boreal Lakeside Process Controls Ltd	Inside Fron
Barber Pig Valves Provincial Controls	19	Bourdon Davis Controls Limited	2
Barber-Coleman WIKA Instruments Ltd	Inside Front	Brad Harrison Electrozad Supply Company	16
Barnant Heaters Controls & Sensors Ltd	15	Brady Electrozad Supply Company	16

Cross Reference	Page	Cross Reference Page	ge
Bray Conval Process Solutions Inc	13	Century Instrument Company SPS Industrial & Instrumentation Specialists	18
Bray * Broan (Nutone) Brook Crompton Franklin Empire Inc	17	Cera System Electrozad Supply Company	
Brian Wajax		CFI Electrozad Supply Company	
BRISK Heat Heaters Controls & Sensors Ltd	15	Chaoda CGIS - The World's Best Valves Back Cov	
Broan Electrozad Supply Company	16	Cherry Electrozad Supply Company	16
BS&B Lakeside Process Controls Ltd		Chromalox Electrozad Supply Company	
Budgit Burndy (Hubbell) Bussmann (Eaton) Franklin Empire Inc	17	Heaters Controls & Sensors Ltd SPEC (Sarnia) Limited	11
Burkert Fluid Control Systems SPS Industrial & Instrumentation Specialists		Veronics Instruments Inc Cinch Jones	
Burndy Electrozad Supply Company	16	Electrozad Supply Company Circor Circle Seal	
Bussmann Electrozad Supply Company	16	Wajax Cisco	
BW Technologies by Honeywell Wajax	15	Provincial Controls Clark Reliance	
C3 Controls Provincial Controls	19	Westech Industrial Ltd	
Cable-Tech Electrozad Supply Company	16	Lakeside Process Controls LtdInside Fro	
Caddy Electrozad Supply Company	16	Westech Industrial Ltd Coel Color Kinetics (Signify) Columbia MBF Franklin Empire Inc	
Cadweld Electrozad Supply Company	16	Columbia Mbf Electrozad Supply Company	
Cal Controls Davis Controls Limited		Columbus McKinnon Comac Comelit Franklin Empire Inc	
Heaters Controls & Sensors Ltd Caldweld Caloritech Canarm		Con-Tech Lighting Continental Fan Canada Inc. Contras	te
Caloritech		Conant Controls Inc. Provincial Controls	
Canary CB Automation Inc		Condrad Heated Hose Heaters Controls & Sensors Ltd	15
Cancoppas Cancoppas Limited		Continental Industries WIKA Instruments LtdInside Fro	ont
Canstrut (ABB) Capital Lighting Carlo Gavazzi Franklin Empire Inc.		Control Concepts Thermo-Kinetics Company Ltd	11
Carlo Gavazzi Heaters Controls & Sensors Ltd		Convectronics Heaters Controls & Sensors Ltd	15
Carlon (ABB) Carte Casablanca Franklin Empire Inc		Cooper Lighting Solutions Corbett Lighting Corelite (Eaton)	
Carol Cables Electrozad Supply Company	16	Franklin Empire Inc CR Magnetics	
Carte Electrozad Supply Company	16	Heaters Controls & Sensors Ltd Creation Nova Cree (Rudd) Cristal Controls	
Cash Valve Lakeside Process Controls Ltd	. Inside Front	Franklin Empire Inc Crompton Electroged Supply Company	
Cavex Century Champion Franklin Empire Inc	17	Electrozad Supply Company Crompton Instrument Crystal World Canada Crystorama Franklin Empire Inc	a

Cross Reference	Page	Cross Reference	Page
Crosby Lakeside Process Controls Ltd	Inside Front	Dongan Electrozad Supply Company	16
Crouse-Hinds Electrozad Supply Company	16	DPS Technologies Duct-O-Bar DVI Franklin Empire Inc	17
Crouzet Electrozad Supply Company	16	Draeger Fixed Gas Detection Systems Everest Automation Inc	12
Crowcon Thermo-Kinetics Company Ltd	11	Drager Vanko Analytical & Instrumentation Specialists	22
Crystal Engineering Provincial Controls	19	Drake Specialties SPS Industrial & Instrumentation Specialists	18
CTC Lakeside Process Controls Ltd	Inside Front	Drexan Heat Tracing Provincial Controls	19
Current, powered by GE Cyan Design Franklin Empire Inc	17	Druck Veronics Instruments Inc	16
Custom Valve Concepts Westech Industrial Ltd	3	DSS Valves CGIS - The World's Best Valves	Back Cove
Dainolite LTD Dals Lighßting Danalite (Acuit Franklin Empire Inc	-	Dual Lite (Edwards) Electrozad Supply Company	16
Danaher Electrozad Supply Company	16	Duracell Electrozad Supply Company	16
Danfoss Inc. Davis Controls Limited	2	Durag Everest Automation Inc	12
Daniel Woodhead Electrozad Supply Company	16	Dwyer Instruments Davis Controls Limited	2
Dasal Architectural Lighting Datalogic Day-brite CFI (Signify) Franklin Empire Inc	17	Franklin Empire Inc Provincial Controls SPEC (Sarnia) Limited	19 11
Davis-Klinger Davis Controls Limited	2	DwyerOmega Everest Automation Inc	
Dayton Delta Delta Light Franklin Empire Inc	17	Dynamic Water Control Gates Conval Process Solutions Inc	
Daytronics Electrozad Supply Company	16	Dynisco Heaters Controls & Sensors Ltd	
Delta M Wajax	15	E One Environment One Corporation CB Automation Inc	Inside Back
DeltaV Lakeside Process Controls Ltd Demag Devine Doerr	Inside Front	Eagle Signal Controls (Danaher) Eastern Wire Easy Heat (Emerson)	
Franklin Empire Inc Des-Case	17	Franklin Empire Inc Eastech Flow Controls	
Lakeside Process Controls Ltd Desgranges & Huot	Inside Front	CB Automation Inc Easy Heat	
WIKA Instruments Ltd Det-Tronics Systems	Inside Front	Electrozad Supply Company EBM/Papst Edge Lighting Edison Lighting Gr	oup
Provincial Controls	19	Franklin Empire Inc EBRO ARMATUREN	
Provincial Controls	19	CGIS - The World's Best Valves ECD Analytical	Back Cove
DH-Budenberg WIKA Instruments Ltd	Inside Front	Wajax ECG Semiconductors	15
Dicom Electrozad Supply Company	16	Electrozad Supply Company	16
Digi Provincial Controls	19	Electrozad Supply Company Edwards Eglo Eiko	16
Dillon Wajax	15	Franklin Empire Inc	17

Cross Reference	Page	Cross Reference	Page
Eiko Lamps Electrozad Supply Company	16	Eveready Electrozad Supply Company	16
EL-O-Matic	10	Excel Loading Systems	10
Lakeside Process Controls Ltd	Inside Front	SPS Industrial & Instrumentation Specialists	18
Elan Elco Electra Franklin Empire Inc	17	Exergen Heaters Controls & Sensors Ltd	15
Electro-Mecanik Playford Electro-Meters Elec		Exide	
Franklin Empire Inc	17	Electrozad Supply Company	16
Electromatic Electrozad Supply Company	16	ExLoc Provincial Controls	19
Electrometers		Exotherm	
Electrozad Supply Company		Heaters Controls & Sensors Ltd	15
Provincial Controls	19	Eyedro Franklin Empire Inc	17
Electrotray Electrozad Supply Company	16	·	17
Elegant Lighting Elk ELK Products		Factor Electronics Failsafe (Eaton) Fanimation Franklin Empire Inc	17
Franklin Empire Inc	17	Farfisa (Fisacom Solutions de Sécurité) Fasco Fa	strak
eltherm CD Automatica Inc.	lasida Dadi	Franklin Empire Inc	17
CB Automation Inc	Inside Back	Fasani	aida Fuant
Emergi-Lite (ABB) Emerson Energizer Franklin Empire Inc	17	Lakeside Process Controls LtdIn: FC Lighting Federal Signal Feelux	side Front
Emerson		Franklin Empire Inc	17
Lakeside Process Controls Ltd		Federal Signal	
Provincial Controls	19	Electrozad Supply Company	
Enardo Lakeside Process Controls Ltd	Inside Front	Westech Industrial Ltd	3
Encoder Products Company		Feiss Fine Art Lamps Flender (Siemens) Franklin Empire Inc	17
Electrozad Supply Company	16	Fenwal	
English Electric	16	Electrozad Supply Company	16
Electrozad Supply Company	Ib	Ferraz Shawmut Electrozad Supply Company	16
Entrelec (TE Connectivity) ET2 Etlin Daniels Franklin Empire Inc	17	Fike	10
Envent Engineering Ltd.		Wajax	15
Westech Industrial Ltd	3	Filter Sense	
Enviro-Box SPS Industrial & Instrumentation Specialists	10	Vanko Analytical & Instrumentation Specialists	22
Ernst	10	Firex Electrozad Supply Company	16
Provincial Controls	19	Fisher	10
Essex		Lakeside Process Controls LtdIn:	side Front
Electrozad Supply Company	16	Flir	
ETA Electrozad Supply Company	16	Lakeside Process Controls LtdIn:	side Front
Eureka Eurobex Eurofase	10	Flomotion Systems CB Automation IncIn	side Back
Franklin Empire Inc	17	Flos Fluke Focal Point	Side Back
Euromisure		Franklin Empire Inc	17
WIKA Instruments Ltd	Inside Front	Flowline	
Eurotherm Heaters Controls & Sensors Ltd	15	Davis Controls Limited	2
WIKA Instruments Ltd		Flowserve Everest Automation Inc	12
Eurotherm Chessell	=	Flowserve - PMV	
WIKA Instruments Ltd	Inside Front	Cancoppas Limited	18
Eurotherm Controls WIKA Instruments Ltd	Inside Front	Flowserve (Automax, Atomac, Durco, Edward, Mo	:Canna-
EVANS consoles	ITSIGE I TOTIC	MARPAC, Serck Audco, Worcester) CGIS - The World's Best ValvesB	ack Covor
Provincial Controls	19	Fluenta	ack cover
		Provincial Controls	19

Cross Reference	Page	Cross Reference	Page
Fluidwell CB Automation Inc	Inside Back	Go Regulators Wajax	15
Cancoppas Limited	18	Goldcoaster Golden Lighting Grace Engineered	Products
Fluke		Franklin Empire Inc	17
Electrozad Supply Company Provincial Controls		Gordos	
Fluoroseal	13	Electrozad Supply Company	16
Everest Automation Inc	12	Graessner Greenlee Guild Master Franklin Empire Inc	17
Flygt		Great Plains Industries (GPI)	
Electrozad Supply Company	16	Davis Controls Limited	2
FMD - Flow Management Devices		Greenlee	
WIKA Instruments Ltd	Inside Front	Electrozad Supply Company	16
Forte Lighting Framburg Fredrick Ramond Franklin Empire Inc	17	Gripple Inc.	
Fossil Power Systems	17	Electrozad Supply Company	16
Provincial Controls	19	Guardian	16
Foxcroft		Electrozad Supply Company	10
Cancoppas Limited	18	GVA Lighting Franklin Empire Inc	17
Frontline Test Equipment		GWF Technologies	
Provincial Controls	19	Cancoppas Limited	18
Fulham Fusetek	17	Gyrolok	
Franklin Empire Inc	1/	Wajax	15
Fusetek Electrozad Supply Company	16	Habonim	
Fuzypro		Lakeside Process Controls Ltd	nside Front
Heaters Controls & Sensors Ltd	15	Hach Hadco (Signify) Halo (Eaton) Franklin Empire Inc	15
GA Industries		Halo	17
Conval Process Solutions Inc	13	Electrozad Supply Company	16
Galaxy Gardco (Signify) GE Appliances		Halopika Hammond Manufacturing Hammond	
Franklin Empire Inc	17	Power Solutions	
Gasera Westech Industrial Ltd	7	Franklin Empire Inc	17
	3	Hammond	
Gayesco WIKA Instruments Ltd	Inside Front	Electrozad Supply Company	16
Gefran		Hancock Lakeside Process Controls Ltd	nside Front
Heaters Controls & Sensors Ltd	15	Hanover Lantern Haskel Hazlux (ABB)	noide i form
Gems Sensors Inc.		Franklin Empire Inc	17
Davis Controls Limited	2	Hansen	
GEMU	Da ale Carra	Provincial Controls	19
CGIS - The World's Best Valves		Hareus RTD sensors	
General Cable Geometrix by Schonbek Glow Franklin Empire Inc		Heaters Controls & Sensors Ltd	15
General Eastern		Haskel Electrozad Supply Company	16
Veronics Instruments Inc	16	HCS	
Gentran		Heaters Controls & Sensors Ltd	15
Heaters Controls & Sensors Ltd	15	Headline Filters	
Gestra Steam Traps		SPS Industrial & Instrumentation Specialists	18
Everest Automation Inc	12	Heated Hoses - Nordson	
GF+Signet Wajax	1E	Heaters Controls & Sensors Ltd	15
	15	Hedland	
GFC (Tectrol) Electrozad Supply Company	16	Wajax	15
Gitta		Heinemann Electrozad Supply Company	16
Heaters Controls & Sensors Ltd	15	Hemera Himmel Hinkley	
GO		Franklin Empire Inc	17
Provincial Controls	10	-	

Cross Reference	Page	Cross Reference	Page
HIMA	10	Imbiber Beads	-11
Provincial Controls	19	SPEC (Sarnia) Limited	11
Hioki Electrozad Supply Company	16	Imperial Eastman Provincial Controls	19
Hirschmann WIKA Instruments Ltd	Inside Front	Intek Davis Controls Limited	2
HMS Networks (Anybus) Holtkötter Homac (Franklin Empire Inc		Interlight Intermatic iPort Franklin Empire Inc	17
Hobré Analyzer Solutions Westech Industrial Ltd	3	Intermatic Electrozad Supply Company	
Hoffman Electrozad Supply Company	16	International Temperature Control Heaters Controls & Sensors Ltd	15
Hoke		Intertec	
Wajax	15	Everest Automation Inc	
Holophane	10	Intertec Instrumentation Ltd	10
Electrozad Supply Company	16	lpex Electrozad Supply Company	16
Honeywell Electrozad Supply Company	16		
Honeywell (Microswitch) Hortilux House of T		Electrozad Supply Company	16
Franklin Empire Inc	•	Islip Flow Controls (IFC)	
Honeywell Analytics		SPEC (Sarnia) Limited	11
Veronics Instruments Inc		ISOIL Industria	
Wajax Westech Industrial Ltd		CB Automation Inc	. Inside Back
Honeywell ENRAF Tank Gauging		ISSC (Industrial Solid State Controls) Electrozad Supply Company	16
Everest Automation Inc	12	ITT Conoflow	
Honeywell Process Measurement and Contro		CB Automation Inc	
Thermo-Kinetics Company Ltd	11	SPS Industrial & Instrumentation Specialists	18
Hubbardton - Forge Hubbell Hudson Valley Franklin Empire Inc	17	ITT Neo-Dyn CB Automation Inc	. Inside Back
Hubbell Electrozad Supply Company	10	Jacobt-Tarbox Sanitary	_
	10	Westech Industrial Ltd	3
Hughes Safety Showers SPS Industrial & Instrumentation Specialists	18	Jacoby-Tarbox Wajax	15
Hunter Hunter Fan Company Hydrel (Acuity) Franklin Empire Inc		Jacoby-Tarbox Eductor Westech Industrial Ltd	3
HY-GRADE Valve Inc. CGIS - The World's Best Valves	Back Cover	Jacoby-Tarbox® Sight Flow Indicators Westech Industrial Ltd	3
Hydramotion Viscosity	7	JAG	17
Westech Industrial Ltd	3	Conval Process Solutions IncValues	13
Hytork Lakeside Process Controls Ltd	Inside Front	Jag Flocomponents LLP (Neway Valves) SPS Industrial & Instrumentation Specialists	18
Iberville (ABB) Ideal Idec Franklin Empire Inc	17	James R. Moder Jesco Lighting Johnson Contro	ols
ICON Process Controls CB Automation Inc		Jerguson® Gauges & Valves Westech Industrial Ltd	
Ideal	Hisiac back	Jerguson® Level Switches	
Electrozad Supply Company	16	Westech Industrial Ltd	3
Idec Izumi Electrozad Supply Company	16	Jerguson® Magnicator Products Westech Industrial Ltd	3
IDI		JFlow	
Electrozad Supply Company	16	Vanko Analytical & Instrumentation Specialists	22
idSolutions Primary Flow Elements Everest Automation Inc	12	Jogler CB Automation Inc	. Inside Back
Ilsco Inaxys Indy (Acuity)		Joslyn (ABB) Juno (Acuity) Justice Designs	
Franklin Empire Inc	17	Franklin Empire Inc	17

Cross Reference	Page	Cross Reference	Page
Jumo		Kytola Instruments	10
Justrite Safety Group SPS Industrial & Instrumentation Specialists		Provincial Controls L&J Technologies Conval Process Solutions Inc	
Kalco KB Electronics Keene (Signify) Franklin Empire Inc		La Creu Lafert Lampiste Franklin Empire Inc	
Kayden Everest Automation Inc		Lambda Electrozad Supply Company	
Keene Electrozad Supply Company	16	Lance Ball Valves SPS Industrial & Instrumentation Specialists	
Kellums Electrozad Supply Company	16	LAND Ametek Thermo-Kinetics Company Ltd	11
Kemtrak Westech Industrial Ltd	3	Wajax Landmark	15
Kenall Kendal Lighting Kichler Franklin Empire Inc	17	Electrozad Supply Company Landmark Lighting LBL LDI Technology Design	
Kepware CB Automation Inc	Inside Back	Franklin Empire Inc Langtree Controls	
Kester Electrozad Supply Company	16	Langtree Controls Limited Lascar	
Keystone Lakeside Process Controls Ltd	Inside Front	Heaters Controls & Sensors Ltd Lauris Technologies Vanko Analytical & Instrumentation Specialists	
Kidde Killark (Hubbell) Kito Franklin Empire Inc	17	LC Meters SPEC (Sarnia) Limited	
Killark Electrozad Supply Company	16	Ledalite (Signify) Ledoux Accoustique Leds-C4 Franklin Empire Inc	
WIKA Instruments Ltd	Inside Front	Leecraft Electrozad Supply Company	
Kistler Morse Davis Controls Limited	2	Leeson Leroy-Somer Leucos Franklin Empire Inc	
Klein Electrozad Supply Company	16	Lenox Instruments Thermo-Kinetics Company Ltd	
Klein Tools Knipex Kuzco Franklin Empire Inc	17	Leser PRV Westech Industrial Ltd	
Kobold Instruments Cancoppas Limited	18	Leuch Electrozad Supply Company	16
Korn Electrozad Supply Company KPC Valve	16	Leviton Electrozad Supply Company	
CGIS - The World's Best Valves Kraus & Naimer	Back Cover	Provincial Controls Leviton Leviton Security & Automation Liebert	19
Electrozad Supply Company	16	Franklin Empire Inc Liebert	17
Thermo-Kinetics Company Ltd KSR Kuebler	11	Electrozad Supply Company Light Efficient Design Lightolier (Signify) Lind	16
WIKA Instruments Ltd	Inside Front	Franklin Empire Inc Lightolier	17
Electrozad Supply Company	16	Electrozad Supply Company Lily Fasteners	16
Lakeside Process Controls Ltd	Inside Front	Electrozad Supply Company Limesoft	16
Lakeside Process Controls Ltd	Inside Front	Everest Automation Inc Linemans Testing Laboratories Liteline Littelfuse	12
Everest Automation Inc	12	Franklin Empire Inc Linemaster	17
Electrozad Supply Company	16	Electrozad Supply Company	16

Cross Reference	Page	Cross Reference	Page
Lion		Magic Lite Maglite Magnetek (GE)	
Electrozad Supply Company	16	Franklin Empire Inc	17
Lithonia Electrozad Supply Company	16	Magnetrol Vanko Analytical & Instrumentation Specialists	22
Littlefuse Electrozad Supply Company	16	Magtech Lakeside Process Controls Ltd	Inside Front
LJ Star WIKA Instruments Ltd	. Inside Front	Mallory Electrozad Supply Company	16
Logenex Louisville Ladder LPS Laboratories Franklin Empire Inc	17	Marathon Electrozad Supply Company	16
Louisville Ladders Electrozad Supply Company	16	Marathon Marcus Marr (ABB) Franklin Empire Inc	17
LPS Electrozad Supply Company		Marimex Westech Industrial Ltd	
LS Industrial Systems Davis Controls Limited		Marr Electrozad Supply Company	16
LSI Luce Plan Lumacell (ABB) Franklin Empire Inc		Marsh Bellofram Conval Process Solutions Inc	
Lufran Heaters Controls & Sensors Ltd		Matasorb SPEC (Sarnia) Limited	
Lumacell Inc. Electrozad Supply Company		Matteo Maxilite Maxim Franklin Empire Inc	
Lumark (Eaton) Lumca Lumec (Signify) Franklin Empire Inc		Max Machinery Cancoppas Limited	
Lumenpulse Lumenwerx Lumiconcept Franklin Empire Inc		McGill Electrozad Supply Company	
Lumifaro Luminergie Lutron Franklin Empire Inc		McGill (Emerson) McGraw (Eaton) MCM Structure Franklin Empire Inc	ctures
Lutron Electrozad Supply Company		MDI Heaters Controls & Sensors Ltd	
Lutze Inc. Davis Controls Limited		Megger Met Electrozad Supply Company	
Luxo		Meltric* Mencom Mersen Franklin Empire Inc	
Franklin Empire Inc M.A. Stewart Westech Industrial Ltd		Mensor WIKA Instruments Ltd	
M&G, Ametek		Metalumen Metalux (Eaton) Meyda	
Wajax Mac-Weld Machining Ltd.	15	Franklin Empire Inc MetOne	
Davis Controls Limited		Vanko Analytical & Instrumentation Specialists	22
MacWeld Machining		Metron-Farnier Cancoppas Limited	10
Wajax	15	Mettler Toledo (Ingold)	IC
Macnaught Cancoppas Limited	10	Westech Industrial Ltd	3
MacTek		Mettler Toledo (Thornton) Westech Industrial Ltd	3
Provincial Controls Macurco Gas Detection	19	Meyers	
Davis Controls Limited	2	Electrozad Supply Company	16
Madgetech Data Loggers Heaters Controls & Sensors Ltd	15	Microlectric (ABB) Milwaukee Mipco (ABB) Franklin Empire Inc	17
Madison Company		MicroMod Automation & Controls CB Automation Inc	Inside Back
Davis Controls Limited MAG Lite	2	Micromold Products Inc. SPS Industrial & Instrumentation Specialists	10
Electrozad Supply Company	16	MicroMotion Lakeside Process Controls Ltd	

Cross Reference	Page	Cross Reference	Page
Mid-West Instruments Wajax	15	Neptune Meters SPS Industrial & Instrumentation Specialists	18
Miller Electrozad Supply Company	16	Net Safety Lakeside Process Controls LtdInside	e Fron
Milwaukee Electrozad Supply Company		New Wave Audio Nexans Nora Lighting Franklin Empire Inc	
Milwaukee Valve Conval Process Solutions Inc	13	Neway Conval Process Solutions Inc	13
Mircom Mitzi (Hudson Valley) Molex Franklin Empire Inc	17	Nextron CB Automation IncInsid	e Back
Mission Communications Cancoppas Limited	18	Niagara Meters Wajax	15
Mitylite Electrozad Supply Company	16	Nica Power Battery Corporation Electrozad Supply Company	16
Modatec Electrozad Supply Company	16	Nivelco Cancoppas Limited	18
MOGAS Industries SPS Industrial & Instrumentation Specialists	18	Noma Electrozad Supply Company	16
Mold Control Systems (MCS) Heaters Controls & Sensors Ltd	15	Norlabs Calibration Gases Westech Industrial Ltd	3
Monarch Heaters Controls & Sensors Ltd	15	North Port Valves Conval Process Solutions Inc	13
Monte Carlo MP Lighting MTE Franklin Empire Inc	17	NoShok CB Automation IncInsid	
Moore Industries CB Automation Inc	Inside Back	Nova Electrozad Supply Company	
Motorola Electrozad Supply Company	16	Novaflex	
Moxa Provincial Controls	19	SPEC (Sarnia) Limited NTE	
MRG Lakeside Process Controls Ltd	Inside Front	Electrozad Supply Company Nuevo Nutone nVent Caddy	
MTS Sensors WIKA Instruments Ltd	Inside Front	Franklin Empire Inc Numatics	
Mueller Electrozad Supply Company	16	Provincial Controls Nutone	
Mueller Murrplastik Muxlab Franklin Empire Inc	17	Electrozad Supply Company nVent Nuheat nVent Raychem	
Multi-Instruments (Instrument Enclosures) Wajax		Franklin Empire Inc O-Z Gedney Company	
N-Line Valves CGIS - The World's Best Valves	Back Cover	Electrozad Supply Company O'Brien	
Nanco Electrozad Supply Company	16	C'Brien (Ametek) - Instrument Enclosure & Protection	on
NAPCO Royal Pipe & Fittings Napoleon Na Franklin Empire Inc	. •	SPS Industrial & Instrumentation Specialists Ocal (ABB) Oldcastle Infrastructure Oriental Motor	18
National Energy Equipment SPEC (Sarnia) Limited	11	Franklin Empire Inc ODE	
NDR Electric Nelson Heat Trace		Conval Process Solutions Inc	13
(Emerson) Neo-Ray (Eaton) Franklin Empire Inc	17	Ogden Heaters Controls & Sensors Ltd	15
Neles Everest Automation Inc	12	OGDEN Heaters Heaters Controls & Sensors Ltd	15
Nepco Electrozad Supply Company	16	Ogden Manufacturing Veronics Instruments Inc	16

Cross Reference	Page	Cross Reference	Page
Ohio Brass Electrozad Supply Company	16	Pelican Electrozad Supply Company	16
Ohmite Electrozad Supply Company	16	Pelmar Engineering Provincial Controls	19
Oil & Gas Process Solutions WIKA Instruments Ltd		Penberthy Lakeside Process Controls Ltdlr	nside Front
Olfex Electrozad Supply Company	16	Pepperl & Fuchs Philips (Signify) Pinnacle Franklin Empire Inc	17
Omega Electrozad Supply Company	16	PEPPERL + FUCHS CB Automation IncI	nside Back
OMNI Flow Computers CB Automation Inc	Inside Back	Perma-Cal Industries, Inc. Provincial Controls	19
Omron Heaters Controls & Sensors Ltd	15	Pfieffer Electrozad Supply Company	16
Onyx Valve Conval Process Solutions Inc	13	Phase IV Engineering WIKA Instruments LtdIr	nside Front
OPSIS Cancoppas Limited	18	Philips Electrozad Supply Company	16
Optex Heaters Controls & Sensors Ltd	15	Phoenix Contact Electrozad Supply Company	16
Optris Heaters Controls & Sensors Ltd	15	Photoswitch (Allen-Brady) Electrozad Supply Company	16
OPW Engineered Systems Conval Process Solutions Inc	13	Pioneer Lighting Pow-R-Feed Precision Digital Franklin Empire Inc	17
Orange Research Provincial Controls	19	Plast-O-Matic Valves Inc. Conval Process Solutions Inc	13
Orion Vanko Analytical & Instrumentation Specialists	22	Plastibond (Rob-Roy) Electrozad Supply Company	16
OSIsoft Lakeside Process Controls Ltd	Inside Front	PMT, by Ametek Wajax	15
Osram Ballasts Electrozad Supply Company	16	Powers Conval Process Solutions Inc	13
Ovation Lakeside Process Controls Ltd	Inside Front	Powers Process Controls Heaters Controls & Sensors Ltd	15
PAC Vanko Analytical & Instrumentation Specialists	22	Pratt Industrial Westech Industrial Ltd	3
Pacific Coast Panduit Paradise/Northern Int. Franklin Empire Inc	17	Precision Electrozad Supply Company	16
Panametrics Veronics Instruments Inc	16	Precision Digital CB Automation IncI	
Panasonic Electrozad Supply Company	16	Provincial Controls Thermo-Kinetics Company Ltd	11
Panduit Electrozad Supply Company	16	Precision Digital Precision Multiple Controls Pre	
Paragon Electrozad Supply Company	16	Pribusin Inc. Provincial Controls	19
Parker/Balston Davis Controls Limited	2	Primary Flow Signal Provincial Controls	19
Partlow Heaters Controls & Sensors Ltd	15	Process Insights Everest Automation Inc	12
Peacock Wajax	15	Process Technology Heaters Controls & Sensors Ltd	15
Peerless Pelican Pentair Thermal Managemen Franklin Empire Inc		Proeger Flow Solutions CGIS - The World's Best Valves	Back Cover
		Proface Progress Prysmian Franklin Empire Inc	17

Cross Reference	Page	Cross Reference	Page
Prognost Lakeside Process Controls Ltd	Inside Front	Red Dot Electrozad Supply Company	16
Progress Electrozad Supply Company	16	Red Seal Measurement SPS Industrial & Instrumentation Specialists	
Protective Coatings, Inc Rubber Linings SPS Industrial & Instrumentation Specialists	18	Reed Instruments Provincial Controls	19
Protimeter Veronics Instruments Inc	16	Rees Electrozad Supply Company	16
Provincial Controls Provincial Controls	19	Reliance Reuland Rex Franklin Empire Inc	17
Provo Electrozad Supply Company	16	Reliance® Boiler Trim Westech Industrial Ltd	3
Pulsar Everest Automation Inc	12	Renaissance - Data Gator Cancoppas Limited	18
PureFlex Hose & Fittings SPS Industrial & Instrumentation Specialists	18	Rense Instruments Provincial Controls	19
Pyrotenax Electrozad Supply Company	16	Rex / RKC Heaters Controls & Sensors Ltd	15
QC Conveyors Davis Controls Limited	2	REXA Everest Automation Inc	12
Quadbeam Technologies Everest Automation Inc	12	Reynolds Electrozad Supply Company	16
Quality Machine & Manufacturing Wajax	15	RF Valves Everest Automation Inc	12
Quorum International Franklin Empire Inc	17	Rhosonics Everest Automation Inc	12
R.C. Systems Inc. SPS Industrial & Instrumentation Specialists	18	Richter Process Pumps & Valves SPS Industrial & Instrumentation Specialists	18
Rab Electrozad Supply Company	16	Ringo Electrozad Supply Company	16
RAB Design Rack-A-Tiers Rayovac Franklin Empire Inc	17	Risco Group Rittal Robert Abbey Franklin Empire Inc	17
Radiant Heat Heaters Controls & Sensors Ltd	15	RKC Instruments Heaters Controls & Sensors Ltd	15
RAE Systems By Honeywell Wajax	15	RKI Cancoppas Limited	18
Ralston Heaters Controls & Sensors Ltd	15	Robertshaw SPEC (Sarnia) Limited	1
Ralston Instruments Provincial Controls	19	Robroy Electrozad Supply Company	16
Rawl Electrozad Supply Company	16	Rockwell Automation Electrozad Supply Company	16
Ray-O-Vac Electrozad Supply Company	16	Ronan Lakeside Process Controls Ltd	Inside Front
Raychem Electrozad Supply Company	16	Rosemount Lakeside Process Controls Ltd	Inside Fron
Raytek Heaters Controls & Sensors Ltd	15	Rosslare Rotech Rotom Franklin Empire Inc	17
RCC Electrozad Supply Company	16	Rotork (Fairchild) Everest Automation Inc	12
RCS Actuators Conval Process Solutions Inc	13	Rotronics Veronics Instruments Inc	16
RDC CGIS - The World's Best Valves	Back Cover	Roxtec Electrozad Supply Company	16
Ready-Lite (ABB) Rebelle Red Lion Franklin Empire Inc	17	Russell & Stoll Electrozad Supply Company	16

Cross Reference	Page	Cross Reference	Page
Russell & Stoll (ABB) Franklin Empire Inc	17	Shafer Lakeside Process Controls Ltd	Inside Front
S-Products Wajax	15	Shand and Jurs Conval Process Solutions Inc	13
SAF Precision Mfg Ltd. SPEC (Sarnia) Limited	11	Shawflex / Dekoron Electrozad Supply Company	16
Saf-T-Bar Scangift Schmersal Franklin Empire Inc		Sick Gas and Dust measurement (CEMS) Westech Industrial Ltd	
Safe-T-Matic Provincial Controls		Siemens Electrozad Supply Company	
SafeRack Loading Rack Technologies SPEC (Sarnia) Limited		Siemens Sistemalux Slamp Franklin Empire Inc	
Sammi Machinery SPEC (Sarnia) Limited		Signal Fire Everest Automation Inc	
SAMSON Electrozad Supply Company		SIKA Davis Controls Limited	
Samson Controls Provincial Controls		Skinner Electrozad Supply Company	16
SAMSON Controls (Air Torque, Cera Systems, Leusch, Pfeiffer, Ringo, SED, Starline, Vetec)		Slick Sleuth SPEC (Sarnia) Limited	
CGIS - The World's Best Valves	Back Cover	Smar Provincial Controls	19
Electrozad Supply Company	16	SmartSights CB Automation Inc	Inside Bacl
SPS Industrial & Instrumentation Specialists	18	Snoc Socomec Sola Franklin Empire Inc	17
Electrozad Supply Company	16	Sofis Valve Operation CGIS - The World's Best Valves	
WIKA Instruments Ltd	Inside Front	Sola / Hevi-Duty Electrozad Supply Company	16
Davis Controls Limited Schneider Electric	2	Sola HD Provincial Controls	
Westech Industrial Ltd	3	SolaHD (Emerson) Solavanti Lighting Solera Franklin Empire Inc	
Schonbek SDL Lighting Sea Gull Lighting Franklin Empire Inc	17	Solar Products Heaters Controls & Sensors Ltd	
Schroedahl ARV Westech Industrial Ltd	3	Somfy Sonalert Sonneman Franklin Empire Inc	
Schubert and Salzer Control Systems Conval Process Solutions Inc	13	SOR Controls	
Scully SPEC (Sarnia) Limited	11	Westech Industrial Ltd Southwire Stanpro Steel City (ABB)	
Seametrics Veronics Instruments Inc	16	Franklin Empire Inc Spectro	
Secomea Davis Controls Limited	2	Electrozad Supply Company Spectro Scientific	16
Sempell Lakeside Process Controls Ltd	Inside Front	Lakeside Process Controls Ltd Spemco	Inside Front
SenSOR (SOR) Sampling Systems SPS Industrial & Instrumentation Specialists	18	Electrozad Supply Company	16
Sensor Switch Shaw Box (Lift-Tech) SICK* Franklin Empire Inc	17	Electrozad Supply Company	16
Sentry Equipment Everest Automation Inc		SPS Installation Services SPS Installation Services	18
Servomex Vanko Analytical & Instrumentation Specialists		SPS Industrial & Instrumentation Specialists	18

Cross Reference	Page	Cross Reference	Page
SPS Instrument Repair & Calibrations SPS Industrial & Instrumentation Specialists	18	T.M.S. Lighting TCI Tech Lighting Franklin Empire Inc	17
SPS Winterized Enclosures & Heaters SPS Industrial & Instrumentation Specialists		Tantaline - Corrosion Solutions SPS Industrial & Instrumentation Specialists	
Stafsjo Everest Automation Inc	12	TCI Incinerators Westech Industrial Ltd	3
STAHL Provincial Controls	19	TechnipFMC (Smith) SPS Industrial & Instrumentation Specialists	18
Stahlin Electrozad Supply Company	16	Techspan Teco-Westinghouse Thermo Electric Franklin Empire Inc	17
Stainless Valve Co Provincial Controls	19	Teco Westinghouse Westech Industrial Ltd	3
Standard Power Electrozad Supply Company	16	Tecsis WIKA Instruments LtdIn:	side Front
Starline Electrozad Supply Company	16	Tel-Tru Wajax	15
Stealth Electrozad Supply Company	16	Tel-Tru Pressure & Temperature Instruments SPS Industrial & Instrumentation Specialists	18
Stein World Stelpro Stober Franklin Empire Inc	17	Telaire Veronics Instruments Inc	16
Stelpro Electrozad Supply Company	16	Teldyne Monitor Labs Vanko Analytical & Instrumentation Specialists	22
Stewart R. Browne Electrozad Supply Company	16	Tempco Heaters Controls & Sensors Ltd	15
STI (Scientific Technologies Inc) Electrozad Supply Company	16	Tempco Heaters Heaters Controls & Sensors Ltd	15
Stonco Electrozad Supply Company	16	Tenor Industrial Control Heaters Controls & Sensors Ltd	15
Streamlight Electrozad Supply Company	16	Tenor Timers Heaters Controls & Sensors Ltd	15
Sumitomo Electric - FutureFlex Fibe Provincial Controls	19	Theben Davis Controls Limited	2
Sun Valves Inc Wajax	15	Therm-Omega-Tech SPS Industrial & Instrumentation Specialists	18
SunWize Westech Industrial Ltd	3	Thermo Electric Electrozad Supply Company	16
Superior Electric Superstrut (ABB) Franklin Empire Inc	17	Thermo-Kinetics Provincial Controls	19
Sur-Flo Meters & Controls SPEC (Sarnia) Limited	11	Thermo-Kinetics Company Ltd. Thermo-Kinetics Company Ltd	11
Sure Flow Equipment Inc. Conval Process Solutions Inc	13	Thermon Thermon	17
Swagelok Swagelok Ontario	14	Thermon Canada Inc Heating Systems CB Automation IncIn	ıside Back
SwissFluid Lined Valves SPS Industrial & Instrumentation Specialists	18	Thermon Thomas & Betts (ABB) Thomas Lighting Franklin Empire Inc	-
Sylvania Heaters Controls & Sensors Ltd	15	Thermotex Intertec Instrumentation Ltd	10
Syncade Lakeside Process Controls Ltd	Inside Front	Thomas & Betts Electrozad Supply Company	16
Syrelec Electrozad Supply Company	16	TMEIC Westech Industrial Ltd	3
Syscon Heaters Controls & Sensors Ltd	15	Topworx Conval Process Solutions IncLakeside Process Controls LtdIn:	side Front
		Provincial Controls	19

Cross Reference	Page	Cross Reference	Page
Toshiba Electrozad Supply Company	16	ValvTechnologies CGIS - The World's Best Valves	Back Cover
Totec TPC Wire & Cable Transfab Franklin Empire Inc		Vanessa Lakeside Process Controls Ltd	
TR Encoders Electrozad Supply Company	16	Varec Lakeside Process Controls Ltd	
Triad Electrozad Supply Company	16	Varec Biogas Westech Industrial Ltd	3
Trident Instrument Air Dryers Provincial Controls	19	VEGA Everest Automation Inc	12
Tritonics Troy Lighting TT Electric Franklin Empire Inc	17	Venture Lighting Version Dog Viabizzuno Franklin Empire Inc	17
Tronic WIKA Instruments Ltd	Inside Front	Venture Measurement Wajax	15
Trox Technik Conval Process Solutions Inc	13	Vetec Electrozad Supply Company	16
Turck Electrozad Supply Company	16	Visa Lighting Visioneering (Leviton) Viso Franklin Empire Inc	17
Provincial Controls Turck Turolight	19	Visual Comfort Vynckier (Mersen) Franklin Empire Inc	17
Turner Designs Hydrocarbon Instruments		VorTek Instruments Davis Controls Limited	2
Tylok Tylok		VTScada CB Automation Inc	Inside Back
Provincial Controls UE (United Electric)		W.A. Kates Westech Industrial Ltd	3
Provincial Controls		W.A.C. Wasip WattStopper (Legrand) Franklin Empire Inc	17
UE Systems Lakeside Process Controls Ltd Veronics Instruments Inc		Waltron Vanko Analytical & Instrumentation Specialists	22
UK International Ulextra Ultrasave Franklin Empire Inc		Warrick Controls Davis Controls Limited	2
Unistrut Electrozad Supply Company		Watlow Heaters Controls & Sensors Ltd	15
Unitorq Conval Process Solutions Inc		Watts Conval Process Solutions Inc	13
Universal Electric Universal Lighting Technologies US Motors		Weg Weidmüller Wera Franklin Empire Inc	17
Franklin Empire Inc	17	Weidmuller Electrozad Supply Company	16
Wajax Vacon Drives	15	Weiland Electrozad Supply Company	16
Davis Controls Limited	2	West Instruments Davis Controls Limited	2
VAG Conval Process Solutions Inc	13	West Instruments Heaters Controls & Sensors Ltd	15
VAISALA Westech Industrial Ltd	3	Westech Westech Industrial Ltd	3
Value of	18	Westech Flame Arrestors Westech Industrial Ltd	3
Valmet Vanko Analytical & Instrumentation Specialists	22	Western Valve / Dan-Ex CGIS - The World's Best Valves	Back Cover
Valmet Flow Control Everest Automation Inc	12	Wheatland White-Rodgers (Emerson) Wielan Franklin Empire Inc	
		Wide-Lite Electrozad Supply Company	16

Cross Reference	Page	Cross Reference	Page
WIKA	40	Woodhead (Molex) World Imports Franklin Empire Inc	17
Provincial Controls		Worcester Rhino	17
WIKA Manifold Valves		Conval Process Solutions Inc	13
WIKA Instruments Ltd	Inside Front	Yarway	
WIKA Mobile Control		Lakeside Process Controls Ltd	Inside Front
WIKA Instruments Ltd	Inside Front	Yaskawa	
WIKA Sensor Technology		Lakeside Process Controls Ltd	Inside Front
WIKA Instruments Ltd	Inside Front	YZ Systems	
WIKA Valves		WIKA Instruments Ltd	Inside Front
WIKA Instruments Ltd	Inside Front	Z Lite Zaneen Zumtobel	
WIN-911		Franklin Empire Inc	17
CB Automation Inc	Inside Back	ZOOK	
Winters Instruments		SPEC (Sarnia) Limited	11
CB Automation Inc		Zuo Modern	
Davis Controls Limited		Franklin Empire Inc	17
Lakeside Process Controls Ltd		Zwick	
Provincial Controls	19	Westech Industrial Ltd	3
Winters Wiremold (Legrand) Wittenstein Franklin Empire Inc	17	Zwick TOV	7
Wireless Hart		Westech Industrial Ltd	3
Provincial Controls	19		



Thank You!

Thank you from all of us at ISA Sarnia Section for your continued support over the last 26 years. We sincerely hope that you find your Reference Guide of benefit. Be sure to view the electronic version of this publication at **www.isasarnia.com.**

We encourage you to let the executive know what you think of our efforts or if there is anything that you wish to see done differently.

Best regards, ISA Sarnia Section Executive



ISA Membership Benefits

Programs

Discover how members connect and share through technical forums, leadership opportunities and more.



ISA Connect Technical Forum



Geographic Sections



Technical Divisions



Career Center

Standards

As an ISA member, access over 150 standards that reflect the expertise of industry leaders from around the world!



Access industry standards



Discount on purchases



Search by topic



Join a committee

Publications

Members get the latest information on technology development, applications, trends, and standards within the automation industry through ISA publications and technical resources.



ISA Transactions



20% discount on books



ISA Pub Hub



Industry magazine subscription

Education

ISA members receive the latest in education and industry trends through training programs, certification courses, and industry events.



ISA Business Academy



ISA Mentor



Event registration Certifications discount



and courses

Membership Dues

Professional*

- 1-year: 140 USD
- *Reduced dues eligible in some countries.

Student Member

- 15 USD Annually
- Upgrade to professional member free for one year after graduation!

For more information or to join, visit www.isa.org/join

60-0422



TECHNICAL SECTION



This technical section has been prepared by the ISA Sarnia Section for exclusive use by ISA Sarnia Section.

Temperature Sensor Comparisons

Thermocouples - Pros & Cons

Advantages

- Inexpensive
- Fast responding
- Rugged
- Tip sensitive
- Self-powered
- Range of -200 to 2300 °C
- Small diameters 0.010"(0.25 mm)
- Multi-point sensing

Disadvantages

- Non-linear
- Least stable
- · Sensitivity is low
- Low voltage output
- Requires special extension wire
- Reference required
- · Accuracy degrades over time

RTD - Pros & Cons

Advantages

- Linear output
- Long term stability
- · Long term stability
- Special extension wire not required
- More accurate than a thermocouple
- Repeatable

Disadvantages

- Limited range of -200 to 850 °C
- Slow response
- Current source required
- Self-heating error
- More expensive than a thermocouple
- Less rugged than a thermocouple

RTD vs. Thermocouple

RTD Advantages

- Higher Accuracy
- Higher Stability
- Does not Require Cold Junction Compensation
- Better Linearity

T/C Advantages

- Rugged
- Small Size
- Fast Response
- Wide Range
- Self powered

Table of Contents

Sarnia Information78	Piping & Tubing	
Physical Properties	Dimensions of Steel Tubing	113
Gases	Pipe Data (ANSI B36.10)	114-115
Water80	Flange Size Table	116-117
Common Liquids80	Valve Information	
Constants of Various Fluids81-82	Glossary	118-119
Saturated Water83	Rotary-Shaft	120-124
Viscosity of Gases84	Shutoff and Leakage	125-128
Viscosity of Water & Steam85	Cavitation	129
Specific Gravity86	Control Valve Noise	130
Viscosity of Water and Liquid Petroleum Products87	Electrical	
Flammable Properties of	NEMA Enclosures	131-132
Common Gases & Vapors88	All you need to know about	
Compressibility Factor Z89	hazardous locations	
Compressibility90	Electrical Safety Authority	135
Thermodynamic Critical Constants and Density of Elements, Inorganic Compounds91-92	Field Evaluation Marks Acceptable Under the Electrical Safety Code	136
Properties of Steam93-95	Area Classification	137
Saturated Steam Table96	Ohm's Law	138
Conversion Tables	Control Theory	
Units & Conversions97-99	PID Loop Tuning Tips	139-140
Proper SI Units100	Codes O Chandenda	
Formulas & Conversions101-102	Codes & Standards	1 41 1 4
Conversion Tables103-105	Overview	141-143
Pressure Conversions106		
Temperature Conversions107		
Metric Conversion108		
Electromotive Measurements		
Temperature Sensors Technology109-110		
Thermocouple Wire Specifications 111-112		

Sarnia Information

Latitude Longitude Elevation	Approximately 43.00 N Approximately 82.30 W Approximately 181m
Minimum Recorded Temperature	-28.7 C
Maximum Recorded Temperature	40 C
Jan 2.5% Design Temperature	-16.0 C
Jan 1% Design Temperature	-18.0 C
July 2.5% Design Dry Bulb Temperature	32.2 C
July 2.5% Design Wet Bulb Temperature	23.0 C
Annual Average Temperature	8.2 C
Annual Total Degree Days Below 18 C	3800
Atmospheric Pressure Average	99.44 Pa
Maximum 24 Hour Rainfall	98.0 mm
Annual Total Precipitation	890.0 mm
10 Year Storm 15 min	23.0 mm
10 Year Storm 1 hour	36.9 mm
100 Year Storm 15 min	41.8 mm
100 Year Storm 1 hour	52.3 mm
Ground Snow Load	1.0 Kpa
Hourly Wind Pressure - 1/10	0.35 Kpa
Hourly Wind Pressure - 1/30	0.43 Kpa
Hourly Wind Pressure - 1/100	0.52 Kpa
Prevailing Wind Direction	SW
Frost Penetration	1.2 m
Seismic Design Parameter Za	0
Seismic Design Parameter Zv	0
Seismic Design Parameter V	0

Properties of Selected Gases

Gas	Chemical Formula	Molecular Weight	Density ① Ib/ft³	Specific ② Gravity	Individual Gas Constant R	Ratio of Specific Heat K = C _p /C _v
Acetylene	C ₂ H ₂	26.0382	.06858	0.897	59.348	1.28
Air	_	28.9644	.07649	1.000	53.352	1.40
Ammonia	NH ₃	17.0306	.04488	0.587	90.738	1.29
Argon	А	39.9480	.10553	1.379	38.683	1.67
Butane-N	C ₄ H ₁₀	58.1243	.15873	2.075	26.586	1.09
Butane-ISO	C ₄ H ₁₀	58.1243	.15814	2.067	26.586	1.10
Carbon Dioxide	CO ₂	44.0100	.11684	1.528	35.113	1.28
Carbon Monoxide	СО	28.0106	.07397	0.967	55.169	1.41
Chlorine	CL ₂	70.9060	.19046 0°C	2.490 0°C	21.794	1.36
Ethane	C₂H ₆	30.0701	.08005	1.047	51.391	1.19
Ethylene	C₂H₄	28.0542	.07392	0.967	55.083	1.22
Helium	He	4.00260	.01056	0.138	386.07	1.66
Heptane, Average	C ₇ H ₁₆	100.2060	.26451	3.458	15.421	_
Hextane, Average	C ₆ H ₁₄	86.1785	.22748	2.974	17.932	1.08
Hydrochloric Acid	HCL	36.4610	.09606	1.256	42.383	1.40
Hydrogen	H ₂	2.01594	.00532	0.070	766.55	1.40
Hydrogen Sulfide	H₂S	34.0799	.09024	1.177	45.344	1.32
Methane	CH₄	16.0430	.04243	0.555	96.324	1.31
Methyl Chloride	CH₃CL	50.4881	.13292	1.738	30.606	1.20
Neon	Ne	20.1830	.05155	0.674	76.565	1.64
Nitric Oxide	NO	30.0061	.07908	1.034	51.500	1.40
Nitrogen	N ₂	28.0130	.07397	0.967	55.164	1.40
Nitrous Oxide	N₂O	44.0128	.11606	1.518	35.111	1.26
Octane, Average	C ₈ H ₁₈	114.2330	.30153	3.942	13.528	_
Oxygen	O ₂	31.9988	.08453	1.105	48.293	1.40
Pentane, ISO	C ₅ H ₁₂	72.1514	.19045	2.490	21.418	1.06
Propane	C₃H ₈	44.0972	.11854	1.550	35.044	1.33
Propylene	C ₃ H ₆	42.081	.04842 - 47°C	0.634 - 47°C	36.722	1.14
Sulphur Dioxide	SO ₂	64.0630	.16886	2.208	24.122	1.25

① Density is given for gas at 14.73 psia and 60°F unless noted.

Air Density

Tempe	erature		Air Density 1bm/FT3										
۰F	°C	14.73 PSIA	100 PSIA	200 PSIA	300 PSIA	400 PSIA	500 PSIA	600 PSIA	700 PSIA	800 PSIA	900 PSIA	1000 PSIA	1100 PSIA
- 40	-40	0.0949	0.6488	1.3087	1.9796	2.661	3.3525	4.0533	4.7628	5.4768	6.2031	6.9315	7.6632
- 20	-29	0.0905	0.6182	1.245	1.8799	2.5227	3.1728	3.8295	4.492	5.1594	5.8308	6.5051	7.1811
0	-17.8	0.0866	0.5905	1.1875	1.7906	2.3995	3.0135	3.6321	4.2547	4.8805	5.5086	6.1382	6.7684
20	-6.7	0.0830	0.5652	1.1353	1.71	2.2887	2.8711	3.4567	4.0447	4.6347	5.2258	5.8175	6.409
40	4.4	0.0797	0.5421	1.0878	1.6368	2.1886	2.7429	3.2992	3.857	4.4157	4.9748	5.5338	6.092
60	15.6	0.0765	0.5208	1.0442	1.5699	2.0974	2.6266	3.1569	3.6879	4.2191	4.7502	5.2805	5.8098
80	26.7	0.0737	0.5012	1.0041	1.5085	2.0141	2.5205	3.0275	3.5347	4.0416	4.5478	5.0529	5.5567
100	37.8	0.0711	0.4829	0.9670	1.4519	1.9375	2.4234	2.9093	3.3949	3.8798	4.3637	4.8464	5.3274
120	49	0.0687	0.4660	0.9327	1.3997	1.8668	2.3339	2.8006	3.2666	3.7316	4.1954	4.6577	5.1184
140	60	0.0664	0.4503	0.9007	1.3511	1.8013	2.2511	2.7001	3.1482	3.5951	4.0406	4.4845	4.9265
160	71	0.0641	0.4356	0.871	1.3061	1.7406	2.1744	2.6073	3.0391	3.4695	3.8985	4.3257	4.7509
180	82	0.0621	0.4218	0.8432	1.264	1.684	2.103	2.521	2.938	3.3529	3.7665	4.1783	4.5882
200	93	0.0602	0.4089	0.8171	1.2246	1.6311	2.0364	2.4405	2.8432	3.2444	3.6439	4.0417	4.4375
220	104	0.0585	0.3967	0.7927	1.1877	1.5815	1.9741	2.3654	2.7551	3.1432	3.5296	3.9144	4.2972
240	116	0.0568	0.3853	0.7697	1.1529	1.5349	1.9156	2.2948	2.6725	3.0485	3.4228	3.7953	4.1658
260	127	0.0552	0.3745	0.7480	1.1202	1.4911	1.8606	2.2288	2.5956	2.9608	3.3239	3.6846	4.0424
280	138	0.0537	0.3644	0.7275	1.0893	1.4497	1.8088	2.1666	2.5231	2.8779	3.2306	3.5803	3.9264
300	149	0.0523	0.3547	0.7081	1.0601	1.4107	1.7599	2.1078	2.4546	2.7997	3.1424	3.4819	3.8174
320	160	0.0510	0.3456	0.6898	1.0325	1.3737	1.7136	2.0523	2.3897	2.7256	3.059	3.389	3.7147
340	171	0.0497	0.3369	0.6724	1.0063	1.3388	1.6698	1.9997	2.3283	2.6553	2.98	3.3013	3.6184

² Specific gravity used air at 14.73 and 60°F as base conditions.

Vapor Pressure of Water

	VAPOR PRESSURE OF WATER (psia)								
°F	psia	°F	psia	°F	psia				
32	.088	100	.950	160	4.741				
40	.122	105	1.102	165	5.335				
45	.148	110	1.275	170	5.992				
50	.178	115	1.470	175	6.715				
55	.214	120	1.693	180	7.510				
60	.256	125	1.942	185	8.383				
65	.306	130	2.223	190	9.339				
70	.363	135	2.537	195	10.385				
75	.430	140	2.889	200	11.526				
80	.507	145	3.281	205	12.769				
85	.596	150	3.718	210	14.123				
90	.698	155	4.203	212	14.696				
95	.815								

Critical Pressures of Some Common Liquids

Liquid	psia	Bar Absolute	Liquid	psia	Bar Absolute
Acetic Acid	840	58.0	Hexane	433	29.9
Acetic Anhydride	676	46.6	Hydrogen	188	13.0
Acetone	691	47.6	Hydrogen Sulphide	1308	90.1
Acetylene	911	62.9	Isopropyl Alcohol	779	53.8
Air	547	37.7	Methane	673	46.4
Ammonia	1638	113.0	Methyl Alcohol	1156	79.8
Benzene	701	48.3	Methyl Chloride	967	66.7
Bromine	1485	102.3	Nitrogen	492	33.9
Butadiene	627	43.3	Octane	362	25.0
Butane	529	36.5	Oxygen	730	50.4
Butyl Alcohol	711	49.0	Pentane	485	33.5
Carbon Dioxide	1072	74.0	Phenol	889	61.3
Carbon Tetrachloride	661	45.6	Propane	617	42.6
Dowtherm A	465	32.1	Propylene	661	45.6
Dowtherm E	465	32.1	Propyl Alcohol	735	50.7
Ethane	717	49.5	Propyl Chloride	664	45.8
Ethyl Alcohol	927	64.0	Pyridine	882	60.8
Ethyl Chloride	2750	190.0	Pyridine Pure	882	60.8
Ethylene	742	51.2	Toluene	611	42.1
Heptane	394	27.2	Water	3206	221.0

Physical Constants of Various Fluids

Fluid	Formula			Specific Gravity		
		Molecular Weight	Boiling Point at 14.696 psia °F	Liquid (Water=1.00)	Gas (Air=1.00)	
Acetic Acid	HC ₂ H ₃ O ₂	60.05	245	1.05		
Acetone	C ₃ H ₆ O	58.08	133	0.79	2.01	
Acetylene	C ₂ H ₂	26.03	-119	0.62	0.90	
Air	N ₂ O ₂	28.97	-317	0.86	1.00	
Alcohol, Ethyl	C ₂ H ₆ O	46.07	173	0.789	1.59	
Alcohol, Methyl	CH₄O	32.04	148	0.791	1.11	
Ammonia	NH ₃	17.03	-28	0.62	0.59	
Ammonium Chloride*	NH₄CI	,		1.07		
Ammonium Hydroxide*	NH ₃ OH			0.91		
Ammonium Sulfate*	(NH ₄) ₂ SO ₄			1.15		
Aniline	C ₆ H ₇ N	93.12	365	1.02	•	
Argon	A	39.94	-302	1.65	1.38	
Benzene	C ₆ H ₆	78.08	176	0.88	2.70	
Bromine	Br ₂	159.84	138	2.93	5.52	
Butane	C ₄ H ₁₀	58.10	31	0.58	2.07	
Calcium Carbonate*	CaCO ₃			1.48		
Calcium Chloride*	CaCl ₂			1.23		
Calcium Hydroxide*	Ca(OH) ₂			1.31		
Carbon Dioxide	CO ₂	44.01	-109		1.52	
Carbon Disulfide	CS ₂	76.10	115	1.29	2.63	
Carbon Monoxide	co	28.01	-314	0.80	0.97	
Carbon Tetrachloride	CCI₄	153.84	170	1.59	5.31	
Chlorine	Cl2	70.91	-30	1.42	2.45	
Chromic Acid	H₂CrO₄	118.03		1.21		
Citric Acid	C ₆ H ₈ O ₇	192.12		1.54		
Copper Sulfate*	CuSO₄			1.17		
Cyclohexane	C ₆ H ₁₂	84.13	177	0.78	2.91	
Cyclopentane	C ₅ H ₁₀	70.10	121	0.75	2.42	
Diethylamine	(C ₂ H ₅) ₂ NH	73.12	133	0.71		
Ethane	C ₂ H ₆	30.05	-128	0.57	1.05	
Ethyl Chloride	C ₂ H ₅ CI	64.50	55	0.90	2.22	
Ethylene	C₂H₄	28.04	-155		0.97	
erric Chloride*	FeCl ₃			1.23		
Flourine	F ₂	38.00	-305	1.11	1.31	
Formaldehyde	H₂CO	30.03	-6	0.82	1.08	
Formic Acid	HCO₂H	46.03	214	1.23		
Freon	CCI ₂ F ₂	120.90	-18	1.35	4.17	
Furfural	C ₅ H ₄ O ₂	96.08	324	1.16		
Gasoline	C ₆ H ₁₄	86.20	145			
Glycerine	C ₃ H ₈ O ₃	92.09	554	1.26		
Glycol	$C_2H_6O_2$	62.07	387	1.11		
Helium	He	4.003	-454	0.18	0.14	
Heptane	C ₇ H ₁₆	100.20	209	0.69	3.46	
Hexane	C ₆ H ₁₄	86.14	156	0.66	2.98	
Hydrochloric Acid	HCI	36.47	-115	1.64		
Hydrofluoric Acid	HF	20.01	66	0.92		
Hydrogen	H ₂	2.016	-422	0.07	0.07	
Hydrogen Chloride	HCI	36.47	-115		1.26	
Hydrogen Peroxide	H ₂ O ₂	34.016	185	1.44		
Hydrogen Sulfide	H₂S	34.07	-76	0.79	1.17	

Physical Constants of Various Fluids (Continued)

				Specific	Gravity
Fluid	Formula	Molecular Weight	Boiling Point at 14.696 psia °F	Liquid (Water=1.00)	Gas (Air=1.00)
Isopropyl Alcohol	C ₃ H ₈ O	60.09	180	0.78	2.08
Kerosene	C ₉ H ₂ 0	128.30	278	0.75	
Magnesium Chloride* Magnesium Hydroxide* Mercury Methane Methyl Bromide Methyl Chloride	MgCl ₂ Mg(OH) ₂ Hg CH ₄ CH ₃ Br CH ₃ CI	200.61 16.04 94.95 50.49	670 -259 38 -11	1.22 1.34 13.60 0.43 1.73 0.99	6.93 0.56 3.27 1.74
Methyl Ethyl Ketone Naphthalene Nitric Acid Nitrobenzene Nitrogen Nitrous Oxide	CH ₃ CH ₂ COCH ₃ C ₁₀ H ₈ HNO ₃ C ₆ H ₅ NO ₂ N ₂ N ₂ O	72.10 128.16 63.02 123.08 28.02 44.10	176 424 187 410 -320 -126	0.81 1.14 1.50 1.20 0.81 1.98	4.43 0.97 1.52
Octane Oxygen	C ₈ H ₁₈	114.20 32.00	258 -297	0.71 1.14	3.94 1.105
Pentane Phenol Phosphoric Acid Potassium Chloride* Potassium Hydroxide*	C₅H₁₂ C₅H₅OH H₃PO₄ KCI KOH	72.12 94.10 98.00	97 358 415	0.63 1.07 1.83 1.16 1.24	2.49
Propane Sodium Carbonate* Sodium Chloride* Sodium Hydroxide* Sodium Sulfate* Sodium Thiosulfate* Starch Styrene Sugar Solutions* Sulfur Dioxide	C_3H_8 Na_2CO_3 $NaCI$ $NaOH$ Na_2SO_4 $Na_2S_2O_3$ $(C_6H_{10}O_5)x$ C_8H_8 $C_{12}H_{22}O_{11}$	44.10 104.10 64.60	293	0.59 1.38 1.19 1.27 1.24 1.23 1.50 0.91 1.10 1.39	3.60 2.21
Sulfuric Acid	SO ₂ H ₂ SO ₄	98.08	14 626	1.83	2.21
Tetraethyl Lead Toluene Trichloroethylene	Pb(C ₂ H ₅) ₄ C ₇ H ₈ CHCI:CCI ₂	323.40 92.10 131.40	195 231 188	1.66 0.87 1.46	3.18
Water	H₂O	18.016	212	1.00	0.62
Zinc Chloride* Zinc Sulfate	ZnCl₂ ZnSO₄			1.24 1.31	

^{*} Aqueous solution - 25% by weight of compound

Properties of Saturated Water

Tempe	rature	Density	Specific	Viscosity
۰F	°C	Ibm/FT ³	Gravity G	Centipoise
32	0.0	62.4140	1.0007	1.75
33	0.6	62.4167	1.0007	1.72
34	1.1	62.4191	1.0008	1.69
35	1.7	62.4212	1.0008	1.66
36 37 38 39 40	2.2 2.8 3.3 3.9 4.4	62.4229 62.4242 62.4252 62.4258 62.4261	1.0008 1.0009 1.0009 1.0009	1.63 1.61 1.58 1.55 1.53
41	5.0	62.4261	1.0009	1.50
42	5.6	62.4257	1.0009	1.48
43	6.1	62.4251	1.0009	1.45
44	6.7	62.4241	1.0009	1.43
45	7.2	62.4229	1.0008	1.41
46 47 48 49 50	7.8 8.3 8.9 9.4 10.0	62.4213 62.4194 62.4173 62.4149 62.4122	1.0008 1.0008 1.0007 1.0007	1.38 1.36 1.34 1.32 1.30
51	10.6	62.4092	1.0006	1.28
52	11.1	62.4059	1.0006	1.26
53	11.7	62.4024	1.0005	1.24
54	12.2	62.3986	1.0004	1.22
55	12.8	62.3946	1.0004	1.20
56	13.3	62.3903	1.0003	1.19
57	13.9	62.3858	1.0002	1.17
58	14.4	62.3810	1.0002	1.15
59	15.0	62.3760	1.0001	1.14
60	15.6	62.3707	1.0000	1.12
61	16.1	62.3652	.9999	1.10
62	16.7	62.3595	.9998	1.09
63	17.2	62.3535	.9997	1.07
64	17.8	62.3474	.9996	1.06
65	18.3	62.3410	.9995	1.04
66	18.9	62.3344	.9994	1.03
67	19.4	62.3275	.9993	1.02
68	20.0	62.3205	.9992	1.00
69	20.6	62.3132	.9991	.988
70	21.1	62.3058	.9990	.975
71	21.7	62.2981	.9988	.962
72	22.2	62.2902	.9987	.950
73	22.8	62.2822	.9986	.937
74	23.3	62.2739	.9984	.925
75	23.9	62.2654	.9983	.913
76	24.4	62.2568	.9982	.902
77	25.0	62.2479	.9980	.890
78	25.6	62.2389	.9979	.879
79	26.1	62.2297	.9977	.868
80	26.7	62.2203	.9976	.857
81	27.2	62.2107	.9974	.847
82	27.8	62.2009	.9973	.837
83	28.3	62.1910	.9971	.826
84	28.9	62.1809	.9970	.816
85	29.4	62.1706	.9968	.807
90 95 100 105 110	32.2 35.0 37.8 43.0	62.1166 62.0585 61.9964 61.9307 61.8612	.9959 .9950 .9940 .9929 .9918	.761 .718 .680 .645 .612
115 120 125 130 135	49.0 54.0	61.7884 61.7121 61.6326 61.5500 61.4643	.9907 .9894 .9882 .9868 .9855	.582 .555 .529 .505 .483
140 145 150 155 160	60.0 66.0 71.0	61.3757 61.2842 61.1899 61.0928 60.9932	.9840 .9826 .9811 .9795 .9779	.463 .444 .426 .410 .394

Tempe	rature	T	Specific	T
°F	°C	Density Ibm/FT ³	Gravity G,	Viscosity Centipoise
165 170 175 180 185	77 82	60.8909 60.7862 60.6789 60.5693 60.4573	.9763 .9746 .9729 .9717 .9693	.380 .366 .353 .341 .330
190 195 200 205 210	88 93 99	60.3430 60.2265 60.1076 59.9866 59.8635	.9675 .9656 .9637 .9618 .9598	.319 .309 .300 .291 .282
215 220 225 230 235	104 110	59.7382 59.6108 59.4813 59.3497 59.2161	.9578 .9558 .9537 .9516 .9494	.274 .267 .259 .252 .246
240 245 250 255 260	116 121 127	59.0804 58.9428 58.8031 58.6614 58.5177	.9472 .9450 .9428 .9405 .9382	.239 .233 .228 .222 .217
265 270 275 280 285	132 138	58.3720 58.2244 58.0747 57.9231 57.7695	.9359 .9335 .9311 .9287 .9262	.212 .207 .203 .198 .194
290 295 300 305 310	143 149 154	57.6139 57.4563 57.2966 57.1350 56.9713	.9237 .9212 .9186 .9161 .9134	.190 .186 .183 .179 .176
315 320 325 330 335	160 166	56.8056 56.6378 56.4680 56.2960 56.1220	.9108 .9081 .9054 .9026 .8998	.172 .169 .166 .163 .160
340 345 350 355 360	171 177 182	55.9458 55.7674 55.5859 55.4042 55.2192	.8970 .8941 .8912 .8883 .8853	.157 .155 .152 .150 .147
365 370 375 380 385	188 193	55.0320 54.8424 54.6506 54.4563 54.2597	.8823 .8793 .8762 .8731 .8700	.145 .143 .141 .139 .137
390 395 400 405 410	199 204 210	54.0606 53.8590 53.6548 53.4481 53.2387	.8668 .8635 .8603 .8569 .8536	.135 .133 .131 .129 .127
415 420 425 430 435	216 221	53.0267 52.8119 52.5942 52.3737 52.1503	.8502 .8467 .8433 .8397 .8361	.126 .124 .122 .121 .119
440 445 450 455 460	227 232 238	51.9238 51.6942 51.4615 51.2255 50.9862	.8325 .8288 .8251 .8213 .8175	.118 .116 .115 .114 .112
465 470 475 480 485	243 249	50.7434 50.4971 50.2472 49.9935 49.7359	.8136 .8096 .8056 .8016 .7974	.111 .110 .109 .108 .106
490 495	254	49.4744 49.2087	.7932 .7890	.105 .104

Viscosity of Gases (mPa.s) From 0 to 400°C

Substance	0	50	100	Temperature, °C	ature, °C 200	250	300	350	400
Air	0.0171	0.0195	0.0217	0.0238	0.0258	0.0278	0.0297	0.0317	0.0337
Oxygen	0.0189	0.0216	0.0242	0.0266	0.0289	0.0310	0.0330	0.0349	0.0369
Nitrogen	0.0166	0.0188	0.0208	0.0227	0.0245	0.0263	0.0280	0.0296	0.0309
Hydrogen	0.0084	0.0094	0.0103	0.0112	0.0121	0.0130	0.0138	0.0146	0.0153
Methane	0.0103	0.0118	0.0133	0.0147	0.0160	0.0172	0.0184	0.0195	0.0207
Ethane	0.0085	0.0100	0.0114	0.0128	0.0141	0.0154	0.0167	0.0180	0.0193
Propane	0.0074	0.0088	0.0101	0.0113	0.0125	0.0137	0.0149	0.0161	0.0173
Carbon Monoxide	0.0166	0.0189	0.0208	0.0226	0.0245	0.0265	0.0286	0.0306	0.0321
Carbon Dioxide	0.0139	0.0164	0.0187	0.0209	0.0229	0.0248	0.0267	0.0285	0.0302
Chlorine	0.0123	0.0147	0.0168	0.0189	0.0209	0.0230	0.0251	0.0272	0.0293
Hydrogen Sulphide	0.0117	0.0138	0.0159	0.0179	0.0200	0.0221	0.0243	0.0265	0.0287
Sulphur Dioxide	0.0116	0.0139	0.0161	0.0182	0.0204	0.0226	0.0248	0.0268	0.0285
Ammonia	0.0092	0.0109	0.0128	0.0146	0.0165	0.0181	0.0199	0.0216	0.0233

Viscosity of Water and Steam


		T		Vis	cosity of V	Vater and S	team—In C	Centipoise	(μ)		
Tempe °F	(°C)	1 psia	2 psia	5 psia	10 psia	20 psia	50 psia	100 psia	200 psia	500 psia	1000 psia
	rated ater	.667	.524	.388	.313	.255	.197	.164	.138	.111	.094
	rated eam	.010	.010	.011	.012	.012	.013	.014	.015	.017	.019
1000	(538)	.030	.030	.030	.030	.030	.030	.030	.030	.030	.031
950	(510)	.029	.029	.029	.029	.029	.029	.029	.029	.029	.030
900	(482)	.028	.028	.028	.028	.028	.028	.028	.028	.028	.028
850	(454)	.026	.026	.026	.026	.026	.026	.027	.027	.027	.027
800	(427)	.025	.025	.025	.025	.025	.025	.025	.025	.026	.026
750	(399)	.024	.024	.024	.024	.024	.024	.024	.024	.025	.025
700	(371)	.023	.023	.023	.023	.023	.023	.023	.023	.023	.024
650	(343)	.022	.022	.022	.022	.022	.022	.022	.022	.023	.023
600	(316)	.021	.021	.021	.021	.021	.021	.021	021	.021	.021
550	(288)	.020	.020	.020	.020	.020	.020	.020	.020	.020	.019
500	(260)	.019	.019	.019	.019	.019	.019	.019	.018	.018	.103
450	(232)	.018	.018	.018	.018	.017	.017	.017	.017	.115	.116
400	(204)	.016	.016	.016	.016	.016	.016	.016	.016	.131	.132
350	(177)	.015	.015	.015	.015	.015	.015	.015	.152	.153	.154
300	(149)	.014	.014	.014	.014	.014	.014	.182	.183	.183	.184
250	(121)	.013	.013	.013	.013	.013	.228	.228	.228	.228	.229
200	(93)	.012	.012	.012	.012	.300	.300	.300	.300	.300	.301
150	(66)	.011	.011	.427	.427	.427	.427	.427	.427	.427	.428
100	(37.8)	.680	.680	.680	.680	.680	.680	.680	.680	.680	.680
50	(10)	1.299	1.299	1.299	1.299	1.299	1.299	1.299	1.299	1.299	1.298
32	(0)	1.753	1.753	1.753	1.753	1.753	1.753	1.753	1.752	1.751	1.749

Values below the line are for water.

Viscosity of Various Liquids


1.	Carbon Dioxide	
2.	Ammonia	
	Methyl Chloride	
	Sulphur DioxideSO ₂	
	Freon 12	
	Freon 114	
	Freon 11	
	Freon 113	
	Ethyl Alcohol	
	Isopropyl Alcohol	
	20% Sulphuric Acid	
	Dowtherm E	•
	Dowtherm A	
	20% Sodium Hydroxide	1
	Mercury	'
16.		
17.	20% Sodium Chloride Brine	
18.	10% Calcium Chloride Brine	
19.	20% Calcium Chloride Brine	

Example: The viscosity of ammonia at 40°F is 0.14 centipoise.



Specific Gravity— Temperature Relationship for Petroleum Olls

(Reproduced by permission from the Oil and Gas Journal)




 C_2H_6 = Ethane C_3H_8 °Propane C_4H_{10} = Butane iC_4H_{10} = Isobutane iC_5H_{12} = Isopentane

Example: The specific gravity of an oil at 60°F is 0.85. The specific gravity at 100°F = 0.83.

To find the weight density of a petroleum oil at its flowing temperature when the specific gravity at 60°F is known, multiply the specific gravity of the oil at flowing temperature (see chart above) by 62.4, the density of water at 60°F.


Chart for Specific Gravity versus API Gravity

for hydrocarbon based products and water gravity ° A.P.I.



^{*}Reprinted from Crane Company's Technical Paper 410.

Viscosity of Water and Liquid Petroleum Products



Example: The viscosity of water at 125°F is 0.52 centipoise (Curve No 6).

Flammable Properties of Common Gases and Vapors

	CSA	Flash	Auto	LEL %	HEL %	Vapor
	Class 1	Point C	Ignition	by	by	Density
Acetone	Group C	-18	Temp C 465	Volume 2.6	Volume 12.8	Air = 1
	A	Gas	305			
Acetylene	D	-11		2.5	100	0.9
Benzene			560	1.3	7.1	2.8
Butadiene	В	Gas	420	2	12	1.9
Butane	D	Gas	405	1.9	8.5	2
1-Butene	D	-80	385			2
cis-2-Butene	D	-62	324	1.7	9.7	2
trans-2-Butene	D	-73	324	1.7	9.7	2
iso-Butyl alcohol (2-methyl 1-propropanol)	D	28	427	1.2	10.9	2.6
tert-Butyl alcohol	D	11	480	2.4	8	2.6
Carbon Monoxide	С	Gas	609	12.5	74	0.96
Cresols	D	94	558	1.1	-	
Cumene	D	44	425	0.9	6.5	4.1
Cyclohexane	D	-20	245	1.3	8	2.9
Ethane	D	Gas	515	3	12.5	1
Ethyl Alcohol (ethanol)	D	13	365	3.3	19	1.6
Ethyl Chloride	D	-50	519	3.8	15.4	2.2
Ethylene	C	Gas	490	2.7	36	1
Ethylene Oxide	В	-20	429	3.6	100	1.5
Gasoline	D	-43	280-471	1.4	7.6	3 - 4
n-Hexane	D	-22	222	1.1	7.5	3
Hydrogen	В	Gas	500	4	75	0.1
Hydrogen Sulphide	С	Gas	260	4	49	1.2
Isoprene	D	-54	220	2	9	2.4
Jet Fuel (JP4)	C	-23	240	1.3	8	
Kerosene (#1 Oil)	D	38	210	0.7	5	
Methane (Natural Gas)	D	Gas	540	5	15	0.6
Methyl Alcohol (methanol)	D	11	385	6.7	36	1.1
Methylamine	D	Gas	430	4.9	27	1
Methylene Chloride	D		615	15.5	66	2.9
Methyl Mercaptan	С			3.9	21.8	1.7
Nonene	D					
Octene	D	21		0.8	6.7	3.9
n-Pentane	D	-40	260	1.5	.7.8	2.5
Petroleum Naptha	D	-2	278	0.9	6.7	4.1
Phenol	D	80	715			3.2
Propane	D	Gas	450	2.2	9.5	1.6
Propylene	D	Gas	460	2	11.1	1.5
Styrene	D	32	490	1.1	6.1	3.6
Toluene	D	4	480	1.2	7.1	3.1
Vinyl Chloride	D	Gas	472	3.6	33	2.2
Xylene (mixed)	D	27	465	1.	7	3.7

Compressibility Factor Z


For many real gases subjected to commonly encountered temperatures and pressures, the perfect gas laws are not satisfactory for flow measurement accuracy and therefore correction factors must be used.

Following conventional flow measurement practice, the compressibility factor Z, in the equation $p_v = ZRT$, will be used. Z can usually be ignored below 100 psi for common gases.

The value of Z does not differ materially for different gases when correlated as a function of the reduced temperature, T_r , and reduced pressure, p_r , found from Figures 2 and 3.

Figure 2 is an enlargement of a portion of Figure 3. Values taken from these figures are accurate to approximately plus or minus two percent.

To obtain the value of Z for a pure substance, the reduced pressure and reduced temperature are calculated as the ratio of the actual absolute gas pressure and its corresponding critical absolute pressure and absolute temperature and its absolute critical temperature.




Reduced Pressure, p_r
Figure 2
Compressibility Factors for Gases with
Reduced Pressures from 0 to 6

(Data from the charts of L. C. Nelson and E. F. Obert, Northwestern Technological Institute)

The compressibility factor Z obtained from the Nelson-Obert charts is generally accurate within 3 to 5 percent. For hydrogen, helium, neon and argon, certain restrictions apply. Please refer to specialized literature.





 $p_r = \frac{\text{inlet pressure (absolute)}}{\text{critical pressure (absolute)}}$

 $T_r = \frac{\text{inlet temperatuare(absolute)}}{\text{critical temperature (absolute)}}$

Figure 3 Compressibility Factors for Gases with Reduced Pressures from 0 - 40

Thermodynamic Critical Constants and Density of Elements, Inorganic and Organic Compounds

Element or Compound		y - Ib/ft³ ia & 60°F		/ - kg/m³ ır & 15.6°C	Mol
	Liquid	Gas	Liquid	Gas	Wt
Acetic Acid, CH ₃ -CO-OH	65.7		1052.4		66.1
Acetone, CH ₃ -CO-CH ₃	49.4		791.3		58.1
Acetylene, C ₂ H ₂		0.069		1.11	26.0
Air, O ₂ +N ₂		0.0764		1.223	29.0
Ammonia, NH ₃		0.045		0.72	17.0
Argon, A		0.105		1.68	39.9
Benzene, C ₆ H ₆	54.6		874.6		78.1
Butane, C ₄ H ₁₀		0.154		2.47	58.1
Carbon Dioxide, CO ₂		0.117		1.87	44.0
Carbon Monoxide, CO		0.074	,	1.19	28.0
Carbon Tetrachloride, CCl₄	99.5		1593.9		153.8
Chlorine, Cl ₂		0.190		3.04	70.9
Ethane, C ₂ H ₆		0.080		1.28	30.1
Ethyl Alcohol, C ₂ H ₅ OH	49.52		793.3		46.1
Ethylene, CH ₂ =CH ₂		0.074		1.19	28.1
Ethyl Ether, C ₂ H ₅ -O-C ₂ H ₅	44.9		719.3		74.1
Fluorine, F ₂		0.097	A.	1.55	38.0
Helium, He		0.011		0.18	4.00
Heptane, C ₇ H ₁₆	42.6		682.4		100.2
Hydrogen, H ₂		0.005		0.08	2.02
Hydrogen Chloride, HCI		0.097		1.55	36.5
Isobutane, (CH ₃) ₂ CH-CH ₃		0.154		2.47	58.1
Isopropyl Alcohol, CH ₃ -CHOH-CH ₃	49.23		788.6		60.1
Methane, CH₄		0.042		0.67	16.0
Methyl Alcohol, H-CH ₂ OH	49.66		795.5		32.0
Nitrogen, N ₂		0.074		1.19	28.0
Nitrous Oxide, N ₂ O		0.117		1.87	44.0
Octane, CH ₃ -(CH ₂) ₆ -CH ₃	43.8		701.6		114.2
Oxygen, O ₂		0.084		1.35	32.0
Pentane, C ₅ H ₁₂	38.9		623.1		72.2
Phenol, C ₆ H ₅ OH	66.5		1065.3		94.1
Phosgene, COCl ₂		0.108		1.73	98.9
Propane, C ₃ H ₈		0.117		1.87	44.1
Propylene, CH ₂ =CH-CH ₃		0.111		1.78	42.1
Refrigerant 12, CCl ₂ F ₂		0.320		5.13	120.9
Refrigerant 22, CHCIF ₂		0.228		3.65	86.5
Sulfur Dioxide, SO ₂		0.173		2.77	64.1
Water, H ₂ O	62.34		998.6		18.0

Thermodynamic Critical Constants and Density of Elements, Inorganic and Organic Compounds

Element or Compound	Critical Pr	ressure - p _c	Critical Tem	perature - T _c	k *
Element of Compound	psia	bar (abs)	°F	°C	\mathbf{c}_{p} / \mathbf{c}_{v}
Acetic Acid, CH ₃ -CO-OH	841	58.0	612	322	1.15
Acetone, CH ₃ -CO-CH ₃	691	47.6	455	235	-
Acetylene, C_2H_2	911	62.9	97	36	1.26
Air. O ₂ +N ₂	547	37.8	-222	-141	1.40
Ammonia, NH ₃	1638	113.0	270	132	1.33
Argon, A	705	48.6	-188	-122	1.67
Benzene, C ₆ H ₆	701	48.4	552	289	1.12
Butane, C ₄ H ₁₀	529	36.5	307	153	1.09
Carbon Dioxide, CO ₂	1072	74.0	88	31	1.30
Carbon Monoxide, CO	514	35.5	-218	-139	1.40
Carbon Tetrachloride, CCl₄	661	45.6	541	283	-
Chlorine, Cl ₂	1118	77.0	291	144	1.36
Ethane, C ₂ H ₆	717	49.5	90	32	1.22
Ethyl Alcohol, C ₂ H ₅ OH	927	64.0	469	243	1.13
Ethylene, CH ₂ =CH ₂	742	51.2	50	10	1.26
Ethyl Ether, C ₂ H ₅ -O-C ₂ H ₅	522	36.0	383	195	•
Fluorine, F ₂	367	25.3	-247	-155	1.36
Helium, He	33.2	2.29	-450	-268	1.66
Heptane, C ₇ H ₁₆	394	27.2	513	267	-
Hydrogen, H ₂	188	13.0	-400	-240	1.41
Hydrogen Chloride, HCl	1199	82.6	124	51	1.41
Isobutane, (CH ₃) CH-CH ₃	544	37.5	273	134	1.10
Isopropyl Alcohol, CH ₃ -CHOH-CH ₃	779	53.7	455	235	-
Methane, CH₄	673	46.4	-117	-83	1.31
Methyl Alcohol, H-CH ₂ OH	1156	79.6	464	240	1.20
Nitrogen, N ₂	492	34.0	-233	-147	1.40
Nitrous Oxide, N ₂ O	1054	72.7	99	37	1.30
Octane, CH ₃ -(CH ₂) ₆ -CH ₃	362	25.0	565	296	1.05
Oxygen, O ₂	730	50.4	-182	-119	1.40
Pentane, C ₅ H ₁₂	485	33.5	387	197	1.07
Phenol, C ₆ H ₅ OH	889	61.3	786	419	-
Phosgene, COCl ₂	823	56.7	360	182	-
Propane, C ₃ H ₈	617	42.6	207	97	1.13
Propylene, CH ₂ =CH-CH ₃	661	45.6	198	92	1.15
Refrigerant 12, CCl ₂ F ₂	582	40.1	234	112	1.14
Refrigerant 22, CHCIF ₂	713	49.2	207	97	1.18
Sulfur Dioxide, SO ₂	1142	78.8	315	157	1.29
Water, H ₂ O	3206	221.0	705	374	1.32

^{*} Standard Conditions

Properties of Steam

US Customary Units

	S	aturated	***************************************				Sup	erheate	d: Total	Temper	ature -	°F		
Abs. P'	Gauge P	Sat. Temp.	*	Sat	360	400	440	480	500	600	700	800	900	1000
14.000		010.00	٧	26.80	33.03	34.68	36.32	37.96	38.78	42.86	46.94	51.00	55.07	59.13
14.696	0.0	212.00	hg	1150.4	1221.1	1239.9	1258.8	1277.6	1287.1	1334.8	1383.2	1432.3	1482.3	1533.1
		007.00	V	20.08	24.21	25.43	26.65	27.86	28.46	31.47	34.47	37.46	40.45	43.44
20.0	5.3	227.96	hg	1156.3	1220.3	1239.2	1258.2	1277.1	1286.6	1334.4	1382.9	1432.1	1482.1	1533.0
	45.0	050.00	V	13.746	16.072	16.897	17.714	18.528	18.933	20.95	22.96	24.96	26.95	28.95
30.0	15.3	250.33	hg	1164.1	1218.6	1237.9	1257.0	1276.2	1285.7	1333.8	1382.4	1431.7	1481.8	1532.7
40.0	05.0	007.05	٧	10.498	12.001	12.628	13.247	13.862	14.168	15.688	17.198	18.702	20.20	21.70
40.0	25.3	267.25	hg	1169.7	1216.9	1236.5	1255.9	1275.2	1284.8	1333.1	1381.9	1431.3	1481.4	1532.4
50.0	05.0	004.04	٧	8.515	9.557	10.065	10.567	11.062	11.309	12.532	13.744	14.950	16.152	17.352
50.0	35.3	281.01	hg	1174.1	1215.2	1235.1	1254.7	1274.2	1283.9	1332.5	1381.4	1430.9	1481.1	1532.1
60.0	45.0	000.71	V	7.175	7.927	8.357	8.779	9.196	9.403	10.427	11.441	12.449	13.452	14.454
60.0	45.3	292.71	hg	1177.6	1213.4	1233.6	1253.5	1273.2	1283.0	1331.8	1380.9	1430.5	1480.8	1531.9
70.0	55.0	200.00	V	6.206	6.762	7.136	7.502	7.863	8.041	8.924	9.796	10.662	11.524	12.383
70.0	55.3	302.92	hg	1180.6	1211.5	1232.1	1252.3	1272.2	1282.0	1331.1	1380.4	1430.1	1480.5	1531.6
00.0	65.0	312.03	٧	5.472	5.888	6.220	6.544	6.862	7.020	7.797	8.562	9.322	10.077	10.830
80.0	65.3	312.03	hg	1183.1	1209.7	1230.7	1251.1	1271.1	1281.1	1330.5	1379.9	1429.7	1480.1	1531.3
90.0	75.3	320.27	٧	4.896	5.208	5.508	5.799	6.084	6.225	6.920	7.603	8.279	8.952	9.623
90.0	/5.3	320.21	hg	1185.3	1207.7	1229.1	1249.8	1270.1	1280.1	1329.8	1379.4	1429.3	1479.8	1531.0
100.0	85.3	327.81	٧	4.432	4.663	4.937	5.202	5.462	5.589	6.218	6.835	7.446	8.052	8.656
100.0	65.3	327.01	hg	1187.2	1205.7	1227.6	1248.6	1269.0	1279.1	1329.1	1378.9	1428.9	1479.5	1530.8
120.0	105.3	341.25	٧	3.728	3.844	4.081	4.307	4.527	4.636	5.165	5.683	6.195	6.702	7.207
120.0	103.3	041.20	hg	1190.4	1201.6	1224.4	1246.0	1266.9	1277.2	1327.7	1377.8	1428.1	1478.8	1530.2
140.0	125.3	353.02	٧	3.220	3.258	3.468	3.667	3.860	3.954	4.413	4.861	5.301	5.738	6.172
140.0	125.5	333.02	hg	1193.0	1197.3	1221.1	1243.3	1264.7	1275.2	1326.4	1376.8	1427.3	1478.2	1529.7
160.0	145.3	363 .53	٧	2.834		3.008	3.187	3.359	3.443	3.849	4.244	4.631	5.015	5.396
100.0	145.5	303.33	hg	1195.1		1217.6	1240.6	1262.4	1273.1	1325.0	1375.7	1426.4	1477.5	1529.1
180.0	165.3	373.06	٧	2.532		2.649	2.813	2.969	3.044	3.411	3.764	4.110	4.452	4.792
180.0	100.5	373.00	hg	1196.9		1214.0	1237.8	1260.2	1271.0	1323.5	1374.7	1425.6	1476.8	1528.6
200.0	185.3	381.79	V	2.288		2.631	2.513	2.656	2.726	3.060	3.380	3.693	4.002	4.309
200.0	165.5	301.73	hg	1198.4		1210.3	1234.9	1257.8	1268.9	1322.1	1373.6	1424.8	1476.2	1528.0
220.0	205.3	389.86	V	2.087		2.125	2.267	2.400	2.465	2.772	3.066	3.352	3.634	3.913
220.0	200.0	000.00	hg	1199.6		1206.5	1231.9	1255.4	1266.7	1320.7	1372.6	1424.0	1475.5	1527.5
240.0	225.3	397.37	V	1.918		1.9276	2.062	2.187	2.247	2.533	2.804	3.068	3.327	3.584
240.0	220.0	007.07	hg	1200.6		1202.5	1228.8	1253.0	1264.5	1319.2	1371.5	1423.2	1474.8	1526.9
260.0	245.3	404.42	V	1.774			1.8882	2.006	2.063	2.330	2.582	2.827	3.067	3.305
200.0	240.0	707.72	hg	1201.5			1225.7	1250.5	1262.3	1317.7	1370.4	1422.3	1474.2	1526.3
280.0	265.3	411.05	V	1.651			1.7388	1.8512	1.9047	2.156	2.392	2.621	2.845	3.066
200.0	200.0	411.00	hg	1202.3			1222.4	1247.9	1260.0	1316.2	1369.4	1421.5	1473.5	1525.8
300.0	285.3	417.33	\ \	1.543			1.6090	1.7165	1.7675	2.005	2.227	2.442	2.652	2.859
000.0	200.0	,,,,,,,,	hg	1202.8			1219.1	1245.3	1257.6	1314.7	1368.3	1420.6	1472.8	1525.2
320.0	305.3	423.29	\ \	1.448			1.4950	1.5985	1.6472	1.8734	2.083	2.285	2.483	2.678
	550.0	.23.20	hg	1203.4			1215.6	1242.6	1255.2	1313.2	1367.2	1419.8	1472.1	1524.7
340.0	325.3	428.97	V	1.364			1.3941	1.4941	1.5410	1.7569	1.9562	2.147	2.334	2.518
	1		hg	1203.7			1212.1	1239.9	1252.8	1311.6	1366.1	1419.0	1471.5	1524.1
360.0	345.3	434.40	V	1.289			1.3041	1.4012	1.4464	1.6533	1.8431	2.025	2.202	2.376
			hg	1204.1			1208.4	1237.1	1250.3	1310.1	1365.0	1418.1	1470.8	1523.5

^{*} V = Specific volume, cubic feet per pound

hg = total heat of steam, Btu per pound

Properties of Steam (continued)

US Customary Units

380.0 365.3 439.60 V		S	aturated			Ī		Sup	erheate	d: Total	Tempe	rature -	°F		
1980 985.3 498.60 hg 1204.3 1247.7 1273.1 1308.5 1331.0 1342.0 1383.8 1385.3 1317.3 1470.1 1523.4 400.0 385.3 444.59 V 1.161 1.2851 1.3652 1.4770 1.5480 1.5487 1.5805 1.1777 1.8161 1.9767 2.13.4 420.0 405.3 448.99 hg 1204.6 1215.8 1.293.5 1.014 1.4867 1.5303 1.5684 1.3324 1.7267 1.8802 2.03 440.0 425.3 454.02 hg 1204.6 1235.8 1.283.5 1.014 1.4867 1.5303 1.5684 1.3324 1.7267 1.8802 2.03 440.0 425.3 454.02 hg 1204.6 1239.8 1266.7 1303.6 1328.3 1339.5 1361.6 1.4934 1.4852 1.4474 1.4861 1.921.1 460.0 445.3 458.50 V 1.005 1.0326 1.2896 1.3324 1.3344 1.4250 1.4824 1.5711 1.4616 1.521.1 480.0 465.3 462.82 V 0.967 1.0417 1.1138 1.212.2 1.2737 1.3034 1.3522 1.3313 1.3138 1.4677 1.8520 480.0 485.3 467.01 hg 1204.5 1234.2 1226.3 1.300.3 1.324.0 1.336.4 1.3382 1.380.3 1.313.8 1.4677 1.520.5 590.0 485.3 467.01 hg 1204.5 1234.2 1226.3 1.300.3 1.324.0 1.336.4 1.3352 1.336.3 1.3138 1.4677 1.520.5 590.0 595.3 471.07 V 0.891 0.9971 0.1063 1.1101 1.1681 1.1962 1.2215 1.3044 1.4219 1.466.7 1.520.5 590.0 505.3 471.07 Ng 1.204.2 1223.3 1267.7 1.204.9 1.321.1 1.332.9 1.385.8 1.372.2 1.311.2 1.466.7 1.520.5 590.0 595.3 475.01 Ng 1.204.2 1.223.3 1.267.7 1.204.9 1.321.1 1.329.1 1.355.8 1.321.1 1.461.5 1.570.1 590.0 595.3 476.01 Ng 1.204.2 1.223.3 1.250.3 1.224.1 1.104.5 1.201.1 1.304 1.570.1 1.404.1 1.570.1 590.0 595.3 476.01 Ng 1.204.2 1.223.3 1.257.7 1.209.9 1.321.1 1.329.1 1.355.8 1.321.1 1.321.1 1.406.8 1.570.1 590.0 595.3 486.21 Ng 1.204.2 1.223.3 1.225.1 1.224.1 1.204.5 1.327.1 1.324.1 1.324.1 1.324.1 1.324.1 1.324.1 1.324.1 1.324.1 1.324.1 1.324.1 1.324.1				*	Sat	500	540	600	640	660	700	740	800	900	1000
Mathematical Color	380.0	365.3	439.60	٧		1		1.5605	1.6345	1.6707	-	1.8118	1.9149	2.083	2.249
August A						1247.7			1331.0	1342.0	1363.8	1385.3	1417.3	1470.1	1523.0
400.0 405.3 449.39 V 1.006 1.2158 1.2935 1.4014 1.4697 1.5030 1.5684 1.6324 1.7267 1.8802 2.03 440.0 425.3 454.02 V 1.056 1.526 1.2825 1.3287 1.3394 1.3396 1.4914 1.5291 1.6467 1.5211 1.4687 1.4687 1.	400.0	385.3	444.59	V		I	1	1.4770	1.5480	1.5827	1.6508	1.7177	1.8161	1.9767	2.134
440.0 445.3 449.39 hg					<u> </u>	<u> </u>					1362.7	1384.3	1416.4	1469.4	1522.4
440.0 425.3 454.02 V 1.055 1.1526 1.2282 1.3327 1.3984 1.4306 1.4934 1.5549 1.6454 1.7925 1.9364 1.400 445.3 458.50 V 1.090 1.0948 1.6858 1.2698 1.3334 1.3334 1.3464 1.4250 1.4924 1.5711 1.7124 1.8500 1.4934 1.4506 1.4934 1.4250 1.4942 1.5711 1.7124 1.8500 1.4934 1.4250 1.4942 1.5711 1.7124 1.8500 1.4934 1.4250 1.4942 1.5711 1.7124 1.8500 1.4934 1.4250 1.4942 1.5711 1.7124 1.8500 1.4934 1.4250 1.4942 1.5711 1.7124 1.8500 1.4934 1.4250 1.4942 1.5711 1.7124 1.8500 1.4934	420.0	405.3	449.39	V					1.4697	1.5030	1.5684	1.6324	1.7267	1.8802	2.031
440.0 425.3 454.02 hg 1204.6 1239.8 1266.7 1303.6 1326.9 1338.2 1360.4 1382.3 1414.7 1486.1 1521.4 460.0 445.3 458.50 V 1.009 1.0948 1.1685 1.2698 1.3334 1.3644 1.4250 1.4842 1.5711 1.7124 1.8506 480.0 465.3 462.82 V 0.967 1.0417 1.1138 1.2122 1.2737 1.3028 1.352.3 1381.3 1413.8 1467.4 1520.3 480.0 465.3 462.82 V 0.967 1.0417 1.1138 1.2122 1.2737 1.3028 1.352.5 1380.3 1312.3 1413.8 1467.4 1520.3 500.0 485.3 467.01 hg 1204.4 1231.3 1260.0 1298.6 1322.6 1334.2 1357.0 1379.3 1412.1 1466.0 1519.4 500.0 505.3 471.07 V 0.891 0.9977 0.693.1 1.059.1 1.1018 1.1962 1.2511 1.3045 1.3262 1.5013 1.660.0 525.3 475.01 V 0.857 0.9052 0.9733 1.0666 1.1101 1.1681 1.1962 1.2511 1.3045 1.3263 1.5014 1.5705 500.0 545.3 478.85 V 0.865 0.8659 0.9330 1.0244 1.1121 1.1485 1.2017 1.2553 1.3291 1.4514 1.5707 500.0 545.3 478.85 V 0.797 0.8261 0.8659 0.9330 1.0224 1.0755 1.1041 1.1558 1.2060 1.2794 1.3974 500.0 585.3 486.21 V 0.7979 0.8291 0.8540 0.9830 1.0388 1.0627 1.1131 1.1619 1.231 1.408.6 1519.4 600.0 585.3 486.21 V 0.7979 0.8291 0.8650 0.9463 0.9868 1.0241 1.0732 1.1075 1.1040 1.468.9 1517.5 600.0 605.3 489.75 V 0.7979 0.7947 0.8602 0.9463 0.9868 1.0241 1.0732 1.1077 1.140.6 1.618.8 1.517.5 600.0 685.3 498.81 V 0.7969 0.7947 0.8602 0.9463 0.9868 1.0241 1.0732 1.1077 1.406.6 1.519.6 600.0 685.3 498.81 V 0.7690 0.7947 0.8602 0.9463 0.9863 0.9806 1.0241 1.0732 1.1070 1.409.4 1.463.9 1517.5 600.0 685.3 498.81 V 0.675 0.7950 0.8062 0.9463 0.9805 0.9220 0.9561 1.0008 1.0458 1.161.8 1.6008 1.1058 1.600.4 600.0 685.3 503.10 V 0.6650 0.7032 0.7670 0															1521.9
A60.0	440.0	425.3	454.02									l	1	1.7925	1.9368
460.0												1382.3			1521.3
ABO.	460.0	445.3	458.50	V		1	l		1.3334		1.4250	1.4842	1.5711	1.7124	1.8508
May 1									1325.4		1359.3	1381.3	1413.8	1467.4	1520.7
\$\begin{array}{c c c c c c c c c c c c c c c c c c c	480.0	465.3	462.82	V		l			1.2737	1.3038	1	l	1		1.7720
500.0 485.3 467.01 hg hg 1204.4 123.3 1280.0 1298.6 ls 1322.6 ls 1334.2 ls 1357.0 ls 1379.3 ls 1412.1 ls 1466.0 ls 1519.6 ls 520.0 505.3 471.07 hg 1204.2 ls 1228.3 ls 1257.7 ls 1296.9 ls 1321.1 ls 1302.9 ls 1382.6 ls 1.5091 ls 1.6326 540.0 525.3 ls 475.01 hg 1204.0 ls 1228.3 ls 1257.7 ls 1296.9 ls 1311.1 ls 1302.0 ls 1.2217 ls 1.238.1 ls 1.328.1 ls 1.328.1 ls 1.329.1 ls 1.4514 ls 1.5077 ls 1.4514 ls 1.5077 ls 1.4514 ls 1.5077 ls 1.4514 ls 1.5077 ls 1.4514 ls 1.5071 ls 1.4614 ls 1.508.1 ls 1.508.1 ls 1.466.0 ls 1.518.3 ls 1.508.1 ls 1.466.0 ls 1.509.1 ls 1.4614 ls 1.509.1 ls 1.466.0 ls 1.532.1 ls 1.509.1 ls 1.532.1 ls 1.5										1335.6	1358.2	1380.3	1412.9	1466.7	1520.2
Section Sect	500.0	485.3	467.01	V	0.927			1.1591	1.2188	1.2478	1.3044	1.3596	1.4405	1.5715	1.6996
520.0 505.3 471.07 hg 1204.2 1228.3 1257.7 1296.9 1321.1 1332.9 1355.8 1378.2 1411.2 1465.3 1519.0 540.0 525.3 475.01 hg 1204.0 1225.3 1255.4 1295.2 1319.7 1331.5 1354.6 1377.2 1410.3 1464.6 1518.5 560.0 545.3 478.85 hg 1203.8 1222.2 1255.4 1295.7 1.1041 1.1558 1.2060 12794 1.3978 1.513 580.0 565.3 482.58 hg 1203.8 1222.2 1255.0 1293.4 1318.2 1330.2 1353.5 1376.1 1406.9 1617.5 600.0 565.3 486.21 hg 1203.5 1219.0 1250.5 1291.7 1316.7 1328.8 1352.3 1375.1 1406.9 1617.9 600.0 585.3 486.21 hg 1203.5 1219.7 1248.1 1289.9 1315.2 1324.1 <t< td=""><td></td><td></td><td></td><td></td><td>1204.4</td><td></td><td>1260.0</td><td>1298.6</td><td>1322.6</td><td>1334.2</td><td>1357.0</td><td>1379.3</td><td>1412.1</td><td>1466.0</td><td>1519.6</td></t<>					1204.4		1260.0	1298.6	1322.6	1334.2	1357.0	1379.3	1412.1	1466.0	1519.6
19	520.0	505.3	471.07	٧	0.891	0.9473	1.0166	1.1101	1.1681	1.1962	1.2511	1.3045	1.3826	1.5091	1.6326
540.0 525.3 475.01 hg 1204.0 1225.3 1255.4 1295.2 1319.7 1331.5 1354.6 1377.2 1410.3 1464.6 1518.5 560.0 545.3 478.85 V 0.826 0.8659 0.9330 1.0224 1.0775 1.1041 1.1558 1.2060 1.2794 1.3978 1.5132 580.0 565.3 482.58 V 0.7797 0.8291 0.8954 0.9830 1.0368 1.0627 1.1131 1.1619 1.2331 1.3479 1.4596 600.0 585.3 486.21 V 0.769 0.7947 0.8602 0.9463 0.9986 1.0241 1.0732 1.1207 1.1899 1.3013 1.4096 600.0 695.3 489.75 V 0.744 0.7624 0.8272 0.9118 0.9633 0.9880 1.0358 1.0221 1.1494 1.2577 1.3628 640.0 625.3 493.21 V 0.719 0.7319 0.7962 0.879					1204.2			1296.9	1321.1	1332.9	1355.8	1378.2	1411.2	1465.3	1519.0
19	540.0	525.3	475.01	٧	0.857	0.9052	0.9733	1.0646	1.1211	1.1485	1.2017	1.2535	1.3291	1.4514	1.5707
560.0 545.3 478.85 hg 1203.8 1222.2 1253.0 1293.4 1318.2 1330.2 1353.5 1376.1 1409.4 1463.9 1517.5 580.0 565.3 482.58 V 0.797 0.8291 0.8954 0.9830 1.0368 1.0627 1.1131 1.1619 1.2331 1.3479 1.4596 600.0 585.3 486.21 V 0.7947 0.8602 0.9463 0.9988 1.0241 1.0732 1.1207 1.1899 1.3131 1.4086 1.463.2 1517.3 600.0 605.3 489.75 V 0.744 0.7624 0.8272 0.9118 0.9633 0.9880 1.0358 1.0821 1.1494 1.2577 1.3628 640.0 625.3 489.75 hg 1202.9 1212.4 1245.5 1289.1 1313.7 1326.0 1349.9 1373.0 1406.8 1461.8 1515.2 640.0 625.3 493.21 V 0.719 0.7319 0.				hg	1204.0	1225.3	1255.4	1295.2	1319.7	1331.5	1354.6	1377.2	1410.3	1464.6	1518.5
580.0 69 1203.8 1222.2 1253.0 1293.4 1318.2 1330.2 1353.5 1376.1 1409.4 1466.9 1517.5 600.0 565.3 482.58 V 0.797 0.8291 0.8954 0.9830 1.0368 1.0627 1.1131 1.1619 1.2371 1.4596 600.0 585.3 486.21 V 0.769 0.7947 0.8602 0.9463 0.9986 1.0241 1.0732 1.1207 1.1899 1.315.1 1.374.0 1407.7 1462.5 1516.7 620.0 605.3 489.75 V 0.744 0.7624 0.8272 0.9118 0.9633 0.9880 1.0358 1.0621 1.1494 1.2577 1.3626 640.0 625.3 493.21 V 0.719 0.7319 0.7962 0.8795 0.9299 0.9541 1.0008 1.0459 1.1155 1.2168 1.516.2 640.0 645.3 496.58 V 0.697 0.7032 0.7670 0.	560.0	545.3	478.85	٧	0.826	0.8659	0.9330	1.0224	1.0775	1.1041	1.1558	1.2060	1.2794	1.3978	1.5132
580.0 565.3 482.58 hg 1203.5 1219.0 1250.5 1291.7 1316.7 1328.8 1352.3 1375.1 1408.6 1463.2 1517.3 600.0 585.3 486.21 V 0.769 0.7947 0.8602 0.9463 0.9988 1.0241 1.0732 1.1207 1.1899 1.3013 1.4096 620.0 605.3 489.75 V 0.744 0.7624 0.8272 0.9118 0.9633 0.9880 1.0313 1.409.6 1.462.5 1516.7 640.0 605.3 489.75 hg 1202.9 1212.4 1245.5 1288.1 1313.7 1326.0 1349.9 1373.0 1406.8 1461.8 1516.2 640.0 625.3 493.21 V 0.719 0.7399 0.7962 0.8795 0.9299 0.9541 1.0088 1.045.9 1.1115 1.2168 1.3190 660.0 645.3 496.58 V 0.697 0.7032 0.7670 0.8491 0			., 0.00	hg	1203.8	1222.2	1253.0	1293.4	1318.2	1330.2	1353.5	1376.1	1409.4	1463.9	1517.9
600.0 605.3 489.75 V 0.769 0.7947 0.8602 0.9463 0.9988 1.0241 1.0732 1.1207 1.1899 1.3013 1.4096 1.462.2 1.517.3 1.408.6 1.463.2 1.517.3 1.408.6 1.463.2 1.408.6 1.463.2 1.408.6 1.463.2 1.408.6 1.463.2 1.408.6 1.463.2 1.408.6 1.463.2 1.408.6 1.463.2 1.408.6 1.463.2 1.408.6 1.463.2 1.408.6 1.463.2 1.408.6 1.463.2 1.408.6 1.463.2 1.408.6 1.463.2 1.409.6 1.463.2	580.0	565.3	482.58	٧	0.797	0.8291	0.8954	0.9830	1.0368	1.0627	1.1131	1.1619	1.2331	1.3479	1.4596
600.0 605.3 489.75				hg	1203.5	1219.0	1250.5	1291.7	1316.7	1328.8	1352.3	1375.1	1408.6	1463.2	1517.3
620.0 605.3 489.75 V 0.744 0.7624 0.8272 0.9118 0.9633 0.9880 1.0358 1.0821 1.1494 1.2677 1.3628 640.0 625.3 493.21 V 0.719 0.7319 0.7962 0.8795 0.9299 0.9541 1.0008 1.0459 1.1115 1.2168 1.315.6 660.0 625.3 493.21 hg 1209.0 1243.0 1286.2 1312.2 1324.6 1349.9 1.1115 1.2168 1.315.6 660.0 645.3 496.58 V 0.697 0.7032 0.7670 0.8491 0.8985 0.9222 0.9679 1.0119 1.0759 1.1784 1.2778 680.0 665.3 499.88 V 0.675 0.6759 0.7395 0.8205 0.8690 0.8922 0.9369 0.9800 1.0424 1.1423 1.2390 700.0 685.3 503.10 V 0.655	600.0	585.3	486.21	٧	0.769	0.7947	0.8602	0.9463	0.9988	1.0241	1.0732	1.1207	1.1899	1.3013	1.4096
620.0 605.3 489.75 hg 1202.9 1212.4 1245.5 1288.1 1313.7 1326.0 1349.9 1373.0 1406.8 1461.8 1516.2 140.0 625.3 493.21 V 0.719 0.7319 0.7962 0.8795 0.9299 0.9541 1.0008 1.0459 1.1115 1.2168 1.3190 1202.5 1209.0 1243.0 1286.2 1312.2 1324.6 1348.6 1371.9 1405.9 1461.1 1515.6 1206.0 645.3 496.58 hg 1202.1 1205.4 1240.4 1284.4 1310.6 1323.2 1347.4 1370.8 1405.0 1460.4 1515.0 1206.0 665.3 499.88 hg 1202.1 1205.4 1240.4 1284.4 1310.6 1323.2 1347.4 1370.8 1405.0 1460.4 1515.0 1206.0 1400.		555.5	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	hg	1203.2	1215.7	1248.1	1289.9	1315.2	1327.4	1351.1	1374.0	1407.7	1462.5	1516.7
640.0 625.3 493.21 Ng 1202.9 1212.4 1245.5 1288.1 1313.7 1326.0 1349.9 1373.0 1406.8 1461.8 1516.2 640.0 625.3 493.21 V 0.7319 0.7319 0.7962 0.8795 0.9299 0.9541 1.0008 1.0459 1.1115 1.2168 1.3190 660.0 645.3 496.58 V 0.697 0.7032 0.7670 0.8491 0.8985 0.9222 0.9679 1.0119 1.0759 1.1784 1.2776 680.0 665.3 499.88 V 0.6759 0.7395 0.8205 0.8690 0.8922 0.9369 0.9800 1.0424 1.1423 1.232.7 1.282.5 1309.1 1321.7 1346.2 1369.8 1404.1 1459.7 1514.5 1.000.0 1.000.0 1.000.0 1.000.0 1.000.0 1.000.0 1.000.0 1.000.0 1.000.0 1.000.0 1.000.0 1.000.0 1.000.0 1.000.0 1.000.0 1.000.0 </td <td>620.0</td> <td>605.3</td> <td>489 75</td> <td>٧</td> <td>0.744</td> <td>0.7624</td> <td>0.8272</td> <td>0.9118</td> <td>0.9633</td> <td>0.9880</td> <td>1.0358</td> <td>1.0821</td> <td>1.1494</td> <td>1.2577</td> <td>1.3628</td>	620.0	605.3	489 75	٧	0.744	0.7624	0.8272	0.9118	0.9633	0.9880	1.0358	1.0821	1.1494	1.2577	1.3628
640.0 625.3 493.21 hg 1202.5 1209.0 1243.0 1286.2 1312.2 1324.6 1348.6 1371.9 1405.9 1461.1 1515.6 660.0 645.3 496.58 V 0.697 0.7032 0.7670 0.8491 0.8985 0.9222 0.9679 1.0119 1.0759 1.1784 1.2778 680.0 665.3 499.88 V 0.675 0.6759 0.7395 0.8205 0.8690 0.8922 0.9369 0.9800 1.0424 1.1423 1.2390 700.0 685.3 503.10 V 0.655		000.0		hg	1202.9	1212.4	1245.5	1288.1	1313.7	1326.0	1349.9	1373.0	1406.8	1461.8	1516.2
660.0 645.3 496.58 V 0.697 0.7032 0.7670 0.8491 0.8985 0.9222 0.9679 1.0119 1.0759 1.1784 1.2778 680.0 665.3 499.88 V 0.675 0.6759 0.7395 0.8205 0.8690 0.8922 0.9369 0.9800 1.0424 1.1423 1.2390 700.0 685.3 499.88 V 0.675 0.6759 0.7395 0.8205 0.8690 0.8922 0.9369 0.9800 1.0424 1.1423 1.2390 700.0 685.3 503.10 V 0.655	640.0	625.3	493.21	٧	0.719	0.7319	0.7962	0.8795	0.9299	0.9541	1.0008	1.0459	1.1115	1.2168	1.3190
660.0 645.3 496.58 hg 1202.1 1205.4 1240.4 1284.4 1310.6 1323.2 1347.4 1370.8 1405.0 1460.4 1515.0 680.0 665.3 499.88 V 0.675 0.6759 0.7395 0.8205 0.8690 0.8922 0.9369 0.9800 1.0424 1.1423 1.2390 700.0 685.3 503.10 V 0.655 0.7134 0.7934 0.8411 0.8639 0.9077 0.9498 1.0108 1.1082 1.2024 750.0 735.3 510.86 V 0.609 0.6540 0.7319 0.7778 0.7996 0.8414 0.8813 0.9391 1.0310 1.1196 800.0 785.3 510.86 V 0.609 0.6540 0.7319 0.7778 0.7996 0.8414 0.8813 0.9391 1.0310 1.1196 800.0 785.3 518.23 V 0.568 0.6015 0.6779 0.7223 0.7433 0.7833 0.8215		020.0		hg	1202.5	1209.0	1243.0	1286.2	1312.2	1324.6	1348.6	1371.9	1405.9	1461.1	1515.6
680.0 665.3 499.88 V 0.675 0.6759 0.7395 0.8205 0.8690 0.8922 0.9369 0.9800 1.0424 1.1423 1.2390 700.0 685.3 503.10 V 0.655	660.0	645.3	496 58	٧	0.697	0.7032	0.7670	0.8491	0.8985	0.9222	0.9679	1.0119	1.0759	1.1784	1.2778
680.0 665.3 499.88 hg 1201.7 1201.8 1237.7 1282.5 1309.1 1321.7 1346.2 1369.8 1404.1 1459.7 1514.5 700.0 685.3 503.10 V 0.655		5,0,0		hg	1202.1	1205.4	1240.4	1284.4	1310.6	1323.2	1347.4	1370.8	1405.0	1460.4	1515.0
700.0 685.3 503.10 V 0.655 (bg) 1201.7 1201.8 1237.7 1282.5 1309.1 1321.7 1346.2 1369.8 1404.1 1459.7 1514.5 700.0 685.3 503.10 V 0.655	680.0	665.3	499.88	٧	0.675	0.6759	0.7395	0.8205	0.8690	0.8922	0.9369	0.9800	1.0424	1.1423	1.2390
700.0 685.3 503.10 hg 1201.2 1235.0 1280.6 1307.5 1320.3 1345.0 1368.7 1403.2 1459.0 1513.9 750.0 735.3 510.86 V 0.609				hg	1201.7	1201.8	1237.7	1282.5	1309.1	1321.7	1346.2	1369.8	1404.1	1459.7	1514.5
750.0 735.3 510.86 V 0.609 hg 1201.2 1235.0 1280.6 1307.5 1320.3 1345.0 1368.7 1403.2 1459.0 1513.9 750.0 735.3 510.86 V 0.609	700.0	685.3	503.10	V	0.655		0.7134	0.7934	0.8411	0.8639	0.9077	0.9498	1.0108	1.1082	1.2024
750.0 735.3 510.86 hg 1200.0 1227.9 1275.7 1303.5 1316.6 1341.8 1366.0 1400.9 1457.2 1512.4 800.0 785.3 518.23 V 0.568 0.6015 0.6779 0.7223 0.7433 0.7833 0.8215 0.8763 0.9633 1.0470 850.0 835.3 525.26 V 0.532 0.5546 0.6301 0.6732 0.6934 0.7320 0.7685 0.8209 0.9037 0.9830 900.0 885.3 531.98 V 0.500 0.5124 0.5873 0.6294 0.6491 0.6863 0.7215 0.7716 0.8506 0.9262 950.0 935.3 538.42 V 0.471 0.4740 0.5489 0.5901 0.6092 0.6453 0.6793 0.7275 0.8031 0.8753 1000.0 985.3 544.61 V 0.445 0.5445 0.5546 0.5901 0.6092 0.6453 0.6793 0.7275 0.803		000.0		hg	1201.2		1235.0	1280.6	1307.5	1320.3	1345.0	1368.7	1403.2	1459.0	1513.9
800.0 785.3 518.23 V 0.568 hg 1220.9 1275.7 1303.5 1316.6 1341.8 1366.0 1400.9 1457.2 1512.4 800.0 785.3 518.23 V 0.568 hg 0.6015 0.6779 0.7223 0.7433 0.7833 0.8215 0.8763 0.9633 1.0470 850.0 835.3 525.26 V 0.532 hg 0.5546 0.6301 0.6732 0.6934 0.7320 0.7685 0.8209 0.9037 0.9830 900.0 885.3 531.98 V 0.500 0.5124 0.5873 0.6294 0.6491 0.6863 0.7215 0.7716 0.8506 0.9262 950.0 935.3 538.42 V 0.471 0.4740 0.5489 0.5901 0.6092 0.6453 0.6793 0.7275 0.8031 0.8753 1000.0 985.3 544.61 V 0.445 0.5490 0.5140 0.5546 0.5733 0.6084 0.6413 0.6878 <t< td=""><td>750.0</td><td>735.3</td><td>510.86</td><td>٧</td><td>0.609</td><td></td><td>0.6540</td><td>0.7319</td><td>0.7778</td><td>0.7996</td><td>0.8414</td><td>0.8813</td><td>0.9391</td><td>1.0310</td><td>1.1196.</td></t<>	750.0	735.3	510.86	٧	0.609		0.6540	0.7319	0.7778	0.7996	0.8414	0.8813	0.9391	1.0310	1.1196.
800.0 785.3 518.23 hg 1198.6				hg	1200.0		1227.9	1275.7	1303.5	1316.6	1341.8	1366.0	1400.9	1457.2	1512.4
850.0 835.3 525.26 V 0.532 0.5546 0.6301 0.6732 0.6934 0.7320 0.7685 0.8209 0.9037 0.9830 900.0 885.3 531.98 V 0.500 0.5124 0.5873 0.6294 0.6491 0.6863 0.7215 0.7716 0.8506 0.9262 950.0 935.3 538.42 V 0.471 0.4740 0.5489 0.5901 0.6092 0.6453 0.6793 0.7275 0.8031 0.8753 1000.0 985.3 544.61 V 0.445 0.5454 0.5864 1301.1 1328.7 1354.7 1391.6 1450.0 1506.6	800.0	785.3	518.23	٧	0.568		0.6015	0.6779	0.7223	0.7433	0.7833	0.8215	0.8763	0.9633	1.0470
850.0 835.3 525.26 hg 1197.1 1212.7 1265.5 1295.2 1309.0 1335.4 1360.4 1396.3 1453.6 1509.5 1290.0 885.3 531.98 V 0.500 0.5124 0.5873 0.6294 0.6491 0.6863 0.7215 0.7716 0.8506 0.9262 1195.4 1204.4 1260.1 1290.9 1305.1 1332.1 1357.5 1393.9 1451.8 1508.1 1200.0 935.3 538.42 V 0.471 0.4740 0.5489 0.5901 0.6092 0.6453 0.6793 0.7275 0.8031 0.8753 0.6092 0.6092 0.6453 0.6793 0.7275 0.8031 0.8753 0.6092 0.6		700.0	010.20	hg	1198.6		1220.5	1270.7	1299.4	1312.9	1338.6	1363.2	1398.6	1455.4	1511.0
900.0 885.3 531.98 V 0.500 0.5124 0.5873 0.6294 0.6491 0.6863 0.7215 0.7716 0.8506 0.9262 0.6491 0.6863 0.7215 0.7216 0.8506 0.9262 0.6491 0.6863 0.7215 0.7216 0.8506 0.9262 0.6491 0.6863 0.7215 0.7216 0.8506 0.9216 0.8506 0.9216 0.8506 0.9216 0.8506 0.9216 0.8506 0.9216 0.8506 0.9216 0.8506 0.9216 0.8506 0.9216 0.8506 0.9216 0.8506 0.9216 0.8506 0.9216 0.	850 O	835.3	525.26	٧	0.532		0.5546	0.6301	0.6732	0.6934	0.7320	0.7685	0.8209	0.9037	0.9830
900.0 885.3 531.98 hg 1195.4 1204.4 1260.1 1290.9 1305.1 1332.1 1357.5 1393.9 1451.8 1508.1 950.0 935.3 538.42 V 0.471 0.4740 0.5489 0.5901 0.6092 0.6453 0.6793 0.7275 0.8031 0.8753 1000.0 985.3 544.61 V 0.445 0.5140 0.5546 0.5733 0.6084 0.6413 0.6878 0.7604 0.8294	550.0	555.5	020.20	hg	1197.1		1212.7	1265.5	1295.2	1309.0	1335.4	1360.4	1396.3	1453.6	1509.5
950.0 935.3 538.42 V 0.471 0.4740 0.5489 0.5901 0.6092 0.6453 0.6793 0.7275 0.8031 0.8753 0.000.0 985.3 544.61 V 0.445 0.5140 0.5546 0.5733 0.6084 0.6413 0.6878 0.7604 0.8294	900.0	885.3	531 98	٧	0.500		0.5124	0.5873	0.6294	0.6491	0.6863	0.7215	0.7716	0.8506	0.9262
950.0 935.3 538.42 hg 1193.7 1195.5 1254.6 1286.4 1301.1 1328.7 1354.7 1391.6 1450.0 1506.6 1000.0 985.3 544.61 V 0.445 0.5140 0.5546 0.5733 0.6084 0.6413 0.6878 0.7604 0.8294	300.0	000.0	301.30	hg	1195.4		1204.4	1260.1	1290.9	1305.1	1332.1	1357.5	1393.9	1451.8	1508.1
hg 1193.7 1195.5 1254.6 1286.4 1301.1 1328.7 1354.7 1391.6 1450.0 1506.6 1000.0 985.3 544.61 V 0.445 0.5140 0.5546 0.5733 0.6084 0.6413 0.6878 0.7604 0.8294	950 n	935.3	538 42	٧	0.471		0.4740	0.5489	0.5901	0.6092	0.6453	0.6793	0.7275	0.8031	0.8753
1000.0 985.3 544.61 3.500	550.0	300.0	550.72	hg	1193.7		1195.5	1254.6	1286.4	1301.1	1328.7	1354.7	1391.6	1450.0	1506.6
	1000.0	985.3	544.61	٧	0.445			0.5140	0.5546	0.5733	0.6084	0.6413	0.6878	0.7604	0.8294
hg 1191.8 1248.8 1281.9 1297.0 1325.3 1351.7 1389.2 1448.2 1505.1	7000.0	555.5	O01	hg	1191.8			1248.8	1281.9	1297.0	1325.3	1351.7	1389.2	1448.2	1505.1

 $^{^{\}star}$ V = Specific volume, cubic feet per pound

hg = total heat of steam, Btu per pound

Properties of Steam (continued)

US Customary Units

	s	aturated						Superhe	eated: T	otal Ten	nperatu	re - °F			
Abs. P'	Gauge P	Sat. Temp.	*	Sat	660	700	740	760	780	800	860	900	1000	1100	1200
1100.0	1005.0	550.01	V	0.4001	0.5110	0.5445	0.5755	0.5904	0.6049	0.6191	0.6601	0.6866	0.7503	0.8117	0.8716
1100.0	1085.3	556.31	hg	1187.8	1288.5	1318.3	1345.8	1358.9	1371.7	1384.3	1420.8	1444.5	1502.2	1558.8	1615.2
1000 0	4405.0	507.00	V	0.3619	0.4586	0.4909	0.5206	0.5347	0.5484	0.5617	0.6003	0.6250	0.6843	0.7412	0.7967
1200.0	1185.3	567.22	hg	1183.4	1279.6	1311.0	1339.6	1353.2	1366.4	1379.3	1416.7	1440.7	1499.2	1556.4	1613.1
1300.0	1285.3	577.46	V	0.3293	0.4139	0.4454	0.4739	0.4874	0.5004	0.5131	0.5496	0.5728	0.6284	0.6816	0.7333
1300.0	1200.0	377.40	hg	1178.6	1270.2	1303.4	1333.3	1347.3	1361.0	1374.3	1412.5	1437.0	1496.2	1553.9	1611.0
1400.0	1385.3	587.10	٧	0.3012	0.3753	0.4062	0.4338	0.4468	0.4593	0.4714	0.5061	0.5281	0.5805	0.6305	0.6789
1400.0	1303.3	307.10	hg	1173.4	1260.3	1295.5	1326.7	1341.3	1355.4	1369.1	1408.2	1433.1	1493.2	1551.4	1608.9
1500.0	1485.3	596.23	V	0.2765	0.3413	0.3719	0.3989	0.4114	0.4235	0.4352	0.4684	0.4893	0.5390	0.5862	0.6318
1300.0	1403.5		hg	1167.9	1249.8	1287.2	1320.0	1335.2	1349.7	1363.8	1403.9	1429.3	1490.1	1548.9	1606.8
1600.0	1585.3	604.90	٧	0.2548	0.3112	0.3417	0.3682	0.3804	0.3921	0.4034	0.4353	0.4553	0.5027	0.5474	0.5906
1000.0	1500.0		hg	1162.1	1238.7	1278.7	1313.0	1328.8	1343,9	1358.4	1399.5	1425.3	1487.0	1546.4	1604.6
1700.0	1685.3	613.15	V	0.2354	0.2842	0.3148	0.3410	0.3529	0.3643	0.3753	0.4061	0.4253	0.4706	0.5132	0.5542
1700.0	1000.0		hg	1155.9	1226.8	1269.7	1305.8	1322.3	1337.9	1352.9	1395.0	1421.4	1484.0	1543.8	1602.5
1800.0	1785.3	621.03	V	0.2179	0.2597	0.2907	0.3166	0.3284	0.3395	0.3502	0.3801	0.3986	0.4421	0.4828	0.5218
1000.0	1700.0		hg	1149.4	1214.0	1260.3	1298.4	1315.5	1331.8	1347.2	1390.4	1417.4	1480.8	1541.3	1600.4
1900.0	1885.3	628.58	V	0.2021	0.2371	0.2688	0.2947	0.3063	0.3173	0.3277	0.3568	0.3747	0.4165	0.4556	0.4929
1000.0	1000.0		hg	1142.4	1200.2	1250.4	1290.6	1308.6	1325.4	1341.5	1385.8	1413.3	1477.7	1538.8	1598.2
2000.0	1985.3	635.82	V	0.1878	0.2161	0.2489	0.2748	0.2863	0.2972	0.3074	0.3358	0.3532	0.3985	0.4311	0.4668
			hg	1135.1	1184.9	1240.0	1282.6	1301.4	1319.0	1335.5	1381.2	1409.2	1474.5	1536.2	1596.1
2100.0	2085.3	642.77	٧	0.1746	0.1962	0.2306	0.2567	0.2682	0.2789	0.2890	0.3167	0.3337	0.3727	0.4089	0.4433
			hg	1127.4	1167.7	1229.0	1274.3	1294.0	1312.3	1329.5	1376.4	1405.0	1471.4	1533.6	1593.9
2200.0	2185.3	649.46	V	0.1625	0.1768	0.2135	0.2400	0.2514	0.2621	0.2721	0.2994	0.3159	0.3538	0.3887	0.4218
			hg	1119.2	1147.8	1217.4	1265.7	1286.3	1305.4	1323.3	1371.5	1400.8	1468.2	1531.1	1591.8
2300.0	2285.3	655.91	V	0.1513	0.1575	0.1978	0.2247	0.2362	0.2468	0.2567	0.2835	0.2997	0.3365	0.3703	0.4023
	ļ		hg	1110.4	1123.8	1204.9	1256.7	1278.4	1298.4	1316.9	1366.6	1396.5	1464.9	1528.5	1589.6
2400.0	2385.3	662.12	V	0.1407		0.1828	0.2105	0.2221	0.2327	0.2425	0.2689	0.2848	0.3207	0.3534	0.3843
			hg	1101.1		1191.5	1247.3	1270.2	1291.1	1310.3	1361.6	1392.2	1461.7	1525.9	1587.4
2500.0	2485.3	668.13	V	0.1307		0.1686	0.1973	0.2090	0.2196	0.2294	0.2555	0.2710	0.3061	0.3379	0.3678
			hg	1091.1		1176.8	1237.6	1261.8	1283.6	1303.6	1356.5	1387.8	1458.4	1523.2	1585.3
2600.0	2585.3	673.94	V .	0.1213		0.1549	0.1849	0.1967	0.2074	0.2172	0.2431	0.2584	0.2926	0.3236	0.3526
			hg	1080.2		1160.6	1227.3	1252.9	1275.8	1296.8	1351.4	1383.4	1455.1	1520.6	1583.1
2700.0	2685.3	679.55	<u>'</u>	0.1123		0.1415	0.1732	0.1853	0.1960	0.2059	0.2315		0.2801	0.3103	0.3385
			hg	1068.3		1142.5	1216.5	1243.8	1267.9	1289.7	1346.1	1378.9	1451.8	1518.0	1580.9
2800.0	2785.3	684.99	\	0.1035		0.1281	0.1622	0.1745	0.1854	0.1953	0.2208	0.2356	0.2685	0.2979	0.3254
			hg	1054.8		1121.4	1205.1	1234.2	1259.6	1282.4		1374.3	1448.5	1515.4	1578.7
2900.0	2885.3	690.26	V	0.0947		0.1143	0.1517	0.1644	0.1754	0.1853	0.2108	0.2254	0.2577	0.2864	0.3132
			hg	1039.0		1095.9	1193.0	1224.3	1251.1	1274.9	1335.3		1445.1	1512.7	1576.5
3000.0	2985.3	695.36	V	0.0858		0.0984	0.1416	0.1548	0.1660	0.1760	0.2014	0.2159	0.2476	0.2757	0.3018
			hg	1020.8		1060.7	1180.1	1213.8	1242.2	1267.2	1329.7	1365.0	1441.8	1510.0	1574.3
3100.0	3085.3	700.31	V	0.0753			0.1320	0.1456	0.1571	0.1672	0.1926	0.2070	0.2382	0.2657	0.2911
			hg	993.1			1166.2	1202.9	1233.0	1259.3	1324.1	1360.3	1438.4	1507.4	1572.1
3200.0	3185.3	705.11	V	0.0580			0.1226	0.1369	0.1486	0.1589	0.1843 1318.3	0.1986	0.2293	0.2563	0.28 1 1 1569.9
			hg V	934.4			0.1220	1191.4 0.1363	1223.5 0.1480	1251.1 0.1583	0.1838	1355.5 0.1981	1434.9 0.2288	1504.7 0.2557	0.2806
3206.0	3191.2	705.40		902.7			1150.2	1190.6	1222.9	1250.5	1317.9	1355.2	1434.7	1504.5	1569.8
L			hg	304.7	1		1130.2	1130.0	1222.9	1230.3	1517.9	1000.2	1434.7	1504.5	1309.6

^{*} V = Specific volume, cubic feet per pound

hg = total heat of steam, Btu per pound

Saturated Steam Table

		outaiu	cu ottain	Idaio		
Pressure Inches Hg	Absolute Pressure	Temperature	Cu. Ft./Lb.	TOTAL	HEAT IN B.T.U. PER	LB.
at 32 °F	Lbs./Sq. in.	°F	Sat. Vapor	Sat. Liquid	Evap.	Sat. Vapor
1.02	0.5	80	642	47.60	1047.5	1095.1
2.03	1	101	334	69.69	1035.3	1105.0
4.06	2	126	174	93.97	1021.6	1115.6
6.09	3	142	119	109.33	1012.7	1120.0
10.15	5	162	74.0	130.10	1000.4	1130.6
15.3	7.5	180	50.3	147.81	989.9	1137.7
20.3	10	193	38.4	161.13	981.8	1143.0
28.5	14	209	28.0	177.55	7971.8	1149.3
29.92	14.696	212	26.8	180.0	970.2	1150.2
Gauge Pressure Lbs./Sq. in.						
0.0	14.696	212	26.8	180.0	970.2	1150.2
1.3	16	216	24.8	184.35	967,4	1151.8
2.3	17	219	23.4	187.48	965.4	1152.9
3.3	18	222	22.2	190.48	963.5	1154.0
4.3	19	225	21.1	193.34	961.7	1155.0
5.3	20	228	20.1	196.09	959.9	1156.0
7.3	22	233	18.4	201.25	956.6	1157.8
10.3	25	240	16.3	208.33	951.9	1160.2
15.3	30	250	13.7	218.73	945.0	1163.7
20.3	35	259	11.9	227.82	938.9	1166.7
25.3	40	267	10.5	235.93	933.3	1169.2
30.3	45	274	9.40	243.28	928.2	1171.5
35.3	50	281	8.51	249.98	923.5	1173.5
40.3	55	287	7.78	256.19	919.1	1175.3
45.3	60	293	7.17	261.98	915.0	1177.0
50.3	65	298	6.65	267.39	911.1	1178.5
55.3	70	303	6.20	272.49	907.4	1179.9
60.3	75	307	5.81	277.32	903.9	1181.2
65.3	80	312	5.47	281.90	900.5	1182.4
70.3	85	316	5.16	286.90	897.3	1183.6
75.3	90	320	4.89	290.45	894.2	1184.6
80.3	95	324	4.65	294.47	891.2	1185.6
85.3 90.3	100 105	328 331	4.42 4.22	298.33 302.03	888.2 885.4	1186.6 1187.5
95.3	110	335	4.04	305.61	882.7	1188.3
100.3 105.3	115 120	338 341	3.88 3.72	309.04	880.0 877.4	1189.1 1189.8
110.3	125	344	3.60	312.37 315.60	874.9	1190.5
115.3	130	347	3.45	318.73	872.4	1191.2
120.3	135	350	3.45	321.77	870.0	1191.8
125.3	140	353	3.22	324.74	867.7	1192.4
130.3	145	356	3.20	327.63	865.3	1193.0
135.3	150	358	3.01	330.44	863.1	1193.5
140.3	155	361	2.92	333.18	860.8	1194.0
145.3	160	363	2.83	335.86	858.7	1194.5
150.3	165	366	2.75	338.47	856.5	1195.0
155.3	170	368	2.67	341.03	854.5	1195.4
160.3	175	370	2.60	343.54	852.3	1195.9
165.3	180	373	2.53	345.99	850.3	1196.3
170.3	185	375	2.46	348.42	848.2	1196.7
175.3	190	377	2.40	350.77	846.3	1197.0
180.3	195	380	2.34	353.07	844.3	1197.4
185.3	200	382	2.28	355.33	842.4	1197.8
210.3	225	392	2.039	366.10	833.2	1199.3
235.3	250	401	1.841	376.02	824.5	1200.5
260.3	275	409	1.678	385.24	816.3	1201.6
285.3	300	417	1.541	393.90	808.5	1202.4
335.3	350	432	1.324	409.81	793.7	1203.6
385.3	400	444	1.160	424.2	779.8	1204.1
435.3	450	456	1.030	437.4	766.7	1204.1
485.3	500	467	0.926	449.7	754.0	1203.7
585.3	600	486	0.767	472.3	729.8	1202.1
685.3	700	503	0.653	492.9	706.8	1199.7
785.3	800	518	0.565	511.8	684.9	1196.7
885.3	900	532	0.496	529.5	663.8	1193.3
985.3	1000	544	0.442	546.0	643.5	1189.6
1235.3	1250	572	0.341	583.6	595.6	1179.2
1485.3	1500	596	0.274	617.5	550.2	1167.6
1985.3	2000	635	0.187	679.0	460.0	1139.0
2485.3	2500	668	0.130	742.8	352.8	1095.6
2985.3 3211.3	3000 3226	695 706	0.084 0.0522	823.1 925.0	202.5	1025.6 925.0

Preface - Units and Conversion Factors

Rapidly becoming the most commonly used units system in the world, the International System of Units (SI, for Systeme International d'Unites) derives nearly all quantities needed in all technologies from only seven base units: the meter (m), for length; the kilogram (kg), for mass (what is usually called weight); the second (s), for time; the ampere (A), for electric current; the Kelvin (K), for thermodynamic temperature; the mole (mol), for amount of substance; and the candela (cd), for luminous intensity. There are also two supplementary units, the radian (rad), for plane angle, and the steradian (sr), for solid angle. More information on the properties of these units and their conversion factors can be found in documents published by the International Standards Organization.

To take maximum advantage of the SI system, only base, supplementary, or derived SI units should be used. The appropriate units for quantities commonly used in process control are listed in Table 1, along with the base or supplementary units from which they are derived.

SI units are terms and symbols to abbreviate numbers and show relationships between any number and its unit. For example, 1 000 000 (one million) meters is expressed as one megameter or one Mm. The most common terms and symbols are listed in the Multiplication Factors Table on page 93.

To assist in preserving the advantage of SI as a coherent system, it is advisable to minimize the use of units from other systems. It is also desirable not to mix unit symbols with unit names or abbreviations (including the name "per" and its symbol, "/"). Some examples of proper and improper usage are listed below.

PROPER USAGE

joules per kilogram J/kg kilometers per second km/s liters per minute L/min

IMPROPER USAGE

joules/kilogram joules/kg kilometers/second km/second liters/minute L/m (because "m" alone means "meter")

All units in the following table are listed in alphabetical order and are cross-referenced to commonly used units in both the U.S. customary and metric systems.

In some units, the preferred form may pose too great a magnitude for all applications. For example, while kilogram is the proper term for mass, a very small amount is more easily expressed in terms of grams. Similarly, kilowatts are usually used instead of watts and kilopascals instead of pascals. The expression of speed (which in an aspect of velocity) takes this concept a little further; the proper term is meter per second, but common usage expresses traffic speeds as kilometers per hour in SI countries.

Pressure and mass are two particularly appropriate examples, since each is affected (at least very slightly) by gravity. For example, many pressure and differential pressure instruments use forms of springs as measuring elements, which measure force directly; these are called "gravity-independent". However, the pressure standards used to calibrate the springs, such as dead-weight testers which measure the force of gravity on a column of mercury or other substance of fixed mass, are often "gravity-dependent". Pneumatic systems cancel the effect of gravity when the same type of pressure stan-

dard is used for both input and output (current or voltage). They must have either a gravity-independent input or be calibrated in a way that accommodates the local gravitational force (either by incorporating a correction factor or by calibrating the pressure instrument at the location where it will be used).

Complicating the problem is the fact that force units (which more closely reflect weight) often incorporate mass terminology (for example, pounds-force or kilograms-force). Even pressure units sometimes use mass terminology (e.g., pounds per square inch). The SI system provides the means to incorporate the effect of gravity, establish a common terminology, and distinguish pure mass from force (mass accelerated over a distance), pressure (force per unit area), density (mass per unit volume), and flow (mass per unit time). Even energy, power, and torque units are partially derived from mass, but mass is not a significant enough factor for the mass vs. force issue to be of concern. Refer to the table of proper SI units to see how they all relate.

Notes about Units

The following is general information about the unit categories and helpful hints for working with individual units.

ABSOLUTE VISCOSITY:

Also called "dynamic viscosity" or just "viscosity".

ACCELERATION:

- "Meter per second squared" (the term preferred in SI guidelines) is also called "meters per second per second".
- The acceleration of gravity is about 10 m/s².

ANGULAR VELOCITY:

- The SI unit for this is defined in terms of a supplemental unit, the radian; rad/s.
- The terms "revolutions per minute" and "revolutions per second" are properly abbreviated "r/min" and "r/s", respectively, rather than "rpm" and "rps".
- This category is also called rotational frequency, primarily in specifications on rotating machinery, when the revolution per second and revolution per minute are widely used as units.

AREA:

- The term "hectare" (abbreviated "ha") is used as an alternative name for square hectometer and is restricted to the measurement of large land areas. Agricultural engineers use the term to relate machines to field sizes.
- 2. The square meter is also called "centare."
- Although the centimeter (cm) is rarely used to indicate length (meter or millimeter is preferred), the square centimeter (cm²) is often used to indicate area because the interval between the square meter (m²) and square millimeter (mm²) is so great (1 000 000 to 1).

ENERGY:

- 1. This unit category includes "quantity of heat" and "work".
- 2. The use of the calorie was discontinued by SI.
- The kilowatt-hour and variations thereon (e.g., MW-h, GW-h), although not proper SI units (the joule is the proper one), are in widespread use for measurement of electric energy.

- The units based on the electronovolt (eV, keV, MeV, and GeV) are also improperly but widely used in atomic and nuclear physics and in accelerator technology (the joule should be used).
- 5. The joule is equivalent to one watt-second.

FORCE:

- The use of the kilogram-force (once widely used in Europe) was discontinued by SI.
- 2. The kilogram-force is also called "kilopond".

KINEMATIC VISCOSITY:

The SI unit, the square meter per second (m²/s) is equivalent to the English unit Stoke (St) and the SI unit square millimeter per second (mm²/s) is equivalent to the English unit centiStoke (cSt).

LENGTH:

1. The smaller units in this category (like the meter and millimeter) are easy to learn because they can be related to items contacted every day. For example, a U.S. dime is about one millimeter thick, a U.S. quarter is about 25 millimeters wide, and the height of most home doorways is about two meters. However, the kilometer is harder to visualize and is therefore easier to learn by memorization. Following is a list of common values.

miles or mph	km or km/h
10	16
25	40
50	80
55	90
62	100
75	120
100	160

- The millimeter is used all over the world on industrial engineering drawings.
- The use of centimeter is generally restricted to body measurements, clothing sizes, and textile weights.
- 4. The micrometer (sometimes called "micron") is the preferred unit to express surface finish.

MASS:

- The kilogram and gram will generally replace the use of the pound and ounce, respectively.
- 2. Two aspirin, an American dollar bill, and one paper clip each weigh about one gram.
- 3. A kilogram is the weight of one liter of water.
- 4. The alternate name of "tonne" is "metric ton". A tonne is equal to one megagram.
- 5. A load-supporting rating (e.g., floor load) should be expressed in kilograms.
- 6. This unit category is also called "weight".

MASS PER UNIT TIME:

This unit category is also called "flow" and "mass flow".

MASS PER UNIT VOLUME:

- This unit category is also called "density", "mass density", and "mass capacity".
- One part per million is equal to one milligram per liter or one gram per cubic meter, referenced as "by weight in water" at a specified temperature.

PLANE ANGLES:

- The radian, a supplementary SI unit, is the proper unit for this category. The decimalized degree (defined as [pi ÷ 180] rad) is not proper but is widely used. Although the minute and the second are still widely accepted, their use is discouraged because they require an extra conversion step.
- 2. The plane angle is also called just "angle".

POWER:

- There are several types of horsepower. The one usually assumed is electric horsepower (unless otherwise stated).
- Boiler horsepower is primarily used to rate the size of small industrial boilers.
- 3. The use of the calorie was discontinued by SI on January 1, 1978.
- 4. Power is also called "heat flow rate" and "radiant flux".

PRESSURE:

- Although the pascal is the proper SI unit for pressure, the kilopascal (kPa) is recognized for use in all fields except high vacuum measurement of absolute pressure, for which the pascal may be more convenient.
- 2. The kPa is used for measurement of both gauge and absolute pressure (gauge pressure is absolute pressure minus ambient pressure [ambient pressure is usually atmospheric pressure]). However, when absolute pressure is intended, the unit kPa should be followed by the word "absolute".
- 3. The bar is a convenient multiple of the pascal, the proper SI term for pressure (1 bar = 10⁵ Pa), but its use is discouraged. The millibar is and will continue to be widely used in meteorology; however, the kilopascal should be used in most cases.
- The mmHg is also called "torr". (The torr was once widely used in Europe but its use, as well as use of the kilogramforce per square centimeter, was discontinued by SI).
- This unit category is also called "stress" and "force per unit area".

SOLID ANGLE:

The steradian is a supplementary SI unit.

TEMPERATURE:

- Technically, this unit is called "thermodynamic temperature".
- 2. The proper SI unit for this category is the Kelvin, <u>not</u> the degree Kelvin. For example, a temperature would be correctly expressed as 283K or, less properly but more commonly, as 10°C (though not 10C). But be careful not to confuse the abbreviation for Kelvin with the designation for 1000, as in a 10K ohm resistor.
- Degrees Celsius was called Degrees Centigrade and it is the most commonly encountered form of temperature measurement.
- One degree Celsius as a temperature interval is equal to one Kelvin unit.
- 5. Kelvin is the absolute temperature scale in the metric (Celsius) system.
- Degrees Rankine is the absolute temperature scale in the English (Fahrenheit) system.

TIME:

- The second is the proper SI unit of time. However, a coherent system of time measurement is not practical (e.g., a solar day cannot be conveniently divided into kilo-seconds). Therefore, the noncoherent system now in use with minutes, hours, days, and years will continue to be used indefinitely.
- 2. Time units can be defined as mean or sidereal: mean time closely approximates actual star movement but is modified slightly to provide regularity of measurement; sidereal units are based on actual movement of stars but do not break down into neat units (e.g., a sidereal day is 23 hours, 56 minutes, and 4.09 seconds long expressed in mean time).
- 3. Note that the SI symbol for "year" is "a".

TORQUE:

- The units in this category are mathematically the same as those in the category "bending movement", although the application of the units is different.
- 2. Torque is also called "moment of force".
- The preferred unit for this category, the N·m, is the same as the definition for the energy unit joule (J = N·m), but the two should not be used interchangeably since they have different applications.
- The use of the unit kilogram-force times meter was discontinued by SI.

VELOCITY:

- The best way to learn the commonly used velocity measurement, kilometers per hour (although meters per second is the proper unit), is by memorizing comparable values. (Refer to the kilometers-to-miles list under "LENGTH".
- 2. This unit category includes "speed". (Velocity, a vector, is magnitude plus direction while speed, a scalar, is magnitude only.)

VOLUME:

- Although liters are frequently used as a substitute for quarts, at least in the U.S., it is not technically correct to do so. According to SI guidelines, the cubic meter should be used instead. However, the liter will probably continue to be used for measurement of displacement of an internal combustion engine and for the volume of space in a refrigerator or the trunk of a car.
- A liter is equivalent to a cube 10 cm on each side (a cubic decimeter).
- 3. A milliliter is equivalent to a cubic centimeter.

- 4. The symbol for liter has been a lower case I, but is changing to upper case L to avoid confusion with the number one (1).
- Water and gas supplies for homes and factories in fact, almost anything now measured in cubic feet - will be measured in cubic meters, the proper SI unit.
- 6. Automotive fuel consumption is expressed in countries using the metric system as liters per 100 kilometers or kilometers per liter rather than miles per gallon. A conversion estimate from mpg to L/100 km is achieved by dividing 235 by the mpg (e.g., if you normally get 20 mpg, you will get approximately 12 L/100 km); to go from mpg to km/L, divide the mpg by 2.35 (e.g., 20 mpg = 8.5 km/L).
- 7. This unit category is also called "capacity".

VOLUME PER UNIT TIME:

This unit category is also called "instantaneous volume velocity" or just "volume velocity". The unit category "mass per unit time" also includes flow.

NOTE: In some cases, a prefix symbol is the same as a unit symbol, so it is important to look at the position of each symbol in the term to determine its meaning. For example, in ms the "m" means "milli" (millisecond), but in km the "m" means "meter" (kilometer). Also to avoid confusion, it is important that no more than one prefix be used when forming the decimal multiple or submultiple of a derived unit. For example, mµm should be expressed as nm. Refer to Table I - Proper SI Units for appropriate abbreviations.

Another general rule is to use SI prefixes to indicate order of magnitude and eliminate nonsignificant digits and leading zeroes. This also provides a convenient conversational alternative to the powers-of-ten notation preferred in computation. For example,

 12300 mm
 becomes 12.3m

 12.3 x 10³m
 becomes 12.3km

 0.001230 μA
 becomes 1.23nA

Another point illustrated by the numbers in Table 1 is the placeholding value of the comma. Outside the United States the comma is sometimes used instead of the decimal point (e.g., the American 0.00123 would be written 0,00123). To avoid confusion, recommended international practice uses a space instead of a comma when dividing numbers into groups of three digits (a decimal point is still used to indicate a break between numbers greater than one and numbers less than one). This applies to groupings of numbers on either side of zero. For example, 12,300.001230 could be written as 12 300.001 230.

TABLE I - Proper SI Units

Quantity	Name of Unit	Symbol of Derived Unit	Unit Expressed as Base or Supplementary Units
Absolute Viscosity	Pascal Second	Pa·s	Paxs
Acceleration	Meter per Second Squared		m/s²
Angular Velocity	Radian per Second		rad/s
Area	Square Meter		m²
Energy	Joule	J	N·m (kg x m² x s-²)
Force	Newton	N	kg x m x s ⁻²
Kinematic Viscosity	Square Meters per Second		m²/s
Length	Meter		m
Mass	Kilogram		kg
Mass per Unit Time	Kilogram per Second		kg/s
Mass per Unit Volume	Kilograms per Cubic Meter		kg/m³
Plane Angle	Radians	rad	m x m ⁻¹
Power	Watt	w	J/s (kg x m ⁻² x s ⁻³)
Pressure	Pascal	Pa	N/m² (kg x m ⁻¹ x s ⁻²)
Solid Angle	Steradian	sr	$m^2 \times m^{-2}$
Temperature	Kelvin		K
	Celsius	°C	K-273.15
Time	Second		S
Torque	Newton-Meter	N·m	kg/s² x m
Velocity	Meters per Second		m/s
Volume	Cubic Meters		m³
Volume per Unit Time	Cubic Meters per Second		m³/s

Formulas, Conversions and Definitions

Pressures and Densities

Pressure = $\frac{\text{force}}{\text{area}}$

1 column of water 1 foot deep = 62.4 pounds per square foot, or 0.433 pounds per square inch. 1 column of water 1 centimeter deep = 1 gram per square centimeter.

Specific Gravity = number of times a substance is as heavy as an equal body of water, or Specific gravity (liquid)=

weight of liquid

weight of equal volume of water

Density = $\frac{\text{weight}}{\text{volume}}$

Pressure = depth x density, or force per unit area. An increase in pressure is transmitted equally through the liquid.

Specific Gravity (solid) = weight of body

weight of equal volume of water

or Specific gravity (solid)=

weight of body
loss of weight in water

ouble yard of air weighs about 2 pounds Atmos

One cubic yard of air weighs about 2 pounds. Atmospheric pressure at sea level = about 15 pounds per square inch.

Velocities and Energies

 $\begin{array}{ccc} \textbf{Velocity} & = & \frac{\text{distance}}{\text{time}} \end{array}$

Acceleration= change of velocity time

Acceleration= 32 feet per second seconds

 $\begin{array}{cccc} \textbf{Centripetal} & = & \text{weight} & \text{x} & \frac{\text{(velocity)}^2}{\text{radius}} \\ \textbf{force} & & \overline{\text{acceleration of gravity}} & \overline{\text{radius}} \\ \end{array}$

Potential Energy = weight of body x elevation

Kinetic Energy: $\frac{1}{2}$ weight $\frac{1}{2}$ x (velocity)²ac

acceleration of gravity

Momentum = mass of body x its velocity

Mass = $\frac{\text{weight}}{\text{acceleration of gravity}} \sqrt{\frac{L}{G}}$

Period of pendulum: $T = 2\pi$

Wave velocity = wave frequency x wave length, or v=nx1 **Speed of Sound:** 1090 feet per second in air at 0 degrees Centigrade. Velocity of sound increases 2 feet per second for each degree Centigrade rise in temperature above zero degrees Centigrade.

Electricity

1 ampere = 1 coulomb per second 1 volt = 1 joule per coulomb

Ohm's Law: Current = potential difference resistance

or Amperes = $\frac{\text{volts or 1}}{\text{ohms}}$ $\frac{\text{V}}{\text{R}}$

Ampere = electric current Volt = potential difference Ohm = electrical resistance

One volt potential difference will drive 1 ampere through a resistance of 1 ohm.

The resistance of conductor can be calculated by the formula:

 $R = \frac{k1}{d^2}$ (Where 1 is length, d is diameter, and k is constant)

The combined resistance of conductors connected in parallel is

$$\frac{1}{Rc} = \frac{1}{R1} + \frac{1}{R2} + \frac{1}{R3}$$

1 Watt is the power of a current on 1 ampere when the potentail difference is 1 volt.

To compute electric power: P (power in watts) = V (voltage in volts) x1 (current in amperes) or P=VxI.

To compute the heat (H), produced by a current (I) through a resistance (R), in a time (t), use the equation: $H=I_2xRxtx0.24$ cal/watt-sec.

Lights and Lenses

1 foot-candle: the illumination of any point on a surface 1 foot from a standard candle.

Illumination (ft-c) = intensity (candles)
distance in feet²

Velocity of Light = 186,000 miles per sec.

Index of refraction = velocity of light in air velocity of light in the substance

Lens image equation: $\frac{1}{D_0} \times \frac{1}{D_1 f} = 1$

Magnification = image length or image distance or object distance

Formulas, Conversions and Definitions

Heat

To convert Fahrenheit to Centigrade: subtract 32 from F, then multiply by 5/9 written C=5/9 (F-32). NOTE: Centigrade is now referred to as Celsius. (NOTE: 212F=100). To convert Centigrade to Fahrenheit: multiply C by 9/5, then add 32, written F = (9/5C) + 32.

To convert Centigrade to Absolute or Kelvin scale: add 273 to C.

To convert Fahrenheit to Absolute or Kelvin scale: first convert F to C, then add 273.

Boyle's Law: $p_1 \times v_1 = p_2 \times v_2$ at constant temperature. Zero degrees Kelvin is the lowest possible temperature.

In Kelvin Absolute temperature scale: water boils at 373K, freezes at 273K.

Charles' Law: $\frac{V_1}{V_2} = \frac{T_1}{T_2}$ at constant pressure

Combination of Charles' and Boyle's Laws:

$$\frac{V_1P_1}{T_1} = \frac{V_2P_2}{T_2}$$

When heated through one degree Centigrade,

any gas expands
$$\frac{1}{273}$$

of its volume at 0 degrees Centigrade if the pressure remains constant. One BTU is the heat required to raise the temperature of 1 pound of water through 1 degree Fahrenheit.

One calorie: the heat required to raise the temperature of 1 gram of water through 1 degree Centigrade.

Specific Heat: heat required to raise the temperature of a unit mass of that substance through 1 degree. If H is total heat and M is mass, $H=M \times sx (t_a-t_a)$

Heat of melting or heat of fusion, L, is the quantity of heat needed to melt one unit weight of substance without changing its temperature, or H=MxL.

0 calories of heat required to melt 1 gram of ice without raising its temperature,

Boiling point of liquid: that temperature at which the vapor pressure is equal to the pressure above the liquid.

Horsepower

1 horsepower = 550 ft-lb sec

Horsepower = force(lb) x distance (ft)

550 ft-lb sec x time (sec)

Friction Constant = friction force weight

Work = force x distance moved

Power = work time

1 watt - 10,200 gram-centimeters per sec.

1 kilowatt is 1000 watts

1 kilowatt is approximately 1-1/3 horsepower

Dyne is absolute metric unit of force. Erg is its unit of work.

1 Erg = force of 1 dyne acting through 1 centimeter

1 Joule = 10,000,000 ergs or about 3/4 foot pounds

The law of work when friction is neglected: effort force x effort distance = resistance force x resistance distance Mechanical advantage of a machine =

resistance force

When friction is zero, mechanical advantage of a machine:

effort distance resistance distance

Mechanical advantage of a lever: = effort arm resistance arm

Moment of force = force x lever arm

Frictionless mechanical advantage of an inclined

 $plane = \frac{length}{height}$

Frictionless mechanical advantage of a wheel and axle:

circumference of wheel

Conversion Tables

Units and Conversion Factors Millimeters to Decimals

0.01 .00039 0.41 .01614 0.81 .03189 21 .82677 61 2.40157 0.02 .00079 0.42 .01654 0.82 .03228 22 .86614 62 2.44094 0.03 .00118 0.43 .01693 0.83 .03268 23 .90551 63 2.248031 0.04 .00157 0.44 .01732 0.84 .03307 24 .94488 64 2.51969 0.05 .00197 0.45 .01772 .085 .03346 25 .98425 65 2.59964 0.06 .00236 0.46 .01811 0.86 .033465 28 1.10236 68 2.67717 0.08 .03354 0.49 .01929 0.89 .03455 28 1.10236 68 2.67717 0.10 .00394 0.50 .01969 0.90 .03543 30 1.18110 70 2.75591 0.11 .00433 .0.5	mm	Decimal	mm	Decimal	mm	Decimal	mm	Decimal	mm	Decimal
0.03 .00118 0.43 .01693 0.83 .03268 23 .90551 63 2.48031 0.04 .00157 0.44 .01732 0.84 .03307 24 .94488 64 2.51969 0.05 .00197 0.45 .01772 0.85 .03346 25 .98425 65 2.55906 0.06 .00236 0.46 .01811 0.86 .03386 26 1.02362 66 2.59843 0.07 .00276 0.47 .01850 0.87 .03425 27 1.06299 67 2.63780 0.08 .00315 0.48 .01890 0.88 .03465 28 1.10236 68 2.67717 0.09 .00354 0.49 .01929 0.89 .03504 29 1.14173 69 2.71654 0.10 .00334 0.50 .01969 0.90 .03583 30 1.18110 70 2.75591 0.11 .00433 0.51	0.01	.00039	0.41	.01614	0.81	.03189	21	.82677	61	2.40157
0.04 .00157 0.44 .01732 0.84 .03307 24 .94488 64 2.51969 0.05 .00197 0.45 .01772 0.85 .03346 25 .98425 65 2.55906 0.06 .00236 0.46 .01811 0.86 .03346 26 1.02362 65 2.58943 0.07 .00276 0.47 .01850 0.87 .03425 27 1.06299 67 2.63780 0.08 .00315 0.48 .01890 0.88 .03465 28 1.10236 68 2.67717 0.09 .00354 0.49 .01929 0.89 .03543 30 1.18110 70 2.75591 0.10 .00334 0.50 .01969 0.90 .03543 30 1.18110 70 2.75591 0.11 .00433 0.51 .02008 0.91 .03583 31 1.22047 71 2.79528 0.12 .00472 .0.	0.02	.00079	0.42	.01654	0.82	.03228	22	.86614	62	2.44094
0.05 .00197 0.45 .01772 0.85 .03346 25 .98425 65 2.55906 0.06 .00236 0.46 .01811 0.86 .03386 26 1.02362 66 2.59843 0.07 .00276 0.47 .01850 0.87 .03425 27 1.06299 67 2.63780 0.08 .00315 0.48 .01890 0.88 .03465 28 1.10236 68 2.67717 0.09 .0354 0.49 .01929 0.89 .03504 29 1.14173 69 2.71654 0.10 .00394 0.50 .01969 0.90 .03583 31 1.22047 71 2.75591 0.11 .00433 0.51 .02008 0.91 .03583 31 1.22047 71 2.75591 0.11 .00433 0.51 .02088 0.93 .03661 33 1.299173 2.87402 0.14 .00551 .0.54 <td< td=""><td>0.03</td><td>.00118</td><td>0.43</td><td>.01693</td><td>0.83</td><td>.03268</td><td>23</td><td>.90551</td><td>63</td><td>2.48031</td></td<>	0.03	.00118	0.43	.01693	0.83	.03268	23	.90551	63	2.48031
0.06 .00236 0.46 .01811 0.86 .03386 26 1.02362 66 2.59843 0.07 .00276 0.47 .01850 0.87 .03425 27 1.06299 67 2.63780 0.08 .00315 0.48 .01890 0.88 .03465 28 1.10236 68 2.67717 0.09 .00354 0.49 .01929 0.89 .03504 29 1.14173 69 2.71654 0.10 .00394 0.50 .01969 0.90 .03543 30 1.18110 70 2.75591 0.11 .00433 0.51 .02008 0.91 .03583 31 1.22047 71 2.79528 0.12 .00472 0.52 .02047 0.92 .03622 32 1.25984 72 2.83465 0.13 .00512 .053 .02047 0.92 .03622 32 1.25984 72 2.83465 0.14 .0051 .0	0.04	.00157	0.44	.01732	0.84	.03307	24	.94488	64	2.51969
0.07 .00276 0.47 .01850 0.87 .03425 27 1.06299 67 2.63780 0.08 .00315 0.48 .01890 0.88 .03465 28 1.10236 68 2.67717 0.09 .00354 0.49 .01929 0.89 .03504 29 1.14173 69 2.71654 0.10 .00394 0.50 .01969 0.90 .03543 30 1.18110 70 2.78591 0.11 .00433 0.51 .02008 0.91 .03583 31 1.22047 71 2.79528 0.12 .00472 0.52 .02047 0.92 .03622 32 1.25984 72 2.83465 0.13 .00512 .053 .02087 0.93 .03661 33 1.29921 73 2.87402 0.14 .00551 .0.54 .02126 0.94 .03701 34 1.33858 74 2.91339 0.15 .0.051	0.05	.00197	0.45	.01772	0.85	.03346	25	.98425	65	2.55906
0.08 .00315 0.48 .01890 0.88 .03465 28 1.10236 68 2.67717 0.09 .00354 0.49 .01929 0.89 .03504 29 1.14173 69 2.71654 0.10 .00394 0.50 .01969 0.90 .03543 30 1.18110 70 2.75591 0.11 .00472 0.52 .02047 0.92 .03622 32 1.25984 72 2.83465 0.13 .00512 .053 .02087 0.93 .03661 33 1.29921 73 2.87402 0.14 .00551 .0.54 .02126 0.94 .03701 34 1.33858 74 2.91339 0.15 .00591 .0.55 .02165 0.95 .03740 35 1.37795 75 2.95276 0.16 .00630 0.56 .02205 0.96 .03780 36 1.41732 76 2.99213 0.17 .00669 <td< td=""><td>0.06</td><td>.00236</td><td>0.46</td><td>.01811</td><td>0.86</td><td>.03386</td><td>26</td><td>1.02362</td><td>66</td><td>2.59843</td></td<>	0.06	.00236	0.46	.01811	0.86	.03386	26	1.02362	66	2.59843
0.09 .00354 0.49 .01929 0.89 .03504 29 1.14173 69 2.71654 0.10 .00394 0.50 .01969 0.90 .03543 30 1.18110 70 2.75591 0.11 .00433 0.51 .02008 0.91 .03583 31 1.22047 71 2.79528 0.12 .00472 0.52 .02047 0.92 .03622 32 1.25984 72 2.83465 0.13 .00512 .053 .02087 0.93 .03661 33 1.29921 73 2.87402 0.14 .00551 .054 .02126 0.94 .03701 34 1.33858 74 2.91339 0.15 .00591 .055 .02165 0.95 .03740 35 1.37795 75 2.95276 0.16 .00630 0.56 .02205 0.96 .03780 36 1.41732 76 2.99213 0.17 .00669 0	0.07	.00276	0.47	.01850	0.87	.03425	27	1.06299	67	2.63780
0.10 .00394 0.50 .01969 0.90 .03543 30 1.18110 70 2.75591 0.11 .00433 0.51 .02008 0.91 .03583 31 1.22047 71 2.79528 0.12 .00472 0.52 .02047 0.92 .03622 32 1.25984 72 2.83465 0.13 .00512 .053 .02087 0.93 .03661 33 1.29921 73 2.87402 0.14 .00551 .054 .02126 0.94 .03701 34 1.33858 74 2.91339 0.15 .00591 0.55 .02165 0.95 .03740 35 1.37795 75 2.95276 0.16 .00630 0.56 .02205 0.96 .03780 36 1.41732 76 2.99213 0.17 .00669 0.57 .02244 0.97 0.3819 37 1.45669 77 3.03150 0.18 .00709 0	0.08	.00315	0.48	.01890	0.88	.03465	28	1.10236	68	2.67717
0.11 .00433 0.51 .02008 0.91 .03583 31 1.22047 71 2.79528 0.12 .00472 0.52 .02047 0.92 .03622 32 1.25984 72 2.83465 0.13 .00512 .053 .02087 0.93 .03661 33 1.29921 73 2.87402 0.14 .00551 .054 .02126 0.94 .03701 34 1.33858 74 2.91339 0.15 .00591 0.55 .02165 0.95 .03740 35 1.37795 75 2.95276 0.16 .00630 0.56 .02205 0.96 .03780 36 1.41732 76 2.99213 0.17 .00669 0.57 .02244 0.97 0.3819 37 1.45669 77 3.03150 0.18 .00709 0.58 .02283 0.98 .03858 38 1.49660 78 3.07087 0.19 .00748 0	0.09	.00354	0.49	.01929	0.89	.03504	29	1.14173	69	2.71654
0.12 .00472 0.52 .02047 0.92 .03622 32 1.25984 72 2.83465 0.13 .00512 .053 .02087 0.93 .03661 33 1.29921 73 2.87402 0.14 .00551 0.54 .02126 0.94 .03701 34 1.33858 74 2.91339 0.15 .00591 0.55 .02165 0.95 .03740 35 1.37795 75 2.95276 0.16 .00630 0.56 .02205 0.96 .03780 36 1.41732 76 2.99213 0.17 .00669 0.57 .02244 0.97 0.3819 37 1.45669 77 3.03150 0.18 .00709 0.58 .02283 0.98 .03858 38 1.49606 78 3.07087 0.19 .0748 0.59 .02323 0.99 .03898 39 1.53543 79 3.11024 0.20 .00787 0.	0.10	.00394	0.50	.01969	0.90	.03543	30	1.18110	70	2.75591
0.12 .00472 0.52 .02047 0.92 .03622 32 1.25984 72 2.83465 0.13 .00512 .053 .02087 0.93 .03661 33 1.29921 73 2.87402 0.14 .00551 0.54 .02126 0.94 .03701 34 1.33858 74 2.91339 0.15 .00591 0.55 .02165 0.95 .03740 35 1.37795 75 2.95276 0.16 .00630 0.56 .02205 0.96 .03780 36 1.41732 76 2.99213 0.17 .00669 0.57 .02244 0.97 0.3819 37 1.45669 77 3.03150 0.18 .00709 0.58 .02283 0.98 .03858 38 1.49606 78 3.07087 0.19 .0748 0.59 .02323 0.99 .03898 39 1.53543 79 3.11024 0.20 .00787 0.										
0.13 .00512 .053 .02087 0.93 .03661 33 1.29921 73 2.87402 0.14 .00551 0.54 .02126 0.94 .03701 34 1.33858 74 2.91339 0.15 .00591 0.55 .02165 0.95 .03740 35 1.37795 75 2.95276 0.16 .00630 0.56 .02205 0.96 .03780 36 1.41732 76 2.99213 0.17 .00669 0.57 .02244 0.97 0.3819 37 1.45669 77 3.03150 0.18 .00709 0.58 .02283 0.98 .03858 38 1.49606 78 3.07087 0.19 .00748 0.59 .02323 0.99 .03898 39 1.53543 79 3.11024 0.20 .00787 0.60 .02362 1.00 .03937 40 1.57480 80 3.14861 0.21 .00827 0	0.11	.00433	0.51	.02008	0.91	.03583	31	1.22047	71	2.79528
0.14 .00551 0.54 .02126 0.94 .03701 34 1.33858 74 2.91339 0.15 .00591 0.55 .02165 0.95 .03740 35 1.37795 75 2.95276 0.16 .00630 0.56 .02205 0.96 .03780 36 1.41732 76 2.99213 0.17 .00669 0.57 .02244 0.97 0.3819 37 1.45669 77 3.03150 0.18 .00709 0.58 .02283 0.98 .03858 38 1.49606 78 3.07087 0.19 .00748 0.59 .02323 0.99 .03898 39 1.53543 79 3.11024 0.20 .00787 0.60 .02362 1.00 .03937 40 1.57480 80 3.14961 0.21 .00827 0.61 .02402 1 .03937 41 1.61417 81 3.18898 0.22 .00866 .0.6	0.12	.00472	0.52	.02047	0.92	.03622	32	1.25984	72	2.83465
0.15 .00591 0.55 .02165 0.95 .03740 35 1.37795 75 2.95276 0.16 .00630 0.56 .02205 0.96 .03780 36 1.41732 76 2.99213 0.17 .00669 0.57 .02244 0.97 0.3819 37 1.45669 77 3.03150 0.18 .00709 0.58 .02283 0.98 .03858 38 1.49606 78 3.07087 0.19 .00748 0.59 .02323 0.99 .03898 39 1.53543 79 3.11024 0.20 .00787 0.60 .02362 1.00 .03937 40 1.57480 80 3.14961 0.21 .00827 0.61 .02402 1 .03937 41 1.61417 81 3.18898 0.22 .00866 0.62 .02441 2 .07874 42 1.65354 82 3.22835 0.23 .00966 0.63 <td></td> <td>.00512</td> <td></td> <td>.02087</td> <td>0.93</td> <td>.03661</td> <td>33</td> <td>1.29921</td> <td>73</td> <td>2.87402</td>		.00512		.02087	0.93	.03661	33	1.29921	73	2.87402
0.16 .00630 0.56 .02205 0.96 .03780 36 1.41732 76 2.99213 0.17 .00669 0.57 .02244 0.97 0.3819 37 1.45669 77 3.03150 0.18 .00709 0.58 .02283 0.98 .03858 38 1.49606 78 3.07087 0.19 .00748 0.59 .02323 0.99 .03898 39 1.53543 79 3.11024 0.20 .00787 0.60 .02362 1.00 .03937 40 1.57480 80 3.14961 0.21 .00827 0.61 .02402 1 .03937 41 1.61417 81 3.18898 0.22 .00866 0.62 .02441 2 .07874 42 1.65354 82 3.22835 0.23 .00906 0.63 .02480 3 .11811 43 1.69291 83 3.26772 0.24 .00945 0.64	0.14	.00551	0.54	.02126	0.94	.03701	34	1.33858	74	2.91339
0.17 .00669 0.57 .02244 0.97 0.3819 37 1.45669 77 3.03150 0.18 .00709 0.58 .02283 0.98 .03858 38 1.49606 78 3.07087 0.19 .00748 0.59 .02323 0.99 .03898 39 1.53543 79 3.11024 0.20 .00787 0.60 .02362 1.00 .03937 40 1.57480 80 3.14961 0.21 .00827 0.61 .02402 1 .03937 41 1.61417 81 3.18898 0.22 .00866 0.62 .02441 2 .07874 42 1.65354 82 3.22835 0.23 .00906 0.63 .02480 3 .11811 43 1.69291 83 3.26772 0.24 .00945 0.64 .02520 4 .15748 44 1.73228 84 3.30709 0.25 .00984 0.65	0.15	.00591	0.55	.02165	0.95	.03740	35	1.37795	75	2.95276
0.18 .00709 0.58 .02283 0.98 .03858 38 1.49606 78 3.07087 0.19 .00748 0.59 .02323 0.99 .03898 39 1.53543 79 3.11024 0.20 .00787 0.60 .02362 1.00 .03937 40 1.57480 80 3.14961 0.21 .00827 0.61 .02402 1 .03937 41 1.61417 81 3.18898 0.22 .00866 0.62 .02441 2 .07874 42 1.65354 82 3.22835 0.23 .00906 .63 .02480 3 .11811 43 1.69291 83 3.26772 0.24 .00945 .064 .02520 4 .15748 44 1.73228 84 3.30709 0.25 .00984 0.65 .02559 5 .19685 45 1.77165 85 3.34646 0.26 .01024 0.66	0.16		0.56	.02205	0.96	.03780	36	1.41732	76	2.99213
0.19 .00748 0.59 .02323 0.99 .03898 39 1.53543 79 3.11024 0.20 .00787 0.60 .02362 1.00 .03937 40 1.57480 80 3.14961 0.21 .00827 0.61 .02402 1 .03937 41 1.61417 81 3.18898 0.22 .00866 0.62 .02441 2 .07874 42 1.65354 82 3.22835 0.23 .00906 0.63 .02480 3 .11811 43 1.69291 83 3.26772 0.24 .00945 0.64 .02520 4 .15748 44 1.73228 84 3.30709 0.25 .00984 0.65 .02559 5 .19685 45 1.77165 85 3.34646 0.26 .01024 0.66 .02598 6 .23622 46 1.81102 86 3.38583 0.27 .0163 0.67 <t< td=""><td>0.17</td><td>.00669</td><td>0.57</td><td>.02244</td><td>0.97</td><td>0.3819</td><td>37</td><td>1.45669</td><td>77</td><td>3.03150</td></t<>	0.17	.00669	0.57	.02244	0.97	0.3819	37	1.45669	77	3.03150
0.20 .00787 0.60 .02362 1.00 .03937 40 1.57480 80 3.14961 0.21 .00827 0.61 .02402 1 .03937 41 1.61417 81 3.18898 0.22 .00866 0.62 .02441 2 .07874 42 1.65354 82 3.22835 0.23 .00906 0.63 .02480 3 .11811 43 1.69291 83 3.26772 0.24 .00945 0.64 .02520 4 .15748 44 1.73228 84 3.30709 0.25 .00984 0.65 .02559 5 .19685 45 1.77165 85 3.34646 0.26 .01024 0.66 .02598 6 .23622 46 1.81102 86 3.38583 0.27 .01063 0.67 .02638 7 .27559 47 1.85039 87 3.42520 0.28 .01102 0.68	0.18	.00709	0.58	.02283	0.98	.03858	38	1.49606	78	3.07087
0.21 .00827 0.61 .02402 1 .03937 41 1.61417 81 3.18898 0.22 .00866 0.62 .02441 2 .07874 42 1.65354 82 3.22835 0.23 .00906 0.63 .02480 3 .11811 43 1.69291 83 3.26772 0.24 .00945 0.64 .02520 4 .15748 44 1.73228 84 3.30709 0.25 .00984 0.65 .02559 5 .19685 45 1.77165 85 3.34646 0.26 .01024 0.66 .02598 6 .23622 46 1.81102 86 3.38583 0.27 .01063 0.67 .02638 7 .27559 47 1.85039 87 3.42520 0.28 .01102 0.68 .02677 8 .31496 48 1.88976 88 3.46457 0.29 .01142 0.69 .02	0.19	.00748	0.59	.02323	0.99	.03898	39	1.53543	79	3.11024
0.22 .00866 0.62 .02441 2 .07874 42 1.65354 82 3.22835 0.23 .00906 0.63 .02480 3 .11811 43 1.69291 83 3.26772 0.24 .00945 0.64 .02520 4 .15748 44 1.73228 84 3.30709 0.25 .00984 0.65 .02559 5 .19685 45 1.77165 85 3.34646 0.26 .01024 0.66 .02598 6 .23622 46 1.81102 86 3.38583 0.27 .01063 0.67 .02638 7 .27559 47 1.85039 87 3.42520 0.28 .01102 0.68 .02677 8 .31496 48 1.88976 88 3.46457 0.29 .01142 0.69 .02717 9 .35433 49 1.92913 89 3.50394 0.31 .01220 0.71 .02	0.20	.00787	0.60	.02362	1.00	.03937	40	1.57480	80	3.14961
0.22 .00866 0.62 .02441 2 .07874 42 1.65354 82 3.22835 0.23 .00906 0.63 .02480 3 .11811 43 1.69291 83 3.26772 0.24 .00945 0.64 .02520 4 .15748 44 1.73228 84 3.30709 0.25 .00984 0.65 .02559 5 .19685 45 1.77165 85 3.34646 0.26 .01024 0.66 .02598 6 .23622 46 1.81102 86 3.38583 0.27 .01063 0.67 .02638 7 .27559 47 1.85039 87 3.42520 0.28 .01102 0.68 .02677 8 .31496 48 1.88976 88 3.46457 0.29 .01142 0.69 .02717 9 .35433 49 1.92913 89 3.50394 0.31 .01220 0.71 .02										
0.23 .00906 0.63 .02480 3 .11811 43 1.69291 83 3.26772 0.24 .00945 0.64 .02520 4 .15748 44 1.73228 84 3.30709 0.25 .00984 0.65 .02559 5 .19685 45 1.77165 85 3.34646 0.26 .01024 0.66 .02598 6 .23622 46 1.81102 86 3.38583 0.27 .01063 0.67 .02638 7 .27559 47 1.85039 87 3.42520 0.28 .01102 0.68 .02677 8 .31496 48 1.88976 88 3.46457 0.29 .01142 0.69 .02717 9 .35433 49 1.92913 89 3.50394 0.31 .01220 0.71 .02795 11 .43307 51 2.00787 91 3.58268 0.32 .01260 0.72 .0	0.21	.00827	0.61	.02402	1	.03937	41	1.61417	81	3.18898
0.24 .00945 0.64 .02520 4 .15748 44 1.73228 84 3.30709 0.25 .00984 0.65 .02559 5 .19685 45 1.77165 85 3.34646 0.26 .01024 0.66 .02598 6 .23622 46 1.81102 86 3.38583 0.27 .01063 0.67 .02638 7 .27559 47 1.85039 87 3.42520 0.28 .01102 0.68 .02677 8 .31496 48 1.88976 88 3.46457 0.29 .01142 0.69 .02717 9 .35433 49 1.92913 89 3.50394 0.30 .01181 0.70 .02756 10 .39370 50 1.96850 90 3.54331 0.31 .01220 0.71 .02795 11 .43307 51 2.00787 91 3.58268 0.32 .01260 0.72 .	0.22	.00866			2	.07874	42	1.65354	82	3.22835
0.25 .00984 0.65 .02559 5 .19685 45 1.77165 85 3.34646 0.26 .01024 0.66 .02598 6 .23622 46 1.81102 86 3.38583 0.27 .01063 0.67 .02638 7 .27559 47 1.85039 87 3.42520 0.28 .01102 0.68 .02677 8 .31496 48 1.88976 88 3.46457 0.29 .01142 0.69 .02717 9 .35433 49 1.92913 89 3.50394 0.30 .01181 0.70 .02756 10 .39370 50 1.96850 90 3.54331 0.31 .01220 0.71 .02795 11 .43307 51 2.00787 91 3.58268 0.32 .01260 0.72 .02835 12 .47244 52 2.04724 92 3.62205 0.33 .01299 0.73	0.23	.00906	0.63	.02480	3	.11811	43	1.69291	83	3.26772
0.26 .01024 0.66 .02598 6 .23622 46 1.81102 86 3.38583 0.27 .01063 0.67 .02638 7 .27559 47 1.85039 87 3.42520 0.28 .01102 0.68 .02677 8 .31496 48 1.88976 88 3.46457 0.29 .01142 0.69 .02717 9 .35433 49 1.92913 89 3.50394 0.30 .01181 0.70 .02756 10 .39370 50 1.96850 90 3.54331 0.31 .01220 0.71 .02795 11 .43307 51 2.00787 91 3.58268 0.32 .01260 0.72 .02835 12 .47244 52 2.04724 92 3.62205 0.33 .01299 0.73 .02874 13 .51181 53 2.08661 93 3.66142 0.34 .01339 0.74 <td< td=""><td>0.24</td><td>.00945</td><td>0.64</td><td>.02520</td><td>4</td><td>.15748</td><td>44</td><td>1.73228</td><td>84</td><td>3.30709</td></td<>	0.24	.00945	0.64	.02520	4	.15748	44	1.73228	84	3.30709
0.27 .01063 0.67 .02638 7 .27559 47 1.85039 87 3.42520 0.28 .01102 0.68 .02677 8 .31496 48 1.88976 88 3.46457 0.29 .01142 0.69 .02717 9 .35433 49 1.92913 89 3.50394 0.30 .01181 0.70 .02756 10 .39370 50 1.96850 90 3.54331 0.31 .01220 0.71 .02795 11 .43307 51 2.00787 91 3.58268 0.32 .01260 0.72 .02835 12 .47244 52 2.04724 92 3.62205 0.33 .01299 0.73 .02874 13 .51181 53 2.08661 93 3.66142 0.34 .01339 0.74 .02913 14 .55118 54 2.12598 94 3.70079 0.35 .01378 0.75 <t< td=""><td>0.25</td><td>.00984</td><td>0.65</td><td>.02559</td><td>5</td><td>.19685</td><td>45</td><td>1.77165</td><td>85</td><td>3.34646</td></t<>	0.25	.00984	0.65	.02559	5	.19685	45	1.77165	85	3.34646
0.28 .01102 0.68 .02677 8 .31496 48 1.88976 88 3.46457 0.29 .01142 0.69 .02717 9 .35433 49 1.92913 89 3.50394 0.30 .01181 0.70 .02756 10 .39370 50 1.96850 90 3.54331 0.31 .01220 0.71 .02795 11 .43307 51 2.00787 91 3.58268 0.32 .01260 0.72 .02835 12 .47244 52 2.04724 92 3.62205 0.33 .01299 0.73 .02874 13 .51181 53 2.08661 93 3.66142 0.34 .01339 0.74 .02913 14 .55118 54 2.12598 94 3.70079 0.35 .01378 0.75 .02953 15 .59055 55 2.16535 95 3.74016 0.36 .01417 0.76 <	0.26	.01024	0.66	.02598	6	.23622	46	1.81102	86	3.38583
0.29 .01142 0.69 .02717 9 .35433 49 1.92913 89 3.50394 0.30 .01181 0.70 .02756 10 .39370 50 1.96850 90 3.54331 0.31 .01220 0.71 .02795 11 .43307 51 2.00787 91 3.58268 0.32 .01260 0.72 .02835 12 .47244 52 2.04724 92 3.62205 0.33 .01299 0.73 .02874 13 .51181 53 2.08661 93 3.66142 0.34 .01339 0.74 .02913 14 .55118 54 2.12598 94 3.70079 0.35 .01378 0.75 .02953 15 .59055 55 2.16535 95 3.74016 0.36 .01417 0.76 .02992 16 .62992 56 2.20472 96 3.77953 0.37 .01457 0.77	0.27	.01063	0.67	.02638	7	.27559	47	1.85039	87	3.42520
0.30 .01181 0.70 .02756 10 .39370 50 1.96850 90 3.54331 0.31 .01220 0.71 .02795 11 .43307 51 2.00787 91 3.58268 0.32 .01260 0.72 .02835 12 .47244 52 2.04724 92 3.62205 0.33 .01299 0.73 .02874 13 .51181 53 2.08661 93 3.66142 0.34 .01339 0.74 .02913 14 .55118 54 2.12598 94 3.70079 0.35 .01378 0.75 .02953 15 .59055 55 2.16535 95 3.74016 0.36 .01417 0.76 .02992 16 .62992 56 2.20472 96 3.77953 0.37 .01457 0.77 .03031 17 .66929 57 2.24409 97 3.81890 0.38 .01496 0.78	0.28	.01102	0.68		8	.31496	48	1.88976	88	3.46457
0.31 .01220 0.71 .02795 11 .43307 51 2.00787 91 3.58268 0.32 .01260 0.72 .02835 12 .47244 52 2.04724 92 3.62205 0.33 .01299 0.73 .02874 13 .51181 53 2.08661 93 3.66142 0.34 .01339 0.74 .02913 14 .55118 54 2.12598 94 3.70079 0.35 .01378 0.75 .02953 15 .59055 55 2.16535 95 3.74016 0.36 .01417 0.76 .02992 16 .62992 56 2.20472 96 3.77953 0.37 .01457 0.77 .03031 17 .66929 57 2.24409 97 3.81890 0.38 .01496 0.78 .03071 18 .70866 58 2.28346 98 3.85827 0.39 .01535 0.79		.01142	0.69	.02717		.35433	49	1.92913	89	3.50394
0.32 .01260 0.72 .02835 12 .47244 52 2.04724 92 3.62205 0.33 .01299 0.73 .02874 13 .51181 53 2.08661 93 3.66142 0.34 .01339 0.74 .02913 14 .55118 54 2.12598 94 3.70079 0.35 .01378 0.75 .02953 15 .59055 55 2.16535 95 3.74016 0.36 .01417 0.76 .02992 16 .62992 56 2.20472 96 3.77953 0.37 .01457 0.77 .03031 17 .66929 57 2.24409 97 3.81890 0.38 .01496 0.78 .03071 18 .70866 58 2.28346 98 3.85827 0.39 .01535 0.79 .03110 19 .74803 59 2.32283 99 3.89764	0.30	.01181	0.70	.02756	10	.39370	50	1.96850	90	3.54331
0.32 .01260 0.72 .02835 12 .47244 52 2.04724 92 3.62205 0.33 .01299 0.73 .02874 13 .51181 53 2.08661 93 3.66142 0.34 .01339 0.74 .02913 14 .55118 54 2.12598 94 3.70079 0.35 .01378 0.75 .02953 15 .59055 55 2.16535 95 3.74016 0.36 .01417 0.76 .02992 16 .62992 56 2.20472 96 3.77953 0.37 .01457 0.77 .03031 17 .66929 57 2.24409 97 3.81890 0.38 .01496 0.78 .03071 18 .70866 58 2.28346 98 3.85827 0.39 .01535 0.79 .03110 19 .74803 59 2.32283 99 3.89764										
0.33 .01299 0.73 .02874 13 .51181 53 2.08661 93 3.66142 0.34 .01339 0.74 .02913 14 .55118 54 2.12598 94 3.70079 0.35 .01378 0.75 .02953 15 .59055 55 2.16535 95 3.74016 0.36 .01417 0.76 .02992 16 .62992 56 2.20472 96 3.77953 0.37 .01457 0.77 .03031 17 .66929 57 2.24409 97 3.81890 0.38 .01496 0.78 .03071 18 .70866 58 2.28346 98 3.85827 0.39 .01535 0.79 .03110 19 .74803 59 2.32283 99 3.89764								2.00787	91	3.58268
0.34 .01339 0.74 .02913 14 .55118 54 2.12598 94 3.70079 0.35 .01378 0.75 .02953 15 .59055 55 2.16535 95 3.74016 0.36 .01417 0.76 .02992 16 .62992 56 2.20472 96 3.77953 0.37 .01457 0.77 .03031 17 .66929 57 2.24409 97 3.81890 0.38 .01496 0.78 .03071 18 .70866 58 2.28346 98 3.85827 0.39 .01535 0.79 .03110 19 .74803 59 2.32283 99 3.89764				.02835			52			3.62205
0.35 .01378 0.75 .02953 15 .59055 55 2.16535 95 3.74016 0.36 .01417 0.76 .02992 16 .62992 56 2.20472 96 3.77953 0.37 .01457 0.77 .03031 17 .66929 57 2.24409 97 3.81890 0.38 .01496 0.78 .03071 18 .70866 58 2.28346 98 3.85827 0.39 .01535 0.79 .03110 19 .74803 59 2.32283 99 3.89764							53	2.08661	93	3.66142
0.36 .01417 0.76 .02992 16 .62992 56 2.20472 96 3.77953 0.37 .01457 0.77 .03031 17 .66929 57 2.24409 97 3.81890 0.38 .01496 0.78 .03071 18 .70866 58 2.28346 98 3.85827 0.39 .01535 0.79 .03110 19 .74803 59 2.32283 99 3.89764	0.34	.01339					54		94	3.70079
0.37 .01457 0.77 .03031 17 .66929 57 2.24409 97 3.81890 0.38 .01496 0.78 .03071 18 .70866 58 2.28346 98 3.85827 0.39 .01535 0.79 .03110 19 .74803 59 2.32283 99 3.89764							55			
0.38 .01496 0.78 .03071 18 .70866 58 2.28346 98 3.85827 0.39 .01535 0.79 .03110 19 .74803 59 2.32283 99 3.89764		.01417			16	.62992	56	2.20472	96	3.77953
0.39 .01535 0.79 .03110 19 .74803 59 2.32283 99 3.89764		.01457				.66929	57	2.24409	97	3.81890
	0.38	.01496	0.78	.03071	18	.70866	58	2.28346	98	3.85827
0.40 .01575 0.80 .03150 20 .78740 60 2.36220 100 3.93701	0.39	.01535		.03110		.74803	59	2.32283	99	3.89764
	0.40	.01575	0.80	.03150	20	.78740	60	2.36220	100	3.93701

Conversion Tables Fractions to Decimals to Millimeters

Decimals	to
Millimete	rs

Decimal	mm	Decimal	mm
0.001	0.0254	0.500	12.700
0.002	0.0508	0.510	12.9540
0.003	0.0762	0.520	13.2080
0.004	0.1016	0.530	13.4620
0.005	0.1270	0.540	13.7160
0.006	0.1524	0.550	13.9700
0.007	0.1778	0.560	14.2240
0.008	0.2032	0.570	14.4780
0.009	0.2286	0.580	14.7320
0.010	0.2540	0.590	14.9860
0.020	0.5080	0.000	
0.030	0.7620		
0.040	1.0160	0.600	15.2400
0.050	1.2700	0.610	15.4940
0.060	1.5240	0.620	15.7480
0.070	1.7780	0.630	16.0020
0.080	2.0320	0.640	16.2560
0.090	2.2860	0.650	16.5100
0.090	2,2000		
		0.660	16.7640
0.100	2.5400	0.670	17.0180
0.110	2.7940	0.680	17.2720
0.120		0.690	17.5260
0	3.0480	0.690	17.5260
0.130	3.3020		
0.140	3.5560		
0.150	3.8100		
	0.0.00	0.700	47 7000
0.160	4.0640	0.700	17.7800
0.170	4.3180	0.710	18.0340
0.180	4.5720	0.720	18.2880
0.190	4.8260	0.730	18.5420
0.190	4.0200		
l		0.740	18.7960
0.200	5.0800	0.750	19.0500
0.210	5.3340	0.760	19.3040
	5.5880		
0.220		0.770	19.5580
0.230	5.8420	0.780	19.8120
0.240	6.0960	0.790	20.0660
0.250	6.3500		
	6.6040		
0.260			
0.270	6.8580		
0.280	7.1120	0.800	20.3200
0.290	7.3660	0.810	20.5740
0.200	7.0000	0.820	20.8280
0.300	7.6200	0.830	21.0820
0.310	7.8740	0.840	21.3360
0.320	8.1280	0.850	21.5900
	8.3820		21.8440
0.330		0.860	
0.340	8.6360	0.870	22.0980
0.350	8.8900	0.880	22.3520
0.360	9.1440	0.890	22,6060
		0.090	22.0000
0.370	9.3980		
0.380	9.6520		
0.390	9.9060	0.900	22.8600
0.400	10.1600	0.910	23.1140
0.410	10.4140	0.920	23.3680
0.420	10.6680	0.930	23.6220
0.430	10.9220	0.940	23.8760
0.440	11.1760	0.950	24.1300
0.450	11.4300	0.960	24.3840
0.460	11.6840	0.970	24.6380
0.470	11.9380	0.980	24.8920
			25.1460
0.480	12.1920	0.990	
0.490	12.4460	1.000	25.4000
	•		

Fraction	Decimal	mm	Fraction	Decimal	mm
1/84	0.0156	0.3969	33/84	0.5156	13.0969
1/32	0.0312	0.7938	17/32	0.5312	13.4938
3/64	0.0469	1.1906	35/64	0.5469	13.8906
1/16					
	0.0625	1.5875	9/16	0.5625	14.2875
5/64	0.0781	1.9844	37/64	0.5781	14.6844
3/32	0.0938	2.3812	19/32	0.5938	15.0812
7/64	0.1094	2.7781	39/64	0.6094	15.4781
1/8	0.1250	3.1750	5/8	0.6250	15.8750
9/64	0.1406	3.5719	41/64	0.6406	16.2719
5/32	0.1562	3.9688	²¹ /32	0.6562	16.6688
11/64	0.1719	4.3656	43/64	0.6719	17.0656
3/16	0.1875	4.7625	11/16	0.6875	17.4625
13/64	0.2031	5.1594	45/64	0.7031	17.8594
7/32	0.2188	5.5562	23/32	0.7188	18.2562
15/64	0.2344	5.9531	47/64	0.7344	18.6531
1/4	0.2500	6.3500	3/4	0.7500	19.0500
¹⁷ /64	0.2656	6.7469	⁴⁹ / ₆₄	0.7656	19.4469
9/32	0.2812	7.1438	25/32	0.7812	19.8438
19/64	0.2969	7.5406	51/64	0.7969	20.2406
5/ ₁₆	0.3125	7.9375	13/16	0.8125	20.6375
²¹ / ₆₄	0.3281	8.3344	53/64	0.8281	21.0344
11/32	0.3438	8.7312	27/32	0.8438	21.4312
²³ / ₈₄	0.3594	9.1281	55/64	0.8594	21.8281
3/8	0.3750	9.5250	⁷ /8	0.8750	22.2250
²⁵ /84	0.3906	9.9219	57/64	0.8906	22.6219
13/32	0.4062	10.3188	29/32	0.9062	23.0188
²⁷ / ₆₄	0.4219	10.7156	⁵⁹ / ₆₄	0.9219	23.4156
7/16	0.4375	11.1125	15/16	0.9375	23.8125
²⁹ / ₆₄	0.4531	11.5094	15/16	0.9531	24.2094
15/32	0.4688	11.9062	31/32	0.9688	24.6062
31/64	0.4844	12.3031	⁶³ / ₆₄	0.9844	25.0031
1/2	0.5000	12.7000	1	1.0000	25.4000

					Weights					
Symbol	Grain Units	Grams Per Unit	Troy Ounces Per Unit	Avoirdupois Ounces Per Unit	Troy Pounds Per Unit	Avoirdupois Pounds Per Unit	Kilograms Per Unit	Metric Tons Per Unit	Avoirdupois Tons Per Unit	Per Unit
gr	Grain	1	.0648	.002083	.002286	.0001736	.0001429	-	_	_
g	Gram	15.4324	1	.032151	.035274	.002679	.002205	.001		_
oz. t.	Ounce Troy	480	31.1035	1	1.09715	.083333	0.68571	.031103	-	-
oz. av.	Ounce Av.	437.5	28.3495	.911458	1	.075955	.0625	.028350	_	-
lb. t.	Pound Troy	5760	373.242	12	13.1657	1	.822857	.37324	.000373	.000411
lb. av.	Pound Av.	7000	453.59	14.5833	16	1.215278	1	.45359	.000454	.00050
kg	Kilograms	-	1000	32.1507	35.274	2.67923	2.20462	1	.001	.001102
-	Ton Metric	-	-	32150.7	35274	2679.23	2204.62	1000	1	1.10231
-	Ton Av.	_	_	29166.7	32000	2430.56	2000	907.185	.907185	1

e.g. 1 gram = .032151 troy ounces so 40 grams would be (40 g) (.032151 oz.t/g) = 1.28604 oz.t

Conversion Tables

Units and Conversion Factors

	Linear Measure											
Symbol	Unit	Inches per Unit	Feet per Unit	Yards per Unit	Miles per Unit	Centimeters per Unit	Meters per Unit	Kilometers per Unit				
in	Linear Inch	1	0.0833	0.027778	_	2.54	0.0254	_				
ft	Linear Foot	12	1	0.3333	_	30.480	0.3048	_				
yd	Linear Yard	36	3	1	_	91.44	0.9144	_				
mi	Linear Mile	63360	5280	1760	1	_	1609.34	1.609				
cm	Centimeter	0.3937	0.0328	0.010936	_	1	0.01	_				
m	Meter	39.37	3.2808	1.093613	_	100	1	.001				
km	Kilometer	39370	3280.8	1093.613	.6214	_	1000	0.0 1				

Eg. 1 meter = 3.2808 ft so 300 meters would be (300m) (3.2808 ft/m) = 984.24 ft.

	Square Measure											
Symbol	Unit	Square Inches per Unit	Square Feet per Unit	Square Yards per Unit	Acres per Unit	Square Centimeters per Unit	Square Meters per Unit	Hectares per Unit				
in²	Square Inch	1	0.006944	0.0007716	_	6.4516	0.000645					
ft²	Square Foot	144	1	0.111111	_	929.034	0.0929	72.0				
yd²	Square Yard	1296	9	1	_	8361.274	0.836127					
_	¹Acre	-	43560	4840	1	_	4047	0.4047				
cm ²	Sq. Centimeter	.15500	0.0010764	0.00011960	_	1	0.0001					
m²	Square Meter	1550.0031	10.76391	1.195990	_	10000	1	0.0001				
-	Hectares	_	-	11954.8	2.47	_	1000	1				

1) 640 Acres = 1 square mile. Eg. 1 square meter = 1.195990 square yards so 30 square meters would be (30m²) (1.195990 yd²/m²) = 35.88 yd2

	Cubic Measure											
Symbol	Unit	Cubic Inches per Unit	Cubic Feet per Unit	Cubic Yards per Unit	Cubic Centimeters per Unit	Cubic Meters per Unit						
cu in cu ft cu yard cu cm or cm³ cu m or m³	Cubic Inch Cubic Foot Cubic Yard Cu Centimeter Cubic Meter	1 1728 46656 0.0610237 61023.74	.0005787 1 27 .0000353 35.31467	.00002143 .037037 1 .000001308 1.307951	16.387064 28316.847 764554.9 1 1,000,000	.000016387 .018317 .7646 .000001						

Eg. 1m³ = 1.307951cu yds so 3 cubic meters would be (3m³) (1.307942 cu yd/m³) = 3.923853 cu yd

	Liquid Measure										
Symbol	Unit	Fluid Ounces per Unit	Pints per Unit	Quarts per Unit	Gallons per Unit	Litres per Unit					
fl. oz. – 1 qt. gal 1	Fluid Ounces Pint Quart Gallons Litre	1 16 32 128 33.814	.0625 1 2 8 2.1134	.03125 .5 1 4 1.0567	.0078125 .125 .25 1 .26417	.02957 .4732 .9464 3.7854 1					

Eg. 1 Litre = .26418 gallons so 4 Litres would be (4l) (.26418 gal/l) = 1.05672 gal

					Weight	s				
Symbol	Grain Units	Grams per Unit	Troy Ounces per Unit	Avoirdupois Ounces per Unit	Troy Pounds per Unit	Avoirdupois Pounds per Unit	Kilograms per Unit	Metric Tons per Unit	Avoirdupois Tons per Unit	Per Unit
gr	Grain	1	.0648	.002083	.002286	.0001736	.0001429	_	_	_
g	Gram	15.4324	1	.032151	.035274	.002679	.002205	.001		_
oz. t.	Ounce Troy	480	31.1035	1	1.09715	.083333	.068571	.031103	_	_
oz. av.	Ounce Av.	437.5	28.3495	.911458	1	.075955	.0625	.028350	_	_
lb. t.	Pound Troy	5760	373.242	12	13.1657	1	.822857	.37324	.000373	.000411
lb. av.	Pound Av.	7000	453.59	14.5833	16	1.215278	1	.45359	.000454	.00050
kg	Kilograms	-	1000	32.1507	35.274	2.67923	2.20462	1	.001	.001102
_	Ton Metric Ton Av.	-		32150.7 29166.7	35274 32000	2679.23 2430.56	2204.62 2000	1000 907.185	.907185	1.10231 1

Eg. 1 gram = .032151 troy ounces so 40 grams would be (40g) (.032151 oz.t./g) = 1.28604 oz. t.

Pressure Conversion

from to	PSI	КРА	Inches* H ₂ O	mmH₂O	Inches** Hg	mm Hg	Bars	m Bars	Kg/cm²	gm/cm²
PSI	1	6.8948	27.7620	705.1500	2.0360	51.7149	0.0689	68.9470	0.0703	70.3070
КРА	0.1450	1	4.0266	102.2742	0.2953	7.5006	0.0100	10.0000	0.0102	10.197
Inches*	0.0361	0.2483	1	25.4210	0.0734	1.8650	0.0025	2.4864	0.0025	2.5355
mm H ₂ O	0.0014	0.0098	0.0394	1	0.0028	0.0734	0.0001	0.0979	0.00001	0.0982
Inches** Hg	0.4912	3.3867	13.6195	345.936	1	25.4000	0.0339	33.8639	0.0345	34.532
mm Hg	0.0193	0.1331	0.5362	13.6195	0.0394	1	0.0013	1.3332	0.0014	1.3595
Bars	14.5040	100.000	402.180	10215.0	29.5300	750.060	1	1000	1.0197	1019.72
m Bars	0.0145	0.1000	0.4022	10.2150	0.0295	0.7501	0.001	1	0.0010	1.0197
Kg/cm²	14.2233	97.9047	394.408	10018.0	28.9590	735.559	0.9000	980.700	1	1000
gm/cm²	0.0142	0.0979	0.3944	10.0180	0.0290	0.7356	0.0009	0.9807	0.001	1

EXAMPLE 1 mm Hg = 0.5362 inches $H_2O = 1.3332$ mBars 97 mm Hg = 97(0.5362) = 52.0114 inches H_2O 97 mm Hg = 97(1.3332) = 129.3204 mBars

* at 60 °F ** at 32 °F

Volume Conversion

from to	cm³	liter	m³	in³	ft³	yd³	fl oz	fl pt	fl qt	gal	gal (lmp.)	bbl (oil)	bbl (liq)
cm ³	1	0.001	1 x 10⁻⁵	0.06102	3.53 x 10-5	1.31 x 10 ⁻¹	0.03381	0.00211	0.00106	2.64 x 10 ⁻⁴	2.20 x 10 ⁻⁴	6.29 x 10 ⁻⁶	8.39 x 10⁴
liter	1000	1	0.001	61.02	0.03532	0.00131	33.81	2.113	1.057	0.2642	0.2200	0.00629	0.00839
m³	1 x 10 ⁶	1000	1	6.10 x 10 ⁴	35.31	1.308	3.38 x 104	2113	1057	264.2	220.0	6.290	8.386
in ³	16.39	0.01639	1.64 x 10 ⁻⁵	1	5.79 x 10 ⁻⁴	2.14 x 10-5	0.5541	0.03463	0.01732	0.00433	0.00360	1.03 x 10 ⁻⁴	1.37 x 10 ⁻⁴
ft³	2.83 x 10 ⁴	28.32	0.02832	1728	1	0.03704	957.5	59.84	29.92	7.481	6.229	0.1781	0.2375
yd³	7.65 x 10 ⁵	764.5	0.7646	4.67 x 104	27	1	2.59 x 104	1616	807.9	202.0	168.2	4.809	6.412
fl oz	29.57	0.02957	2.96 x 10 ⁻⁶	1.805	0.00104	3.87 x 10 ⁻⁵	1	0.06250	0.03125	0.00781	0.00651	1.86 x 10 ⁻⁴	2.48 x 10 ⁻⁴
fl pt	473.2	0.4732	4.73 x 10⁴	28.88	0.01671	6.19 x 10 ⁻⁴	16	1	0.5000	0.1250	0.1041	0.00298	0.00397
fl qt	946.4	0.0463	9.46 x 10 ⁻⁴	57.75	0.03342	0.00124	32	2	1	0.2500	0.2082	0.00595	0.00794
gal	3785	3.785	0.00379	231.0	0.1337	0.00495	128	8	4	1	0.8327	0.02381	0.03175
gal (Imp.)	4546	4.546	0.00455	277.4	0.1605	0.00595	153.7	9 608	4.804	1.201	. 1	0.02859	0.03813
bbl (oil)	1.59 x 10 ⁵	159.0	0.1590	9702	5.615	0.2079	5376	336	168	42	34.97	1	1.333

 $1 \text{ cord} = 128 \text{ ft}^3 = 3.625 \text{ m}^3$

Flow Rate Conversion

from to	lit/sec	gal/min	ft³/sec	ft³/min	bbi/hr	bbl/day
lit/sec	1	15.85	0.03532	2.119	22.66	543.8
gal/min	0.06309	1	0.00223	0.1337	1.429	34.30
ft³/sec	28.32	448.8	1	60	641.1	1.54 x 10⁴
ft³/min	0.4719	7.481	0.01667	1	10.69	256.5
bbl/hr	0.04415	0.6997	0.00156	0.09359	1 1	24
bbl/day	0.00184	0.02917	6.50 x 10 ⁻⁵	0.00390	0.04167	1

bbl refers to bbl oil = 42 gallons

Temperature Conversions

Temperature Conversions

Fahrenheit thermometers are in common use in the United States, but scientists and all others who use the metric system use the scale called Celsius. This scale is the same as Centigrade, but the National Insistute of Standards and Technology has recommended the use of the term Celsius since 1948. See the conversions below:

Celcius to Fahrenheit	Fahrenheit to Celciu	IS				renheit l sion Rati		on
100° 212° BOILING 212	2°	100°	С	F	С	F	С	F
95 203	210° 98.9°		0	32.0	35	95.0	70	158.0
90 - 194	200 93.3		1	33.8	36	96.8	71	159.8
	190 - 87.8		2	35.6	37	98.6	72	161.6
85 - 185	1 1		3	37.4	38	100.4	73	163.4
80 - 176	180 - 82.2	:	4	39.2	39	102.2	74	165.2
75 - 167	170 - 76.7		5	41.0	40	104.0	75	167.0
70 - 158	160 - 71.1		6	42.8	41	105.8	76	168.8
65 149	150 - 65.6		7 8	44.6 46.4	42 43	107.6 109.4	77 78	170.6 172.4
60 - 140	140 - 60.0		9	48.2	44	111.2	79	174.2
55 131	130 - 54.4		10	50.0	45	113.0	80	176.0
50 - 122	1 1		11	51.8	46	114.8	81	177.8
45 113	120 - 48.9		12	53.6	47	116.0	82	179.6
40 - 104	110 - 43.3		13	55.4	48	118.4	83	181.4
37° 35 - 95 NORMAL -	_ 100 - 38.8	37°	14	57.2	49	120.2	84	183.2
30 - 86	90 - 32.2		15	59.0	50 51	122.0 123.8	85 86	185.0
	80 - 26.7		16 17	60.8 62.6	52	125.6	87	186.8 188.6
25 77	70 - 21.1		18	64.4	53	127.4	88	190.1
20 - 68	1 1		19	66.2	54	129.2	89	192.2
15 59	60 15.6		20	68.0	55	131.0	90	194.0
10 - 50	50 10.0		21	69.8	56	132.8	91	195.8
5 41	40 4.4		22	71.6	57	134.6	92	197.6
0 - 32 FREEZING	301.1	0°	23 24	73.4 75.2	58 59	136.4 138.2	93 94	199.4 201.2
-5 23	206.7		25	77.0	60	140.0	95	203.0
-10 - 14	1012.2		26	78.8	61	141.8	96	204.0
-15 - 5	I I		27	80.6	62	143.6	97	206.6
-204	0 17.8		28	82.4	63	145.4	98	208.4
-2513	-1023.3		29	84.2	64	147.2	99	210.2
-3022	-2028.9		30	86.0	65	149.0	100	212.0
	-3034.4		31	87.8	66	150.8		
-3531	-4040.0		32 33	89.6 91.4	67 68	152.6 154.4		1
-40	-10 J [-40.0		34	93.2	69	156.2		
	\bigcirc			grade-F (³/₅) + 32		neit Con 32) x⁵/₃	versior	1

To convert Celsius degrees into Fahrenheit: multiply by 9, divide by 5 and add 32. To convert Fahrenheit into Celsius: subtract 32 from Fahrenheit, multiply by 5, divide by 9

Centigrade-Fahrenheit Conversion

 $F=(Cx^{9}/_{5}) + 32C=(F-32) x^{5}/_{8}$

Metric Conversions

Conversion Ratios

Metric Conversions

Multiply	Ву	To Obtain
Diameter circle	3.141	Circumference circle
Diameter circle	0.8862	Side of equal square
Diameter circle squared	0.7854	Area of circle
Circular mils	0.7854	Square mils
Diameter sphere squared	3.1416	Area of sphere
Diameter sphere cubed	0.5236	Volume of sphere
U.S. gallons	0.8327	Imperial gallons (British)
U.S. gallons	0.1337	Cubic feet
U.S. gallons	8.330	Pounds of water (20C)
Cubic feet	62.427	Pounds of water (4C)
Feet of water (4C)	0.4335	Pounds per square inch
Inches of mercury (0C)	0.4912	Pounds per square inch
Seconds squared	16.08	Feet fallen from rest
Knots	1.1516	Miles per hour
To obtain the above	Divide by	Starting with the above

	Metric	U.S.
Length		
	1 millimeter	=0.03937 inches
	1 centimeter	=0.3937 inches
	1 decimeter	=3.937 inches
	1 meter	=39.37 inches
	1 meter	=3.280 feet
	1 meter	=1.094 yards
	1 dekameter 1 kilometer	=32.808 feet
	1 kilometer	=3280.8 feet =0.621 miles
Area	i kilometer	=0.621 miles
	1 square millimeter	=0.002 square inches
	1 square centimeter	=0.155 square inches
	1 square decimeter	=15.500 square inches
	1 square meter	=10.764 square feet
	1 square meter	=1.196 square yards
	1 acre	=119.599 square yards
	1 hectare	=2.471 acres
	1 square kilometer	=0.386 square miles
Volume	4 90	0.074 # 11.1
	1 millimeter	=0.271 fluid drams
	1 liter	=1.057 liquid quarts
	1 dekaliter	=2.642 gallons
\Moich+	1 hectoliter	=26.418 gallons
Weight	1 milliarom	-0.01E avoins
	1 milligram	=0.015 grains =15.432 grains
	1 gram 1 gram	=0.035 ounces
	1 kilogram	=25.274 ounces
	1 kilogram	=2.205 pounds
	1 metric ton	=1.102 short (U.S.) tons
	1 metric ton	=2,204.623 pounds
	U.S.	Metric
Length		
Ū	1 inch	=2.54 centimeters
	1 foot	=0.3048 meters
	1 yard	=0.9144 meters
	1 mile	=1,609.3 meters
	1 mile	=1,609 kilometers
Area		
Alea	1 square inch	=6.4516 square centimeters
	1 square foot	=9.2903 square decimeters
	1 square yard	=0.836 square meters
	1 acre	=0.405 hectares
	1 square mile	=2.5899 square kilometers
Volume	al retries	0.470 (%)
	1 pint	=0.473 liter
	1 quart	=0.946 liter
	1 gallon	=3.785 liters
Weight		
	1 grain	=64.799 milligrams
	1 ounce	=28.350 grams
	1 pound	=453.592 grams
	1 short ton	=.907 metric ton

Temperature Sensor Technology

Table 3 Sheaths Max. Operating Temp.

Material	Max. Temperature (F°)
Carbon Steel	1000°F
304/316 SS	1800°F
**Monel TM	2000°F
***Hastelloy TM C	2000°F
446 Stainless Steel	2000°F
Nickel	2000°F
****Inconel TM 600	2100°F
*****Kanthal TM	2200°F
Quartz	2300°F
Cobalt Tungsten	2400°F
Titanium	2700°F
Zirconium	3000°F
Silicon Carbide	3000°F
Platinum Rhodium	3050°F
Silicon Nitride	3150°F
Mullite (Porcelain)	3200°F
99% Alumia (Al203)	3400°F
Moly (molybdenum)	4000°F
Tantium	4500°F
Tungsten	5000°F

Table 4 Interior Insulations Max. Operating Temp.

Material	Max. Temperature (F°)
(1) Al203	2400°F
(2) Mg 0	2500°F
(3) Th O2°	4000°F
(4) Be 0 (toxic)	4200°F

Table 6 Temperature Span vs.

Temperature	Resistance (Ohms)
+300 to 600°F +150 to 300°F +32 to 212°F	100K-500K @ 25°C 2K-75K @ 25°C 2K-5K @ 25°C
-100 to +150°F	100-1K @ 25°C

- Trademark of Hoskins Mfg. Co.
- ** Trademark of International Nickel Co.
- *** Trademark of Union Carbide Co.
- Trademark of International Nickel Co.
- Trademark of Kanthal Corp.

Thermistor Resistance

The	rmis	tors

As resistance temperature devices (RTD), thermistors provide a direct indication of absolute temperature. They do not need cold junction compensation. They are excellent for low temperature measurements (-450°F) and to a high temperature of about 600°F, above which they decrease in stability. Their sensing area is small and their low mass (unless sheathed) allows a fairly fast response time of measurement.

Table 5

Lead Insulations

Max. Operating Temp.

Material

Teflon

Glass

Kapton

Asbestos

Cefir (R)

Ceramic

Max. Temperature (F°)

500°F

55/750°F

1200°F

1200°F

2500°F 3000 to 4000°F

Thermistors exhibit very high sensitivity and may change resistance 10 million to one over the span of -100 to +400°C where a platinum RTD would only change resistance by a 4:1 ratio over the same span. A thermocouple's output over its entire temperature range will change only 10 or 15 to 1. Compared with thermocouple accuracies of a few degrees and RTD accuracy of possibly a tenth of a degree, thermistor offer accuracies of ±.01°C over narrow temperature spans.

Efforts have been made recently to overcome their extreme nonlinearity by increasing the number of elements in the measuring network. With three thermistor networks, the linearity has been improved and the temperature span widened.

With curve matched and selected units, thermistor interchangeably has yielded accuracies of ±0.2°C over wider temperature ranges. Their low cost makes them attractive in volume applications such as the automotive industry and for refrigeration controls. Their upper temperature limit (600°F) effectively precludes them from use in the power, chemical and metal process industries. They are widely used in temperature controllers for copiers, air conditioning, photography, and other limited applications.

RTDs (Resistance Temperature Detectors)

RTDs are made of copper, nickel, balco (nickel-iron) and platinum, with platinum now becoming the industry standard. These are resistance temperature detectors made of a single high purity wire, usually 0.001" in diameter, space wound onto a ceramic mandrel. Lead wires of nickel plated or ni-clad copper are fusion or resistance welded onto the sensor, usually in a three-wire or four-wire configuration. The sensor itself is then inserted into a thermowell of appropriate material and pressure rated for the intended environment. Most sheathed sensors (RTD or T/C) in industial applications are brazed or welded onto appropriate fittings and attached through a pipe extension to a connection head.

These intermediate leads are normally glass insulated and are brought out to the end of the sheath through powdered aluminum oxide insulation or a suitable high temperature epoxy. The external lead wires are attached (welded, brazed, soldered, etc.) and potted with a moisture sealing compound (epoxy or ceramic cement). If operation is above 700°F, preoxidized inconel tubing may replace the stainless steel sheath to avoid outgassing contamination.

Standard RTD resistance (at ice point) are 100 and 200 ohms for platinum, 120 or 500 ohm for nickel and 604 or 2000 ohm for balco. Copper RTDs (and thermistors) are specified at 25°C (77°F) instead of ice point (32°F). Thus a 10 or 100 ohm copper RTD is actually 9.038 or 90.38 ohms @ 32°F.

RTD's used the most instrumentation and the only standard to date, DIN, is 100 ohm platinum with a coefficient of $0.00385\Omega/\Omega^{\circ}C$ (or 3850 ppm), indicating a resistance of 138.50 ohms at boiling point (100°C, 212°F). Tables for the Calendar-Van Dusen Equation have been calculated for both DIN 3850 alphas and higher U.S. Reference Grade (higher purity (99.999%) platinum), alphas, such as 3915 and 3923 ppm.

Theoretically, it is possible to build an RTD above 1200°F. Unfortunately, platinum is easy to contaminate or strain, which shifts the "alpha" or temperature coefficient, rendering the sensor unstable.

Temperature Sensor Technology

Types of Sensors

There are three basic types of temperature sensors commonly used today: Thermistors, Thermocouples and Platinum RTDs. Listed below in tabular format are the important features of each of these devices.

In general, thermocouples provide the most economical means of measurement over the widest temperature detectors which include both thermistors and platinum RTDs will, in general, provide a more accurate means of absolute temperature measurement. This is true, however, over narrow temperature ranges.

Thermocouples

Thermocouples (T/C) are practically the only option available today to measure temperatures in the range from +1200°F to +5000°F.

When using and selecting thermocouples, it is very important to consider the atmosphere, environment, (how corrosive, how much pressure or vacuum, reducing or oxidizing atmosphere), as well as the temperature being measured. These and other factors not only affect the choice of material used for insulation, wire size, wire insulation and sheaths, but also may determine the construction of the sensor.

Most thermocouples are physically mounted in stainless steel (type 304 or 316) sheaths, approximately 0.25 inch diameter. They are mineral insulated inside and bendable to different shapes. External lead wire insulation includes teflon, micatemp and ceramic beads or cloth. Wire sizes used depend on the sheath diameter and other factors. Larger diameters (from 12-16 gauge) are often used in open or exposed junction configurations. Larger diameter wires are also required to operate at higher temperatures.

The following tables show the maximum operating temperatures for thermocouples and their related components.

Comparison of Temperature Sensors

Specification	Platinum RTD**	Thermocouple	Thermistor
Typical Operating Temperature Range	-320°F to +1200°F	-320°F to +2300°F	-150°F to +300°F
Accuracy Interchangeability	-40 to 212°F:±0.5°F 212 to 932°F:±3°F 932 to 1200°F:±3.75°F	32 to 530°F:±1 ½°F to ±4°F 530 to 2300°F:± ½ to ± ¾%*	-40 to 2121°F:±0.5°F degrades rapidly over 212°F
Typical Sensitivity at 32°F	0.21 mV/°F with bridge	0.02 mV/°F	2 mV/°F with bridge
Stability	±0.01% for 5 Years	1 to 2°F per year	±0.2 to 0.5°F per year
Repeatability	0.05°F	2 to 4°F	0.2 to 1°F
Linearity	GOOD	AVERAGE	POOR
Size (Min.) Diameter	0.125" diameter	0.015" diameter	0.100″
Time Response	2-5/secs.	2-5/secs.	1-2/secs.
Remarks stability over wide temp. range	Best for accuracy & Low signal-level Not best accuracy	Wide range, economical, limited on temp., poor linearity	High sensitivity

^{* %} of measuring reading.

In addition, thermocouples require a reference junction. The output voltage of a T/C is approximately proportional to the temperature difference between the measuring (hot) junction and the reference (cold) junction. This constant of proportionality is known as the Seebeck Coefficient and ranges from 5 to 50V/°C for commonly used thermocouples. The best way to know the temperature at the reference junction is to keep this junction in an ice bath resulting in zero out-

put voltage of 0°C (32°F), A more convenient approach used in electronic instruments is known as cold junction compensation. This technique adds a compensating voltage to the thermocouple's output so that the reference junction appears to be at 0°, independent of the actual temperature. If this compensating voltage is proportionality as the thermocouple, changes in ambient temperature will have no effect on output voltage.

Table 1 Sheath and Wire Sizes

Sheath Diameter		Wire Diameter				
Fractions	Inches	Inches	mm	Gauge		
1/16	0.062	0.01 to 0.013	0.2 to 0.32	28-32		
1/18	0.125	0.016 to 0.02	0.4 to 0.8	24-36		
3/16	0.188	0.032	0.8	20		
1/4	0.250	0.032 to 0.040	0.8 to 1.0	18-20		

Table 2
Thermocouples Max. Operating Temp.

Thermocouples	Max. Temperature (F°)
J Iron Constantan *K Chromel Alumel TM	2192°F 2501°F
T Copper Constantan	752°F
E Chromel Constantan R/S Platinum Rhodium	1832°F 3214°F
B Platinum Rhodium	3308°F
C Tungsten Rhenium	5000°F

^{**} Industrial grade, 100 ohms, at 0°C, at 0°C, with 1.0 milliampere excitation. Reprinted Courtesy of Analogic Corporation

Thermocouple Wire Specifications

	ANSI Color Code	for Therm	ocouple and T	hermocouple	Extension W	ire
ANSI		Thermocou	ple Wire Color	T/C	extension Wire (Color
Type	Wire Alloys	Polarity	Individual	Overall	Individual	Overall
Т	Copper	+TP	Blue	Brown	Blue	Blue
	Constantan	-TN	Red		Red	370
J	Iron	+JP	White	Brown	White	Black
	Constantan	-Jn	Red		Red	
Е	Chromel	+EP	Purple	Brown	Purple	Purple
	Constantan	-EN	Red		Red	
К	Chromel	+KP	Yellow	Brown	Yellow	Yellow
	Alumel	-KN	Red		Red	
R	Platinum 13% Rhodium	+RP			Black	Green
	Platinum	-RN			Red	
S	Platinum 10% Rhodium	+SP			Black	Green
	Platinum	-SN			Red	
В	Platinum 30% Rhodium	+BP			Grey	Grey
	Platinum 6% Rhodium	-BN			Red	

	Bare Thermocouple Wire Approximately Weight feet/lb.											
Wire	Wire		Type J	Туре	e K	Type T		Type E				
Ga B&S	Size Dia.	Iron+ JP	Constantan- JN	Chromel+ KP	Alumel- KN	Copper+ TP	Constantan- TN	Chromel+ EP	Constantan- EN			
6	.162	14.2	12.6	13	13	12.6	12.6	13	12.6			
7	.144	18.0										
8	.128	22.8	20.2	21	21	19.8	20.2	21	20.2			
14	.064	91.2	80.9	83	83	80.5	80.9	83	80.9			
16	.050	144	127	130	130	128	127	130	127			
18	.040	233	207	212	212	203	207	212	207			
20	.032	365	324	331	331	324	324	331	324			
24	.020	925	821	838	838	820	821	838	821			
26	.015	1478	1312	1340	1340	1299	1312	1340	1312			
28	.012	2353	2089	2130	2130	2062	2089	2130	2089			
30	.010	3736	3316	3370	3370	3294	3316	3370	3316			
36	.005	14940	13260	13500	13500	13250	13260	13500	13260			

	Nominal Thermocouple Resistance Ohms per Double Foot @ 68°F (20°C)											
Wire	Wire		ANSI Types									
Ga B&S	Size Dia.	J	K	Т	Е	S	R	В				
6	.162	.014	.023	.012	.027	.007	.007	.008				
*7	.144	.021		,								
8	.128	.022	.036	.019	.044	.010	.010	.013				
14	.064	.089	.147	.074	.176	.044	.044	.054				
16	.050	.141	.232	.117	.277	.069	.069	.086				
18	.040	.229	.377	.190	.450	.112	.113	.139				
20	.032	.357	.588	.297	.702	.175	.178	.218				
24	.020	.905	1.488	.754	1.778	.449	.453	.550				
26	.015	1.441	2.450	1.200	2.840	.701	.708	.875				
28	.012	2.297	3.590	1.920	4.330	1.062	1.073	1.392				
30	.010	3.650	6.020	2.940	7.190	1.794	1.813	2.213				
36	.005	14.660	24.080	12.220	28.800	7.150	7.226	8.897				

American Wire Gauge (AWG)	Size Dia. Inches
7/0 6/0 5/0 4/0 3/0 2/0 1/0 1 2 3 4 5 6 7 8 9 10 11 2 13 14 5 6 17 8 9 10 11 2 2 2 2 2 2 2 2 2 2 2 3 3 3 3 4 3 5 3 6 3 7 3 8 3 9 4 0 4 1 4 2 4 3 4 4 5 6 4 7 4 8 4 9 5 0	0.5800 0.5165 0.4600 0.4096 0.3648 0.3249 0.2893 0.2576 0.2294 0.2043 0.1819 0.1620 0.1443 0.1285 0.1144 0.1019 0.0907 0.0808 0.0720 0.0641 0.0571 0.0508 0.0453 0.0226 0.0211 0.0179 0.0159 0.0142 0.0126 0.0113 0.0100 0.00893 0.00795 0.00708 0.00630 0.00561 0.00500 0.00445 0.00396 0.00353 0.00314 0.00280 0.00249 0.00222 0.00198 0.00176 0.00157 0.00140 0.00124 0.00111 0.00099

Thermocouple Wire Specifications

Selection and Use of Thermocouple and Thermocouple Extension Wire

Thermocouple wire can be fabricated into accurate and dependable thermocouples by joining the thermoelements together at the sensing end. Thermocouple wire or thermocouple extension wire must be used to extend thermocouples to indication or control instrumentation. The conditions of measurement determine the type of thermocouple wire and insulation to be used. Temperature range, environment, protection, insulation requirements, response and service life should be considered. The following parameters serve as a guide to the

selection of wire. For basic application study refer to Maelin literature "Applying the Systems Concept to Thermocouple Installations" an ISA reprint.

Temperature Limits for Thermocouple Wire

Temperature limits for standard thermocouples that are protected with a closed end protecting tube are shown. These limits are suggested for continuous temperature sensing where insulation is not a factor. For unprotected thermocouples where fast response is required, these limits should be reduced for equivalent service life.

Upper Temperature Limits for Thermocouples									
Thermocouple Type	ANSI TYPE		WIRE GAUGE	(AWG)					
	SYMBOL	8 GAL	14 GAL	20 GAL	24 GAL	30 GAL			
Copper-Constantan	Т		370°C (700°F)	260°C (500°F)	200°C (400°F)	150°C (300°F)			
*Iron-Constantan	J	760°C (1400°F)	600°C (1100°F)	500°C (900°F)	370°C (700°F)	320°C (600°F)			
Chromel™-Constantan	E	870°C (1600°F)	650°C (1200°F)	550°C (1000°F)	430°C (800°F)	430°C (800°F)			
Chromel™-Alumel™	K	1260°C (2300°F)	1100°C (2000°F)	1000°C (1800°F)	870°C (1600°F)	760°C (1400°F)			
Nicrosil-Nisil	N	1260°C (2300°F)	1100°C (2000°F)	1000°C (1800°F)	870°C (1600°F)	760°C (1400°F)			
Platinum-10% Rhodium	S				1480°C (2700°F)				
Platinum-13% Rhodium	R				1480°C (2700°F)				
Platinum-30% vs. 6% Rhodium	В				1700°C (3100°F)				
Tungsten-26% Rhenium	WR=				2300°F (4200°F)				
Tungsten-3% vs. 25% Rhenium	W3=				2300°F (4200°F)	The state of the s			
Tungsten-5% vs. 26% Rhenium	W5=				2300°F (4200°F)				

^{*} Magnetic

⁼ Not ANSI Symbol

		Insulation C	haracteristics		
Insu. Code	Insulation Description Individual/Overall	Continuous Use Temperature Limits	Single Exposure Temperature Limit	Moisture Resistance	Abrasion Resistance
601 603	PVC/PVC PVC Rip Cord	-20 to +221°F -29 to +105°C	221°F 105°C	Excellent	Good "
605	Polyvinyl/Polyvinyl Twisted & Shielded	, , ,		Excellent Excellent	Good Good
606	Nylon/Nylon	350°F		Fair	Excellent
607 Teflon on Singles (FEP) 608 Teflon/Teflon (FEP ext.)		400°F 204°F	600°F 316°C	Excellent	Excellent
609 Teflon/Teflon TFE Tape		-90 to 500°F -68 to 260°C	600°F 316°C	Excellent	Very Good
610 Teflon/Teflon FEP Twisted & Shielded		400°F 204°C	600°F 316°C	Excellent "	Excellent
611	TFE, Synthetic Fiber/ Synthetic Fiber	500°F 260°C	700°F 371°C	Good "	Good "
612	FEP, Fiberglass/ Fiberglass	400°F 204°C	600°F 316°C	Good	Good
618	Ceramic Fiber/ Ceramic Fiber	2600°F 1430°C	2600°F 1430°C	Fair "	Fair "
620	Vitreous Silica Fiber/ Vitreous Silica Fiber	1600°F 871°C	2000°F 1093°C	Fair "	Fair "
622	High Temp. Glass/ High Temp. Glass	1300°F 704°C	1600°F 871°C	Fair "	Fair "
623	High Temp. Fiberglass Twisted	1300°F 482°C	1300°F 538°C	Fair "	Fair
628	Fiberglass/Fiberglass	900°F 482°C	1000°F 528°C	Good to 400°F (204°C)	Fair
S	SS Overbraid	_	_	_	Excellent

[™] Trade Mark Hoskins Mfg. Co.

Dimensions of Steel Tubing

	utside ameter	Wa Thick		Inside Diameter	Flow Area
(in)	(mm)	(in)	(mm)	(mm)	(m²)
1/8	3.18	0.028	0.71	1.75	2.413 x 10 ⁻⁶
		0.032	0.81	1.55	1.885 x 10 ⁻⁶
		0.035	0.89	1.40	1.533 x 10 ⁻⁶
3/16	4.76	0.032	0.81	3.14	7.729 x 10 ⁻⁶
		0.035	0.89	2.98	6.996 x 10 ⁻⁶
1/4	6.35	0.035	0.89	4.57	1.642 x 10⁻⁵
		0.049	1.24	3.86	1.171 x 10⁻⁵
		0.065	1.65	3.05	7.297 x 10 ⁻⁶
3/16	7.94	0.035	0.89	6.16	2.979 x 10⁻⁵
		0.049	1.24	5.45	2.331 x 10⁻⁵
		0.065	1.65	4.64	1.688 x 10⁻⁵
3/8	9.53	0.035	0.89	7.75	4.714 x 10⁻⁵
		0.049	1.24	7.04	3.888 x 10⁻⁵
		0.065	1.65	6.22	3.042 x 10 ⁻⁵
1/2	12.70	0.035	0.89	10.92	9.365 x 10⁻⁵
		0.049	1.24	10.21	8.189 x 10⁻⁵
		0.065	1.65	9.40	6.937 x 10⁻⁵
		0.083	2.11	8.48	5.652 x 10⁻⁵
5/8	15.88	0.035	0.89	14.10	1.561 x 10 ⁻
		0.049	1.24	13.39	1.408 x 10 ⁻
		0.065	1.65	12.57	1.241 x 10 ⁻⁴
		0.083	2.11	11.66	1.068 x 10 ⁻⁴
3/4	19.05	0.049	1.24	16.56	2.154 x 10 ⁻
		0.065	1.65	15.75	1.948 x 10 ⁻
		0.083	2.11	14.83	1.728 x 10 ⁻
		0.109	2.77	13.51	1.434 x 10 ⁻⁴
7/8	22.23	0.049	1.24	19.74	3.059 x 10 ⁻⁴
		0.065	1.65	18.92	2.812 x 10 ⁻⁴
		0.083	2.11	18.01	2.547 x 10⁻⁴
		0.109	2.77	16.69	2.187 x 10⁻⁴

Commercial Wrought Steel Pipe Data (ANSI B36.10)

	Nomina Pipe Siz		O.D.		'all kness	I.D.	Flow	Area
	mm	inches	inches	mm	inches	inches	mm²	sq in
Schedule 10	350 400 450 500 600 750	14 16 18 20 24 30	14 16 18 20 24 30	6.35 6.35 6.35 6.35 6.35 7.92	0.250 0.250 0.250 0.250 0.250 0.250 0.312	13.5 15.5 17.5 19.5 23.5 29.4	92200 121900 155500 192900 280000 437400	143 189 241 299 434 678
Schedule 20	200 250 300 350 400 450 500 600 750	8 10 12 14 16 18 20 24 30	8.63 10.8 12.8 14.0 16.0 18.0 20.0 24.0 30.0	6.35 6.35 6.35 7.92 7.92 7.92 9.53 9.53 12.70	0.250 0.250 0.250 0.312 0.312 0.312 0.375 0.375 0.500	8.13 10.3 12.3 13.4 15.4 17.4 19.3 23.3 29.0	33500 53200 76000 90900 120000 152900 187700 274200 426400	51.9 82.5 117.9 141 186 237 291 425 661
Schedule 30	200 250 300 350 400 450 500 600 750	8 10 12 14 16 18 20 24 30	8.63 10.8 12.8 14.0 16.0 18.0 20.0 24.0 30.0	7.04 7.80 8.38 9.53 9.53 11.13 12.70 14.27 15.88	0.277 0.307 0.330 0.375 0.375 0.438 0.500 0.562 0.625	8.07 10.1 12.1 13.3 15.3 17.1 19.0 22.9 28.8	33000 52000 74200 89000 118000 148400 183200 265100 418700	51.2 80.7 115 138 183 230 284 411 649
Schedule 40*	15 20 25 32 40 50 65 80 100 150 200 250 300 350 400 450 500 600	1/2 3/4 1 11/4 11/2 2 21/2 3 4 6 8 10 12 14 16 18 20 24	0.84 1.05 1.32 1.66 1.90 2.38 2.88 3.50 4.50 6.63 8.63 10.8 12.8 14.0 16.0 18.0 20.0 24.0	2.77 2.87 3.38 3.56 3.68 3.91 5.16 5.49 6.02 7.11 8.18 9.27 10.31 11.13 12.70 14.27 15.06 17.45	0.109 0.113 0.133 0.140 0.145 0.154 0.203 0.216 0.237 0.280 0.322 0.365 0.406 0.438 0.500 0.562 0.593 0.687	0.622 0.824 1.05 1.38 1.61 2.07 2.47 3.07 4.03 6.07 7.98 10.02 11.9 13.1 15.0 16.9 18.8 22.6	190 340 550 970 1300 2150 3100 4700 8200 18600 32200 50900 72200 87100 114200 144500 179300 259300	0.304 0.533 0.864 1.50 2.04 3.34 4.79 7.39 12.7 28.9 50.0 78.9 112 135 177 224 278 402

^{*}Standard wall pipe same as Schedule 40 through 10" size. 12" size data follows.

300	12	12.8	9.53	0.375	12.00	72900	113

Commercial Wrought Steel Pipe Data (ANSI B36.10) (continued)


	Nomina Pipe Siz		O.D.	Wa Thick		I.D.	Flow	Area
	mm	inches	inches	mm	inches	inches	mm²	sq in
Schedule 80*	15 20 25 32 40 50 65 80 100 150 200 250 300 350 400 450 500 600	1/2 3/4 1 11/4 11/2 2 21/2 3 4 6 8 10 12 14 16 18 20 24	0.84 1.05 1.32 1.66 1.90 2.38 2.88 3.50 4.50 6.63 8.63 10.8 12.8 14.0 16.0 18.0 20.0 24.0	3.73 3.91 4.55 4.85 5.08 5.54 7.01 7.62 8.56 10.97 12.70 15.06 17.45 19.05 21.41 23.80 26.16 30.99	0.147 0.154 0.179 0.191 0.200 0.218 0.276 0.300 0.337 0.432 0.500 0.593 0.687 0.750 0.843 0.937 1.03 1.22	0.546 0.742 0.957 1.28 1.50 1.94 2.32 2.90 3.83 5.76 7.63 9.56 11.4 12.5 14.3 16.1 17.9 21.6	150 280 460 820 1140 1900 2700 4200 7400 16800 29500 46300 65800 79300 103800 131600 163200 235400	0.234 0.433 0.719 1.28 1.77 2.95 4.24 6.61 11.5 26.1 45.7 71.8 102 123 161 204 253 365
Schedule 160	15 20 25 32 40 50 65 80 100 150 200 250 300 350 400 450 500	1/2 3/4 1 11/4 11/4 11/2 2 21/2 3 4 6 8 10 12 14 16 18 20 24	0.84 1.05 1.32 1.66 1.90 2.38 2.88 3.50 4.50 6.63 8.63 10.8 12.8 14.0 16.0 18.0 20.0 24.0	4.75 5.54 6.35 6.35 7.14 8.71 9.53 11.13 13.49 18.24 23.01 28.70 33.27 35.81 40.39 45.21 50.04 59.44	0.187 0.218 0.250 0.250 0.281 0.343 0.375 0.438 0.531 0.718 0.906 1.13 1.31 1.41 1.59 1.78 1.97 2.34	0.466 0.614 0.815 1.16 1.34 1.69 2.13 2.62 3.44 5.19 6.81 8.50 10.1 11.2 12.8 14.4 16.1 19.3	110 190 340 680 900 1450 2300 3500 6000 13600 23500 36600 51900 63400 83200 105800 130900 189000	0.171 0.296 0.522 1.06 1.41 2.24 3.55 5.41 9.28 21.1 36.5 56.8 80.5 98.3 129 164 203 293
Double Extra Strong	15 20 25 32 40 50 65 80 100 150 200	1/2 3/4 1 11/4 11/2 2 21/2 3 4 6 8	0.84 1.05 1.32 1.66 1.90 2.38 2.89 3.50 4.50 6.63 8.63	7.47 7.82 9.09 9.70 10.16 11.07 14.02 15.24 17.12 21.94 22.22	0.294 0.308 0.358 0.382 0.400 0.436 0.552 0.600 0.674 0.864 0.875	0.252 0.434 0.599 0.896 1.10 1.50 1.77 2.30 3.15 4.90 6.88	30 90 180 400 610 1140 1600 2700 5000 12100 23900	0.050 0.148 0.282 0.630 0.950 1.77 2.46 4.16 7.80 18.8 37.1

*Extra strong pipe same as Schedule 80 through 8" size. 10" & 12" size data follows.

250	10	10.8	12.70	0.500	9.75	48200	74.7
300	12	12.8	12.70	0.500	11.8	69700	108

Size Table

1. ANSI Type Flange (150 lb)



Dimensions of class 150 steel flanges


1	2	3	4	5	6	7	[*] 8	9	10	11	12	13	14
				Hub	Leng	th Through	n Hub		Bore			Corner	
	Outside	Thickness		Diameter	Threaded			Thread			Welding	Radius of	
Nominal	Diameter	of	Diameter	Beginning	Slip-On			Length	Slip-On		Neck	Bore of	Depth
Pipe	of	Flange	of Hub	of Chamfer	Socket		Welding	Threaded	Socket	Lapped	Socket	Lapped	of
Size	Flange	Min.		Welding	Welding	Lapped	Neck	Min.	Welding	Min.	Welding	Flange	Socket
	*			Neck					Min.			and Pipe	
	0	С	Х	Α	Y	Υ	Υ	Т	В	В	В	r	D
1/2	3.50	0.44	1.19	0.84	0.62	0.62	1.88	0.62	0.88	0.90	0.62	0.12	0.38
3/4	3.88	0.50	1.50	1.05	0.62	0.62	2.06	0.62	1.09	1.11	0.82	0.12	0.44
1	4.25	0.56	1.94	1.32	0.69	0.69	2.19	0.69	1.36	1.38	1.05	0.12	0.50
11/4	4.62	0.62	2.31	1.66	0.81	0.81	2.25	0.81	1.70	1.72	1.38	0.19	0.56
11/2	5.00	0.69	2.56	1.90	0.88	0.88	2.44	0.88	1.95	1.97	1.61	0.25	0.62
2	6.00	0.75	3.06	2.38	1.00	1.00	2.50	1.00	2.44	2.46	2.07	0.31	0.69
21/2	7.00	0.88	3.56	2.88	1.12	1.12	2.75	1.12	2.94	2.97	2.47	0.31	0.75
3	7.50	0.94	4.25	3.50	1.19	1.19	2.75	1.19	3.57	3.60	3.07	0.38	0.81
31/2	8.50	0.94	4.81	4.00	1.25	1.25	2.81	1.25	4.07	4.10	3.55	0.38	
4	9.00	0.94	5.31	4.50	1.31	1.31	3.00	1.31	4.57	4.60	4.03	0.44	_ '
5	10.00	0.94	6.44	5.56	1.44	1.44	3.50	1.44	5.66	5.69	5.05	0.44	-
6	11.00	1.00	7.56	6.63	1.56	1.56	3.50	1.56	6.72	6.75	6.07	0.50	_
8	13.50	1.12	9.69	8.63	1.75	1.75	4.00	1.75	8.72	8.75	7.98	0.50	-
10	16.00	1.19	12.00	10.75	1.94	1.94	4.00	1.94	10.88	10.92	10.02	0.50	-
12	19.00	1.25	14.38	12.75	2.19	2.19	4.50	2.19	12.88	12.92	12.00	0.50	-
14	21.00	1.38	15.75	14.00	2.25	3.12	5.00	2.25	14.14	14.18	To be	0.50	- ,
16	23.50	1.44	18.00	16.00	2.50	3.44	5.00	2.50	16.16	16.19	Specified	0.50	_
18	25.00	1.56	19.88	18.00	2.69	3.81	5.50	2.69	18.18	18.20	by	0.50	-
20	27.50	1.69	22.00	20.00	2.88	4.06	5.69	2.88	20.20	20.25	pur-	0.50	_
24	32.00	1.88	26.12	24.00	3.25	4.38	6.00	3.25	24.25	24.25	chaser	0.50	-

Notes:

⁽¹⁾ All dimensions are given in inches.(2) For machining tolerances see ANSI Standard B 16.5 - Latest Addition

Size Table

2. ANSI Type Flange (300 lb)



Dimensions of class 300 steel flanges

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
	7 12 3473	137.11.11		Hub	Length Through Hub				Bore			Corner		
	Outside	Thick-		Diameter	Threaded			Thread	Slip-On		Welding	Radius of	Counter	
Nominal	Diam.	ness of	Diam-	Beginning	Slip-On			Length	Socket		Neck	Bore of	Bore	Depth
Pipe	eter of	Flange	eter of	of Chamfer	Socket		Welding	Thread-	Welding	Lapped	Socket	Lapped	Threaded	of
Size	Flange	Min.	Hub	Welding	Welding	Lapped	Neck	ed Min.	Min.	Min.	Welding	Flange	Flange	Socket
				Neck								and Pipe	Min.	
	0	С	Х	Α	. Y	Υ	Y	Т	В	В	В	r	Q	D
1/2	3.75	0.56	1.50	0.84	0.88	0.88	2.06	0.62	0.88	0.90	0.62	0.12	0.93	0.38
3/4	4.62	0.62	1.88	1.05	1.00	1.00	2.25	0.62	1.09	1.11	0.82	0.12	1.14	0.44
1	4.88	0.69	2.12	1.32	1.06	1.06	2.44	0.69	1.36	1.38	1.05	0.12	1.41	0.50
11/4	5.25	0.75	2.50	1.66	1.06	1.06	2.56	0.81	1.70	1.72	1.38	0.19	1.75	0.56
11/2	6.12	0.81	2.75	1.90	1.19	1.19	2.69	0.88	1.95	1.97	1.61	0.25	1.99	0.62
2	6.50	0.88	3.31	2.38	1.31	1.31	2.75	1.12	2.44	2.46	2.07	0.31	2.50	0.69
21/2	7.50	1.00	3.94	2.88	1.50	1.50	3.00	1.25	2.94	2.97	2.47	0.31	3.00	0.75
3	8.25	1.12	4.62	3.50	1.69	1.69	3.12	1.25	3.57	3.60	3.07	0.38	3.63	0.81
31/2	9.00	1.19	5.25	4.00	1.75	1.75	3.19	1.44	4.07	4.10	3.55	0.38	4.13	-
4	10.00	1.25	5.75	4.50	1.88	1.88	3.38	1.44	4.57	4.60	4.03	.044	4.63	<u>-</u> ,
5	11.00	1.38	7.00	5.56	2.00	2.00	3.88	1.69	5.66	5.69	5.05	0.44	5.69	-
6	12.50	1.44	8.12	6.63	2.06	2.06	3.88	1.81	6.72	6.75	6.07	0.50	6.75	-
8	15.00	1.62	10.25	8.63	2.44	2.44	4.38	2.00	8.72	8.75	7.98	0.50	8.75	-
10	17.50	1.88	12.62	10.75	2.62	3.75	4.62	2.19	10.88	10.92	10.02	0.50	10.88	- 1
12	20.50	2.00	14.75	12.75	2.88	4.00	5.12	2.38	12.88	12.92	12.00	0.50	12.94	-
14	23.00	2.12	16.75	14.00	3.00	4.38	5.62	2.50	14.14	14.18		0.50	14.19	-
16	25.50	2.25	19.00	16.00	3.25	4.75	5.75	2.69	16.16	16.19	To be	0.50	16.19	-
18	28.00	2.38	21.00	18.00	3.50	5.12	6.25	2.75	18.18	18.20	specified	0.50	18.19	-
20	30.50	2.50	23.12	20.00	3.75	5.50	6.38	2.88	20.20	20.25	by pur-	0.50	20.19	_ '
24	36.00	2.75	27.62	24.00	4.19	6.00	6.62	3.25	24.25	24.25	chaser	0.50	24.19	-

Notes:

⁽¹⁾ All dimensions are given in inches.(2) For machining tolerances see ANSI Standard B 16.5 - Latest Addition

Glossary(1)

Globe Valve Nomenciature

Bonnet: A valve pressure retaining boundary which may guide the stem and contain the packing box and seal. The major part of the bonnet assembly, excluding the sealing means. (This term is often used in referring to the bonnet and its included packing parts. More properly, this group of component parts should be called the Bonnet Assembly.)

Bonnet Assembly: (Commonly Bonnet, more properly Bonnet Assembly): An assembly including the part through which a valve plug stem moves and a means for sealing against leakage along the stem. It usually provides a means for mounting the actuator.

Cage: A hollow cylindrical trim element that is a guide to align the movement of a valve plug with a seat ring. The cage may also retain the seat ring in the valve body. (The walls of the cage have openings which usually determine the flow characteristic of the control valve.)

Cage Guided Valve: A type of valve which uses a cage for plug guiding and alignment. See *Cage*.

Extension Bonnet: A bonnet with an extension between the packing box and bonnet flange for hot or cold service.

Globe Valve: A valve construction style with a linear motion flow controlling member with one or more ports, normally distinguished by a globular-shaped cavity around the port region. Two categories are commonly recognized depending on the method of plug guiding; cage guided and stem or plug guided.

Guide Bushing: A bushing in a bonnet, bottom flange, or body to align the movement of a valve plug with a seat ring.

Isolating Valve: A hand-operated valve between the packing lubricator and the packing box to shut off the fluid pressure from the lubricator.

Packing Box (Assembly): The part of the bonnet assembly used to seal against leakage around the valve plug stem. Included in the complete packing box assembly are various combinations of some or all of the following component parts: Packing, Packing Follower, Packing Nut, Lantern Ring, Packing Spring, Packing Flange, Packing Flange Studs or Bolts, Packing Flange Nuts, Packing Ring, Packing Wiper Ring, Felt Wiper Ring.

Packing Lubricator: An optional part of the bonnet assembly used to inject lubricant into the packing box.

Port: A fixed opening, normally the inside diameter of a seat ring, through which fluid passes.

Retaining Ring: A split ring that is used to retain a separable flange on a valve body.

Seat: That portion of the seat ring or valve body which a valve plug contacts for closure.

Seat Ring: A separate piece inserted in a valve body to form a valve body port. It generally provides a seating surface for the closure member.

^{1.} Many of the definitions contained herein are either direct quotations of or derived from the Instrument Society of America's ANSI Approved Standard S75.05 - Control Valve Terminology. Copyright © ISA 1986. Reproduced herein by permission.

Separable Flange: A flange which fits over a valve body flow connection. It is generally held in place by means of a retaining ring.

Stem: See Valve Plug Stem.

Stem Connector: A two piece clamp which connects the actuator stem to the valve plug stem.

Stem or Plug-Guided Valve: A valve whose plug is guided by a bushing surrounding the plug or the stem (as opposed to cage guiding).

Trim: The internal parts of a valve which are in flowing contact with the controlled fluid. (In a globe valve body, trim would typically include valve plug, seat ring, cage, stem, and stem pin.)

Trim, Anti-Cavitation: Trim which is specifically designed to eliminate or reduce cavitation and cavitation damage in a control valve. A common approach uses a specially designed cage to maintain high pressures within the valve to prevent the liquid from cavitating.

Trim, **Balanced**: Trim which uses some design technique to equalize the forces of the flowing media on the bottom and the top of the plug. This technique reduces the actuator force necessary to throttle and seat the plug.

Trim, Noise Abatement: Trim which is specifically designed to eliminate or reduce control valve noise due to turbulence associated with high velocity flow. A common approach uses a slotted or drilled hole cage to reduce flowstream turbulence.

Trim, Reduced Capacity: A valve trim package which provides a smaller than standard port diameter to reduce capacity of the valve. Often used in startup situations when increased capacity at a later date is anticipated.

Trim, Soft-seated: Globe valve trim with an elastomer, plastic, or other readily deformable material used as an insert, either in the valve plug or seat ring, to provide very tight shutoff with minimal actuator force.

Valve Body: A housing for internal parts having inlet and outlet flow connections. Among the most common valve body constructions are: a) Single-ported valve bodies having one port and one valve plug, b) Double-ported valves bodies having two ports and one valve plug, c) Two-way valve bodies having two flow connections, one inlet and one outlet, d) Three-way valve bodies having three flow connections, two of which may be inlets with one outlet (for converging or mixing flows), or one inlet and two outlets (for diverging or diverting flows). (The term Valve Body, or even just Body, frequently is used in referring to the valve body together with its bonnet assembly and included trim parts. More properly, this group of components should be called the Valve Body Assembly).

Valve Body Assembly: (Commonly Valve Body or Body, more properly Valve Body Assembly): An assembly of a body, bonnet assembly, bottom flange (if used), and trim elements. The trim includes the valve plug which opens, closes, or partially obstructs one or more ports.

Valve Plug: A movable part which provides a variable restriction in a port.

Valve Plug Stem: The rod or shaft which connects the actuator to the plug.

Rotary-Shaft Valve Nomenclature

Ball, Full: The flow-controlling member of rotary-shaft control valves utilizing a complete sphere with a flow passage through it.

Ball, V-notch: The flow-controlling member for a popular style of throttling ball valve. The V-notch ball includes a polished or plated partial-sphere surface that rotates against the seal ring throughout the travel range. The V-shaped notch in the ball permits wide rangeability and produces an equal percentage flow characteristic.

Ball Segment, Eccentric: The flow controlling member of the eccentric rotary plug valve. Because of its eccentric action, it clears its seat soon after opening. This results in longer life, especially in erosive services, and reduces the actuator force required to operate the valve.

Note

The balls mentioned above, and the disks which follow, perform a function comparable to the valve plug in a globe-style control valve. That is, as they rotate they vary the size and shape of the flowstream by opening more or less the seal area to the flowing fluid.

Disk, Conventional: The flow-controlling member used in the most common varieties of butterfly rotary valves. High dynamic torques normally limit conventional disks to 60 degrees maximum rotating in throttling service.

Disk, Dynamically Designed: A butterfly valve disk contoured to reduce dynamic torque at large increments of rotation, thereby making it suitable for throttling service with up to 90 degrees of disk rotation.

Disk, Eccentric: Common name for valve design in which the positioning of the valve shaft/disk connections causes the disk to take a slightly eccentric path on opening. (This allows the disk to be swung out of contact with the seal as soon as it is opened, thereby reducing friction and wear.) This design is also commonly referred to as a high performance butterfly valve (HPBV).

Flangeless Body: Body style common to rotary-shaft control valves. Flangeless bodies are held between ANSI-class flanges by long through-bolts. (Sometimes also called wafer-style valve bodies.)

Flow Ring: Heavy-duty ring used in place of ball seal ring for V-notch rotary valves in severe service applications where some leakage can be tolerated.

High Performance Butterfly Valve (HPBV): See Disk, Eccentric.

Plug, Eccentric: See Ball, Eccentric Segment

Reverse Flow: Flow of a fluid in the opposite direction from that normally considered the standard direction. (Some rotary-shaft control valves, such as conventional-disk butterfly valves, are capable of handling flow equally well in either direction. Other rotary designs may require modification of actuator linkage to handle reverse flow. Capacity and allowable working pressures are often lowered to maintain allowable leakage limits with flow in the reverse direction.)

Rotary-Shaft Control Valve: A valve style in which the flow closure member (full ball, partial ball, or disk) is rotated in the flowstream to modify the amount of fluid passing through the valve.

Seal Ring: The portion of a rotary-shaft control valve assembly corresponding to the seat ring of a globe valve. Positioning of the disk or ball relative to the seal ring determines the flow area and capacity of the unit at that particular increment of rotational travel. As indicated above, some seal ring designs permit bi-directional flow.

Shaft: The portion of a rotary-shaft control valve assembly corresponding to the valve stem of a globe valve. Rotation of the shaft positions the disk or ball in the flowstream and thereby controls the amount of fluid which can pass through the valve.

Shim Seals: Thin, flat, circular metal gaskets, usually 0.005-inch (0.125 mm) thick, used in varying numbers to adjust seal deflection in V-notch ball rotary control valves. (Adding more shim seals reduces the amount of seal deflection; reducing the number of shim seals used increases the amount of seal deflection obtained.)

Standard Flow: For those rotary-shaft control valves having a separate seal ring or flow ring, the flow direction in which fluid enters the valve body through the pipeline adjacent to the seal ring and exits from the side opposite the seal ring. (Sometimes called Forward Flow. See also *Reverse Flow*.)

Venturi-Ball: The spherically (ball) shaped closure member of a reduced port ball valve.

Wafer-Style Valve Body: A flangeless type of butterfly or gate, short face-to-face, valve body. Also called a flangeless valve body; it is clamped between pipeline flanges.

Control Valve Attributes, Specifications, and Applications Terminology

Actuator: A device which supplies force and motion to the valve closure member

Block Valve: An isolating valve, often a butterfly valve, used to create a bypass around the control valve. A bypass is frequently created so that service may be performed on the control valve without shutting down the process.

Cavitation: In liquid service, the noisy and potentially damaging phenomenon that accompanies vapor cavity bubble formation and collapse in the flowstream.

Capacity: Rate of flow through a valve under stated conditions.

Clearance Flow: That flow below the minimum controllable flow with the valve plug not seated.

Closure Member: A moveable part of the valve which is positioned in the flow path to modify the rate of flow through the valve.

Control Valve: A power operated device which modifies the fluid flow rate in a process control system. It consists of a valve connected to an actuator mechanism that is capable of changing the position of a flow controlling element in the valve in response to a signal from the controlling system.

Corrosion: The damaging effects of hostile media on control valve components resulting from material incompatibility.

Cv: Flow coefficient commonly used for liquids. See Flow Coefficient

Dynamic Unbalance: The net force produced on the valve plug in any stated open position by the fluid pressure acting upon it.

Equal Percentage Flow Characteristic: The inherent flow characteristic which for equal increments of rated travel will ideally give equal percentage changes of the flow coefficient C_v.

Erosion: The damaging effects of gritty or dirty media media on control valve components. Erosion is forestalled with valve designs which separate the flowstream from critical valve components and with hardened materials.

Fail-Closed: A condition wherein the valve port remains closed should the actuating power fail.

Fail-Open: A condition wherein the valve port remains open should the actuating power fail.

Flashing: A phenomenon observed in liquid service when the pressure of the media falls below its vapor pressure and does not recover to a higher pressure. Flashing commonly produces damage to control valve components which gives the appearance of erosion damage (smooth, polished cavities on the affected components).

Flow Characteristic: Relationship between flow through the valve and percent rated travel as the latter is varied from 0 to 100 percent. This is a special term. It should always be designated as either inherent flow characteristic or installed flow characteristic. Common flow characteristics are linear, equal percentage, and quick opening. See *Inherent Flow Characteristic* and *Installed Flow Characteristic*.

Flow Coefficient (C_V): The number of U.S. gallons per minute of 60 degree F water that will flow through a valve with a one pound per square inch pressure drop.

Hard Facing: The process of applying a material harder than the surface to which it is applied. This technique is used to resist fluid erosion and/or to reduce the chance of galling between moving parts, particularly at high temperature.

Hardness: Metallic material hardness is commonly expressed by either a Brinell number or a Rockwell number. (In either case, the higher the number, the harder the material. For example, a material with a Rockwell "C" hardness of 60 is file hard while a hardness of 20 is fairly soft. Elastomer hardness is determined by a Durometer test.)

Inherent Flow Characteristic: Flow characteristic when constant pressure drop is maintained across the valve.

inlet: The body opening through which fluid enters the valve.

Installed Flow Characteristic: Flow characteristic when pressure drop across the valve varies as dictated by flow and related conditions in the system in which the valve is installed.

Leakage: Quantity of fluid passing through an assembled valve when the valve is in the fully closed position under stated closure forces, with pressure differential and pressure as specified. Leakage is is usually expressed as a percentage of the valve capacity at full rated travel.

Linear Flow Characteristic: An inherent flow characteristic which can be represented ideally by a straight line on a rectangular plot of flow versus percent rated travel. (Equal increments of travel yield equal increments of flow at a constant pressure drop.)

Noise, Control Valve: Generally refers to aerodynamic noise associated with flowstream turbulence in compressible fluids. Noise levels can be reduced to safe levels defined by OSHA and the EPA with noise-abatement trim (source treatment) and with silencers and diffusers (path treatment).

Normally Closed Control Valve: One which closes when the diaphragm pressure is reduced to atmospheric.

Normally Open Control Valve: One which closes when the diaphragm pressure is reduced to atmospheric.

Outlet: The body opening through which fluid exits the valve.

Pressure Drop: The difference between upstream pressure and downstream pressure using the control valve as a reference.

Pressure Drop, Maximum Allowable: The maximum flowing or shutoff pressure drop that a control valve can withstand. While maximum inlet pressure is commonly dictated by the valve body, maximum allowable pressure drop is generally limited by the internal controlling components (plug, stem, disk, shaft, bearings, seals). Maximum allowable pressure drop may apply to the pressure drop while flowing process fluids or at shutoff.

Push-Down-to-Close Construction: A globe-style valve construction in which the valve plug is located between the actuator and the seat ring, such that extension of the actuator stem moves the valve plug toward the seat ring, finally closing the valve. (Also called Direct Acting. The term may also be applied to rotary-shaft valve constructions where linear extension of the actuator stem moves the ball or disk toward the closed position.)

Push-Down-to-Open Construction: A globe-style valve construction in which the seat ring is located between the actuator and the valve plug, such that extension of the actuator stem moves the valve plug away from the seat ring, opening the valve. (Also called Reverse Acting. The term may also be applied to rotary-shaft valve constructions where linear extension of the actuator stem moves the ball or disk toward the open position.)

Quick Opening Flow Characteristic: An inherent flow characteristic in which there is maximum flow with minimum travel.

Rangeability: Ratio of maximum to minimum flow within which the deviation from the specified inherent flow characteristic does not exceed some stated limit. (A control valve that still does a good job of controlling when flow increases to 100 times the minimum controllable flow has a rangeability of 100 to 1. Rangeability might also be expressed as the ratio of the maximum to minimum controllable flow coefficients.)

Rated Cy: The value of Cy at the rated full-open position.

Recovery: A relative term used to describe how much flowstream pressure is reduced due to the design of the control valve; the ratio of maximum (valve fully open) downstream pressure to upstream pressure. For example:

High-Recovery Valve: A valve design that dissipates relatively little flow-stream energy due to streamlined internal contours and minimal flow turbulence. Therefore, pressure downstream of the valve vena contracta recovers to a high percentage of its inlet value. (Straight-through flow valves, such as rotary-shaft ball and butterfly valves, are typically high-recovery valves.)

Low-Recovery Valve: A valve design that dissipates a considerable amount of flowstream energy due to turbulence created by the contours of the flowpath. Consequently, pressure down-stream of the valve vena contracta recovers to a lesser percentage of its inlet value than is the case with a valve having a more streamlined flowpath. (Although individual designs vary, conventional globe-style valves generally have low pressure recovery capability.)

Seat Load: The contact force between the seat and the valve plug. (In practice, the selection of an actuator for a given control valve will be based on how much force is required to overcome static, stem, and dynamic unbalance with an allowance made for seat load.)

Shutoff: See Leakage.

Static Unbalance: The net force produced on the valve plug in its closed position by the fluid pressure acting upon it.

Stem Unbalance: The net force produced on the valve plug stem in any position by the fluid pressure acting upon it.

Stroke: See travel.

Travel, Rated: The amount of linear movement of the valve plug from the closed position to the rated full-open position. (The rated full-open position is the maximum opening recommended by the manufacturer.)

Throttling: The action of a control valve in motion as it regulates flow through a pipeline.

Vapor Pressure: The pressure at which a given liquid begins to vaporize.

Vena Contracta: The location where cross-sectional area of the flowstream is at its minimum size, where fluid velocity is at its highest level, and fluid pressure is at its lowest level. (The vena contracta normally occurs just downstream of the actual physical restriction in a control valve.)

Miscellaneous Abbreviations

ANSI: American National Standards Institute.

API: American Petroleum Institute.

ASME: American Society of Mechanical Engineers.

ASTM: American Society for Testing and Materials.

EPA: Environmental Protection Agency

ISA: International Society of Automation.

NACE: National Association of Corrosion Engineers. (U.S.A.)

OSHA: Occupational Safety and Health Act. (U.S.A.)


Shutoff

ANSI Class Seat Leakage

Shutoff is ordinarily stated in terms of classes of seat leakage defined in the *American National Standard for Control Valve Seat Leakage*. In actual service, shutoff leakage depends on many factors including pressure drop, temperature, the condition of the sealing surfaces, and the force load on the seat - which is a function of actuator force available. Since shutoff ratings are based on standard test conditions which may be very different from actual service conditions, service leakage cannot be absolutely predicted. However, the ANSI shutoff classes provide a good basis for comparison among valves of similar configuration.

ANSI Classes Compared

As we identify the different seat leakage standards, we can roughly calculate the seat leakage of a typical 3-inch globe body that would conform to each of the leak classes. First, because ANSI Class two, three, and four leakage is expressed as a percentage of rated capacity, we'll have to calculate the normal wide open flow of our three inch valve under test conditions. The basic formula for flow is C_v times the square-root of ΔP so we'll have to know the C_v of the valve and the pressure drop of our setup. The maximum rated C_v of 140 comes from the manufacturers literature and the pressure drop of 50 psi is one of the test conditions in the ANSI Standard. Solving the equation, we find that our 3-inch valve will produce a maximum flow of approximately 1,000 gallons per minute under test conditions.



Block and bypass piping arrangements are commonly used to isolate the control valve for maintenance or emergency situations. Such arrangements frequently eliminate the need for tight shutoff at the control valve.

ANSI Seat Leakage Classifications

Classes I-V

Leakage Class Designation	Maximum Leakage Allowable	Test Medium	Test Pressures	Testing Procedures Required for Establishing Rating
I				No test required provided user and supplier so agree.
II	0.5% of rated capacity	Air or water at 50-125°F (10-52°C)	45-60 psig or max. operating differential, whichever is lower	Pressure applied to valve inlet, with outlet open to atmosphere or connnected to a low head loss measuring device, full normal closing thrust provided by actuator.
111	0.1% of rated capacity	As above	As above	As above
IV	0.01% of rated capacity	As above	As above	As above
V	0.0005 ml per minute of water per inch of port diameter per psi differential.	Water at 50-125°F (10-52°C)	Max. service pressure drop across valve plug, not to exceed ANSI body rating. (100 psi pressure drop minimum)	Pressure applied to valve inlet after filling entire body cavity and connected piping with water and stroking valve plug closed. Use net specified max. actuator thrust, but no more, even if available during test. Allow time for leakage flow to stabilize.
VI	Not to exceed amounts shown in following table based on port diameter	Air or Nitrogen at 50-125°F (10-50°C)	50 psig or max. rated differential pressure across valve plug, whichever is lower.	Actuator should be adjusted to operating conditions specified with full normal closing thrust applied to valve plug seat. Allow time for leakage flow to stabilize and use suitable measuring device.

Class VI

NOMINAL PORT DIAMETER		LEAK RATE			
Inches	Millimeters	ml Per Minute	Bubbles Per Minute*		
1	25	0.15	1		
1-1/2	38	0.30	2		
2	51	0.45	3		
2-1/2	64	0.60	4		
3	76	0.90	4		
4	102	1.70	11		
6	152	4.00	27		
8	203	6.75	45		

*Bubbles per minute as tabulated are an easily measured suggested alternative on a suitable calibrated measuring deivce such as a 1/4-inch O.D. x 0.032-inch wall tube submerged in water to a depth of 1/8-inch to 1/4-inch. The tube end shall be cut square and smooth

with no chamfers or burrs and the tube axis shall be perpendicular to the surface of the water. Other apparatus may be constructed and the number of bubbles per minute may vary from these shown, as long as they correctly indicate the flow in ml per minute. Class I

ANSI Class I shutoff does not require testing but is mutually defined by and agreed to by the user and supplier. It is a special classification that might apply to a valve with a higher leakage class rating which has been modified for some purpose. So, in our example, the amount of leakage would be negotiated between the customer and the manufacturer.

Class II

Class II shutoff allows leakage of up to one-half of one percent (0.5%) of the rated capacity of the valve using air or water as the test medium at a pressure drop of 50 psid. In our example, leakage of the specified valve is 5 gallons per minute.

Class III

Class III shutoff allows leakage of up to one-tenth of one percent (0.1%) of the rated capacity of the valve again using air or water as the test medium with a 50 psid pressure drop. This is one-fifth the leakage of Class II and, in the example, is one gallon per minute.

Class IV

Class IV shutoff allows leakage of one one-hundredth of one percent (.01%) of the rated capacity of the valve under the same test conditions as above. Leakage is slightly less than one pint per minute.

Class V

Class V standards become more stringent and allow only .0005 milliliters of water per minute per inch of port diameter at a minimum test pressure drop of 100 psid. In the example, wide open flow would be increased to about 1400 gallons per minute because of the increased test pressure. However, because of the more demanding requirements, an eyedropper could be used to measure leakage accumulated in one minute.

Class VI

Class VI standards are very demanding. Instead of water as a test medium, air or nitrogen is used with a pressure drop of 50 psid. The allowable leakage for different nominal port diameters is expressed in both milliliters per minute and bubbles per minute. Allowable leakage does not follow a linear scale but is identified for port diameters through 8-inches. Obviously, this leak class provides very tight shutoff.

Cost of Overspecifying Shutoff In actual application, not all throttling valves need to provide tight shutoff. Block valves placed around the control valve provide the tight shutoff function. Overspecifiying control valve shutoff has been identified as one of the greatest unnecessary costs incurred during control valve selection. What typically happens is that every specifier in the chain - the designer, plant manager, engineer, and so on - adds a safety margin to the specifications; each person who reviews the plans and specifications increases the shutoff requirement. The result is good - though not always necessary - shutoff, at a progressive penalty in cost.

Special Cases

In some instances, tight shutoff should be specified even though it not a specific process requirement. For instance, when flowing toxic or flamable fluid, tight shutoff is often specified for safety reasons. In severe services involving erosive fluids, high pressure drops, or cavitation (discussed later), tight shutoff may be specified to reduce wear or erosion of closure members and seats.


ANSI Class Seat Leakage Comparison


Task: Calculate actual seat leakage of a typical 3-inch globe valve at all ANSI seat leakage classifications.


- 1. Seat leakage classes define maximum allowable leakage as a percent of the valve's rated capacity, so maximum flow under test conditions must be known.
- 2. Maximum flow (Q) = maximum $C_v \sqrt{\Delta P}$
 - a. Maximum $C_v = 140$ (from manufacturers literature)
 - b. $\Delta P = 50$ psid (test condition for Classes II, III and IV)
- 3. $Q = 140 \times \sqrt{50}$


Q = 1,000 gallons per minute (approximate)

Class I Not specified by ANSI. Leakage mutually agreed upon by user and supplier. 0.5% Rated Capacity 1,000 x 0.005 5 gallons per minute









^{1.} Maximum flow under Class V test pressure of 100 psid minimum is approximately 1400 gallons per minute.

Cavitation and Flashing

Definition

Cavitation and flashing are phenomena which are often grouped together as they both can accompany high pressure drop applications. Cavitation is defined as the noisy and potentially damaging formation and collapsing of vapor cavities formed when the pressure of a liquid drops below its vapor pressure. The beginning stages of cavitation can often be detected by a hissing or roaring sound in the control valve or pipeline. Fully developed cavitation produces a sound giving the sensation that gravel is passing through the control valve.

Vena Contracta

When a control valve is applied to a system, there results in the flowstream a point of minimal cross-sectional area of flow. This point is referred to as the *vena contracta*. The vena contracta is generally slightly downstream of the point of maximum restriction in the control valve.

Vapor Pressure

When a fluid passes through the vena contracta, velocity increases and pressure decreases. When flowing liquids under certain conditions such as high pressure drop, pressure may decrease to a level which is below the vapor pressure of the liquid; that is, below the pressure at which the liquid begins to vaporize. If pressure at the vena contracta falls below this point, vapor cavities begin to form in the liquid.

Flashing

If the downstream pressure remains below the vapor pressure of the liquid, the vapor cavities remain in the flowstream and the process is *flashing*.

Cavitation

If downstream pressure recovers to a pressure above the vapor pressure of the liquid, the vapor cavities begin to collapse and the process is *cavitating*.

Damage

Both flashing and cavitation can result in damage to control valves and related equipment. The total damage which occurs depends on the intensity and location of the phenomenon, the materials of which the valve is made, and the total amount of time of exposure.

Flashing damage is produced by high velocity flowstreams impinging on valve parts. Damage from flashing resembles erosion and has a smooth, polished appearance. Control valves for flashing services generally use hard materials to resist the effects of high velocity flow.

Cavitation damage is produced when the vapor cavities collapse against valve parts or piping. The energy released during this change of state produces damage which is typically much more severe than flashing damage. Parts damaged by cavitation have a rough, pitted, cinder-like surface. Cavitation damage similar to the example may occur over years or, in extreme cases, in just a few minutes.

1 Control Valve Noise

1.1 Introduction

Noise pollution will soon become the third greatest menace to the human environment after air and water pollution. Since noise is a by-product of energy conversion, there will be increasing noise as the demand for energy for transportation, power, food, and chemicals increases.

In the field of control equipment, noise produced by valves has become a focal point of attention triggered in part by enforcement of the Occupational Safety and Health Act, which in most cases limits the duration of exposure to noise in industrial locations to the levels shown in Table 1.

Ta	b	le	1
----	---	----	---

Duration of Exposure (Hours)	Sound Level (dBA)
8	90
4	95
2	100
1	105
1/2	110
¹ /4 or less	115

1.2 Acoustic Terminology

Noise

Noise is unwanted sound.

Sound

Sound is a form of vibration which propagates through elastic media such as air by alternately compressing and rarefying the media. Sound can be characterized by its frequency, spectral distribution, amplitude, and duration.

Sound Frequency

Sound frequency is the number of times that a particular sound is reproduced in one second, i.e., the number of times that the sound pressure varies through a complete cycle in one second. The human response analogous to frequency is pitch.

Spectral Distribution

The spectral distribution refers to the arrangement of energy in the frequency domain. Subjectively, the spectral distribution determines the quality of the sound.

Sound Amplitude

Sound amplitude is the displacement of a sound wave relative to its "at rest" position. This factor increases with loudness.

Sound Power

The sound power of a source is the total acoustic energy radiated by the source per unit of time.

Sound Power Level

The sound power level of a sound source, in decibels, is 10 times the logarithm to the base 10 of the ratio of the sound power radiated by the source to a reference power. The reference power is usually taken as 10⁻¹² watt.

Sound Pressure Level: SPL

The sound pressure level, in decibels, of a sound is 20 times the logarithm to the base of 10 of the ratio of the pressure of the sound to the reference pressure. The reference pressure is usually taken as $2 \times 10^{-5} \text{ N/M}^2$.

Decibel: dB

The decibel is a unit which denotes the ratio between two numerical quantities on a logarithmic scale. In acoustic terms, the decibel is generally used to express either a sound power level or a sound pressure level relative to a chosen reference level.

Sound Level

A sound level, in decibels A-scale (dBA) is a sound pressure level which has been adjusted according to the frequency response of the A-weighting filter network. When referring to valve noise, the sound level can imply standard conditions such as a position 1 m downstream of the valve and 1 m from the pipe surface.

NEMA Enclosures for Control Equipment

Enclosure Purge Types

Purge Types

Type Z Reduces classification within an enclosure from Division 2 to non hazardous

Type Y Reduces classification within an enclosure from Division 1 to Division 2

Type X Reduces classification within an enclosure from Division 1 to non hazardous

Other Equipment for Hazardous Areas

Nonincendive

Equipment that will not ignite a specific hazardous atmosphere under

Equipment

it's normal operating conditions. Note that exposed surface

temperatures must be less than 80% of the auto-ignition temperature

of the specific gas.

Intrinsically

Equipment that is incapable of releasing sufficient energy to ignite a

specific hazardous atmosphere under normal or abnormal conditions.

Safe Equipment

Enclosure Temperature codes for Hazardous Locations


Temperature code	Maximum Externa Temperature C
T1	450
T2	300
T2A	280
T2B	260
T2C	230
T2D	215
Т3	200
T3A	180
T3B	165
T3C	160
T4	135
T4A	120
T5	100
T6	85


If Enclosure is not marked, rating is as follows

Group A	280 C	Group B	280 C
Group C	160 C	Group D	215 C

Enclosures NEMA Ratings

Enclosures	Classification	Description
Type 1	Nonhazardous	indoor use protecting against contact with the enclosed environment
Type 2	Nonhazardous	indoor use protecting against limited amounts of falling water & dirt.
Туре 3	Nonhazardous	outdoor use protecting against windblown dust, rain, sleet, & external ice formation.
Type 3R	Nonhazardous	outdoor use protecting against rain, sleet, & external ice formation.
Type 3S	Nonhazardous	outdoor use protecting against windblown dust, rain, sleet, & provide for operation of external mechanisms if ice laden.
Type 4	Nonhazardous	indoor/outdoor use protecting against windblown dust and rain, splashing water, & hose directed water.
Type 4X	Nonhazardous	indoor/outdoor use protecting against corrosion, windblown dust, rain, splashing water & hose directed water.
Type 5	Nonhazardous	indoor use protecting against dust & falling dirt.
Туре 6	Nonhazardous	indoor/outdoor use protecting against entry of water during occasional temporary submersion at a limited depth.
Type 6P	Nonhazardous	indoor/outdoor use protecting against entry of water during prolonged submersion at a limited depth.
Type 7	Hazardous	enclosures are for use indoors in locations classified as Class 1, Groups A, B, C, or D, as defined in the National Electric Code.
Type 8	Hazardous	enclosures are for use indoor or outdoor locations classified as Class 1, Groups A, B, C, or D, as defined in the National Electric Code.
Type 9	Hazardous	enclosures are for use indoors in locations classified as Class II, Groups E, F, or G, as defined in the National Electric Code.
Type 10	Hazardous	enclosures are constructed to meet the applicable requirements of the Mine Safety and Health Administration.
Type 11	Nonhazardous	indoor use protecting, by oil immersion, enclosed equipment against the corrosive effects of liquids and gases.
Type 12	Nonhazardous	indoor use protecting against dust, dirt & noncorrosive liquids
Type 12K	Nonhazardous	enclosures with knockouts are intended for indoor use protecting against dust, dirt & dripping noncorrosive liquids.
Type 13	Nonhazardous	indoor use protecting against dust, spray water, oil & noncorrosive coolants.





PROTECTION METHODS FOR COMBUSTIBLE/IGNITABLE DUST **A**TMOSPHERES North America Class II, III Europe (CENELEC), International (IEC) Division Standard Zone Standard **Protection Method** Europe International Canada CSA US **CENELEC** IEC Intrinsic Safety - ia C22.2 No. 157 FM3610/UL913 Dust ignition protection 1 C22.2 No. 25 or E61241-1-1 UL 1203 20 / 21 / 22 EN50281-1-1 61241-1-1 Purged 1/2 NFPA 496 61241-4 FM3611/UL1604 Dust tight 2 C22.2 No. 25 or E61241-1-1 Non-incendive 2 FM3611/UL1604

Ingress Protection (IP) Codes						
	First NUMERAL			SECOND NUMERAL		
Pro	tection Against Solid Bodies		Pr	otection Against Water		
0	No Protection		0	No Protection		
1	Objects Greater Than 50 mm		1	Vertically Dripping		
2	Objects Greater Than 12.5 mm		2	Angled Dripping (15° tilted)		
3	Objects Greater Than 2.5 mm		3	Spraying		
4	Objects Greater Than 1.0 mm		4	Splashing		
5	Dust-Protected		5	Jetting		
6	Dust-Tight		6	Pow erful Jetting		
	•		7	Temporary Immersion		
			8	Continuous Immersion		

ATEX DIRECTIVE 94/9/EC								
Equipment Group	Equipment Category and Level of Protection	Presence of Explosive Atmosphere	Flammable Substances	Correlation with Hazardous Areas				
	M1 - very high level of protection	Presence						
I - Mines	M2 - high level of protection	Risk of Presence	Methane, Dust					
	1 - very high level of protection	Continuous Presence		Zone 0 (Gas etc.) Zone 20 (Dust)				
II - Surface	2 - high level of protection	Likely to Occur	G-Gas, Vapours Mist; D-Dust	Zone 1 (Gas etc.) Zone 21 (Dust)				
	3 - normal level of protection	Unlikely to Occur	D-Dust	Zone 2 (Gas etc.) Zone 22 (Dust)				

PROTECTION METHODS FOR POTENTIALLY EXPLOSIVE GAS/VAPOUR ATMOSPHERES

		North America Class I					Europe (CENELEC), International (IEC)		
Protection Method	Div.	Standa	ard	Zone		Standard	Zone	Sta	ndard
		Canada CSA	US		Canada CSA	US		European Norm (EN)	International IEC
Intrinsic Safety - ia (2 faults)	1	C22.2 No. 157	FM3610/ UL913	0	E60079-11	ISA 12.02.01/ UL2279	0	50020	60079-11
Intrinsic Safety - ib (1fault)	_	_	_	1	E60079-11	ISA 12.02.01/ UL2279	1	50020	60079-11
Explosionproof Flameproof - d	1	C22.2 No. 30	FM3615/ UL1203	1	E60079-1	ISA S12.22.01/ UL2279	1	50018	60079-1
Purged Pressurized - p	1/2	CSA TIL 13A/ NFPA 496	NFPA 496	1/2	E60079-2	_	1	50016	60079-2
Increased Safety - e	_	_	-	1	E79-7	ANSI/ISA S12.16.01/ UL2279	1	50019	60079-7
Encapsulation - m	_	_	_	1	E79-18	ISA S12.23.01/ UL2279	1	50028	60079-18
Oil immersion - o	_	_	-	1	E79-6	ANSI/ISA S12.26.01/ UL2279	1	50015	60079-6
Pow der filled - q	_	_	_	1	E60079-5	ANSI/ISA S12.25.01/ UL2279	1	50017	60079-5
Non-incendive/ non-sparking	2	C22.2 No. 213	FM3611/ UL1604	_	-	-	_	-	_
Protection - n	_	_	_	2	E60079-15	UL2279	2	50021	60079-15
Special requirements (2 protection methods)	_	-	-	_	-	-	0	50284	-

Apparatus Grouping								
Typical Gas/Dust/ Fibres/Flyings	US (NEC) Canada (CEC)	US (NEC) Canada (CEC) IEC, CENELEC						
Acetylene Hydrogen	Class I, Group A Class I, Group B	Group IIC						
Ethylene Propane	Class I, Group C Class I, Group D	Group IIB Group IIA						
Methane	Gaseous Mines*	Group I*						
Magnesium Coal Grain	Class II, Group E Class II, Group F Class II, Group G	IEC, CENELEC do not subdivide by material types						
Cotton	Class III	by material types						

Class I - gas/vapour/mist, Class II - dust, Class III - fibres, flyings

*not w ithin scope of NEC or CEC

AREA CLASSIFICATION - DIVISION VERSUS ZONE Type of Area NEC and CEC C

Type of Area	NEC and CEC	CENELEC
	(North America)	and IEC
Continuous Hazard	Division 1 or Zone 0	Zone 0
Intermittent Hazard	Division 1 or Zone 1	Zone 1
Hazard Under Abnormal Conditions	Division 2 or Zone 2	Zone 2



Certification Marks Acceptable under the Electrical Safety Code

ESA Bulletin 2-7-20

Recognized Certification Markings

BACL (Bay Area Compliance Laboratories)





Canadian Standards Association







Curtis Strauss



DEKRA Certification BV





Electrical Safety Authority -Field Evaluation (ESAFE)



FM Approvals LLC



IAPMO Research and Testing, Inc.







ICC NTA, LLC



IAPMO Ventures, LLC dba IAPMO **EGS**







Internatinal Testing Laboratory Inc.





Intertek Testing Services













LabTest Certification Inc.





Met Laboratories (MET)





Nemko North America, Inc.







NSF International



OMNI Environmental Services Inc.



QPS Evaluation Services, Inc.



Quality Auditing Institute (QAI)







SGS









TR Arnold and Associates, Inc.



TÜV Rheinland of North America, Inc.









TÜV Süd America

Inc.







Underwriters' Laboratories of Canada (ULC)

Underwriters' Laboratories Inc.













Recognized SPE-1000 Field Evaluation Marks

AC&E North America Inc.



Attesta International Safety Certification Inc.



Canadian Group for Approval Inc. (CGA)



Canadian Standards Association (CSA)









Electrical Safety Authority (operating as ESAFE)





International **Testing Laboratory** Inc.



Intertek Testing Services









LabTest Certification Inc.





MET Laboratories





Nemko Canada Inc.





QPS Evaluation Services, Inc.



Quality Auditing Institute



Q Test Inspection Ltd.



SEAC Engineering Inc.



TÜV Süd America Inc.





TÜV Rheinland of North America Inc.





Underwriters Laboratories of Canada (ULC)









Vision Integrity Engineering Ltd.



Recognized Panel-Only* Field Evaluation Agency Markings

AC&E North America Inc.



Attesta International Safety Certification Inc.




Canadian Standards Association (CSA)





Electrical Safety Authority



Intertek Testing Services





QPS Evaluation Services, Inc.



^{*}PANEL-ONLY label identifies that the panel has been evaluated to the SPE-1000. It does not cover equipment that is added or connected to the panel.

Recognized SPE-3000 Field Evaluation Marks

Attesta International Safety Certification Inc.



Canadian Standards Association (CSA)



Electrical Safety Authority (operating as ESAFE)



Intertek Testing Services



LabTest
Certification Inc.



QPS Evaluation Services, Inc.



Underwriters'
Laboratories Inc.

8	FIELD EVALUATION SERVICE UNDERWITERS LABORATORIES OF CANADA IN			
7,01160	Traproduct or subsect to the explication SYS 1900. Medical Dectrical Equipment Such mode after down not consist to extribution That was accepted from all appropriat and accepted from all appropriat dectrical products by the authority basing acceptage.	Ca probablist metod as colo modi SPE profit Aggrands decisionalistica. Das life évaluation ne constitue qui SPE plantas de que forma administrate de Cappenhalismo desparabilité decision par l'autorité compétante.		
£	SERVICE D'ÉVALUATI	ON À PIED D'OEUVR		

Component Certification Markings that are not Recognized on Complete End-Use Products

Canadian Standards Association (CSA)



Underwriters' Laboratories Inc. (UL)

Quality Auditing Institute





Note: Electrical components bearing these marks may have restrictions on their performance or may be incomplete in construction, and are intended to be used as part of a larger approved product or system. The Component Recognition marking is found on a wide range of products, including some switches, power supplies, printed wiring boards, some kinds of industrial control equipment and thousands of other product.

Withdrawn Field Evaluation Agency Markings**

LabTest Certification Inc.

Date Withdrawn: June 29, 2020



Date Withdrawn: June 1, 2020



Electrical Safety Authority (operating as ESAFE)

Date Withdrawn: Nov. 11, 2018



**These Field Evaluation marks are only acceptable on products labeled before the withdrawal date. Any product bearing these marks after the indicated withdrawal date are considered unapproved and cannot be used or sold in Ontario.

Area Classifications

Zone 0 – a location in which explosive gas atmospheres are present continuously or are present for long periods.

Zone 1 – a location in which:

- a. explosive gas atmospheres are likely to occur in normal operation; or
- the location is adjacent to a Zone O location, from which explosive gas atmospheres could be communicated.

Zone 2 - a location in which

- explosive gas atmospheres are not likely to occur in normal operations and, if they do occur, they will exist for a short time only; or
- b. the location is adjacent to a Zone 1 location, from which explosive gas atmospheres could be communicated, unless such communication

is prevented by adequate positive-pressure ventilation from a source of clean air, and effective safeguards against ventilation failure are provided

Zone 20 – a location in which an explosive dust atmosphere, in the form of a cloud of dust in air, is present continuously, or for long periods, or frequently.


Zone 21 - a location in which an explosive dust atmosphere, in the form of a cloud of dust in air, is likely to occur in normal operation occasionally.

Zone 22 - a location in which an explosive dust atmosphere, in the form of a cloud of dust in air, is not likely to occur in normal operation but, if it does occur, will persisit for a short period only.

Ohm's Law

Ohm's Law

Volts (E)	Ohms (R)	Amperes (I)	Watts (W)
E = IR	E = E/I	I = E/R	$W = EI$ $W = I^2R$ $W = E^2/R$
E = WR	R = E ² /W	I = W/E	
E = W/I	R = W/I ²	I = W/R	



Amperage Conversion

	Volts Single Phase		Volts 3 Phase Balanced Load			
Watts	120	240	480	240	480	Watts
100	.83	.42	.21	.24	.13	100
150	1.25	.63	.31	.36	.18	150
200	1.67	.83	.42	.49	.25	200
250	2.08	1.04	.52	.61	.30	250
300	2.50	1.25	.63	.73	.37	300
350	2.92	1.46	.73	.85	.43	350
400	3.33	1.67	.84	.97	.49	400
450	3.75	1.88	.93	1.10	.55	450
500	4.17	2.08	1.04	1.20	.60	500
600	5.00	2.50	1.25	1.45	.73	600
700	5.83	2.92	1.46	1.70	.85	700
750	6.25	3.13	1.56	1.81	.91	750
800	6.67	3.33	1.67	1.93	.97	800
900	7.50	3.75	1.87	2.17	1.09	900
1000	8.33	4.17	2.10	2.41	1.21	1000
1100	9.17	4.58	2.30	2.65	1.33	1100
1200	10.0	5.00	2.51	2.90	1.45	1200
1250	10.4	5.21	2.61	3.10	1.55	1250
1300	10.8	5.42	2.71	3.13	1.57	1300
1400	11.7	5.83	2.91	3.38	1.69	1400
1500	12.5	6.25	3.12	3.62	1.82	1500
1600	13.3	6.67	3.34	3.86	1.93	1600
1700	14.2	7.08	3.54	4.10	2.05	1700
1750	14.6	7.29	3.65	4.22	2.10	1750
1800	15.0	7.50	3.75	4.34	2.17	1800
1900	15.8	7.92	3.96	4.58	2.29	1900
2000	16.7	8.33	4.17	4.82	2.41	2000
2200	18.3	9.17	4.59	5.30	2.65	2200
2500	20.8	10.4	5.21	6.10	3.05	2500
2750	23.0	11.5	5.73	6.63	3.32	2750
3000	25.0	12.5	6.25	7.23	3.62	3000
3500	29.2	14.6	7.30	8.45	4.23	3500
4000	33.3	16.7	8.33	9.64	4.82	4000
4500	37.5	18.8	9.38	10.84	5.42	4500
5000	41.7	20.8	10.42	12.1	6.1	5000
6000	50.0	25.0	12.50	14.50	7.25	6000
7000	58.3	29.2	14.59	16.9	8.5	7000
8000	66.7	33.3	16.67	19.3	9.65	8000
9000	75.0	37.5	18.75	21.7	10.85	9000
10000	83.3	41.7	20.85	24.1	12.1	10000

Electrical Formulas for Obtaining kW, kVA, HP and Amperes						
Wanted	Single Phase	Two & Four-Phase	Three-Phase	Direct Current		
Kilowatts	1 x E x PF	1 x E x 2 x PF	<u>I x E x 1.73 x PF</u>	1 x E		
	1000	1000	1000	1000		
kVA	<u>I x E</u>	<u>I x E x 2</u>	1 x E x 1.73	<u>I x E</u>		
	1000	1000	1000	1000		
Horsepower	1 x E x %Eff. x PF	1 x E x 2 x %Eff. x PF	1 x E x 1.73 x %Eff. x PF	I x E x %Eff.		
	746	746	746	746		
Amperes from kVA	<u>kVA x 1000</u>	kVA x 1000	<u>kVA x 1000</u>	kVA x 1000		
	E	2 x E	1.73 x E	E		
Amperes from kW	<u>kW x 1000</u>	<u>kW x 1000</u>	<u>kW x 1000</u>	<u>kW x 1000</u>		
	E x PF	2 x E x PF	1.73 x E x PF	E		
Amperes from Hp	Hp x 746	Hp x 746	Hp x 746	Hp x 746		
	E x % Eff. x PF	2 x E x %Eff. x PF	1.73 x E x %Eff. x PF	E x % Eff.		

E = Volts I = Amperes %Eff. = Percent Efficiency PF = Power Factor

PID Loop Tuning Tips

DESCRIPTION OF PID UNITS

Proportional Term: is the amount added to the control output based on the current error.

Proportional Gain: is the multiplier Example: If the error is 10 and the Gain is 0.8 then the output will change 8%

Proportional Band: is the divider as a percentage Example: If the error is 10 and the Band is 125%, then the output is (10*(100/125)) = 8%

Conversion between P-GAIN and P-BAND

P-Band = 100 / P-GAIN

Integral Term: is the amount added to the output based on the sum of the error.

Time Constant: is the time for one full repeat of P-Term Example: If the P-Term is 10% and the time constant is 10 seconds, then the output will ramp up 10% every 10 seconds.

Reset Rate: is the amount the output will move in one second.

Example: If the P-Term is 8% and the reset rate is 0.1 repeats/sec, then the output will move 0.1 * 8 every second and take 10 seconds for the full repeat of the P-Term of 8%.

Integral Gain: is the same as the reset rate multiplied by the P-Gain.

Conversion between Time Constant and Reset Rate

Reset rate = 1 / time constant

I-Gain = (1 / Time Constant) * P-Gain

Derivative Term: is the amount subtracted from the output based on the rate of change of the error.

Time Constant: is the amount of time the controller will look forward

Derivative Gain: is the amount of time the controller looks forward multiplied by the P-Gain

DESCRIPTION OF PROCESSES

Fast Loops (flow, pressure)

P – Little (too much will cause cycling)

I – More

D- Not needed

Slow Loops (temperature)

P – More

I – Some (too much will cause cycling)

D- Some

Integrating (level, insulated temp)

P - More

I – Little (will cause cycling)

D – Must (If D is not used, the loop will cycle)

Noisy Loops (any PID loop where measurement is constantly changing)

P - Low

I – Most (Accumulated error)

D – Off (will cause cycling)

Closed Loop Step 1: KNOW THE PROCESS

Identify the loop you intend to tune and determine the speed of the loop. A rough categorization is as follows:

Fast Loop has response time from less than one second to about ten seconds, such as a flow loop. Use of a PI controller is sufficient.

Medium Loop has a response time of several seconds up to about 30 seconds. Such as a flow, temperature and pressure loop. Use either a PI or PID controller.

Slow loop has response time of more than 30 seconds, such as temperature or level loops. Use of a PID controller is recommended.

Closed Loop Step 2: KNOW THE CONTROLLER

Identify the units of your PID controller:

- P Proportional Term, can be also called the Proportional Gain (P-GAIN), or Proportional Band (P-BAND).
- I Integral can also be known as a time constant (in minutes or seconds), reset rate (1/sec or 1/min), or gain (reset rate multiplied by the proportional gain)
- D Derivative can be the time constant (in minutes or seconds), or derivative gain (derivative gain multiplied by the proportional gain).

For this guide assume the following terms: Proportional Gain, Integral reset rate, and derivative gain.

You will have to convert back to you controller units if necessary.

Closed Loop Step 3: WATCH THE RESPONSE

Make a small setpoint change (5%) or wait for a disturbance in the process if no setpoint change can be made. Then watch for process variable (PV) and control output (CO) responses.

- If no visible instantaneous change of control output upon the change of setpoint or no apparent overshoot (over damped), increase your proportional gain by 50%.
- If the Process Variable is unstable or has sustained oscillation, with overshoot greater than 25%, reduce proportional gain by 50% and reduce Integral Gain by 50%.
- If Process Variable oscillation persists with tolerable overshoot, reduce Proportional Gain by 20% and reduce the Integral Gain by 50%
- If 3 or more consecutive peaks occur upon the change of setpoint, reduce Integral Gain by 30% and increase Derivative Gain by 50%.
- If Process Variable stays fairly flat and below (or above) the setpoint for a long time, after change of setpoint or beginning of disturbance (long tail scenario), increase Integral Gain by 100%.

Repeat Step 3 until the closed loop response is satisfactory to you.

CODES AND STANDARDS OVERVIEW

The design, manufacture and use of control valves in power plants is governed by a variety of codes and standards. These documents provide for safe design and operation as well as consistency of product to facilitate plant construction and procurement.

This section summarizes the position regarding conformance to the most common codes and standards used to specify control valves for fossil power plant applications. The comments are divided into six groups: design standards, dimensional standards, performance testing, non-destructive examination, welding, and painting/cleaning. These comments apply to guide preparation of purchase specifications, as well as provide an awareness of situations where pricing adjustments are required. In many cases a minor change in specification can have significant commercial ramifications and only minor technical benefit.

Design standards. The boiler proper includes superheaters, economizers, reheaters, steam drums, water drums and other pressure parts connected directly to the boiler without intervening valves. The ASME Boiler and Pressure Vessel Code (BPVC) has administrative jurisdiction and technical responsibility for the boiler proper.

Boiler external piping is that piping which begins where the boiler proper terminates. This termination is considered to be:

- The first circumferential joint for welding end connections;

or

- the face of the first flange in bolted flanged connections;

or

- the first threaded joint in a threaded connection.

Boiler external piping extends up to and including the valves required by the ASME BPVC. This may include water drum, superheater, reheater, and economizer header drain and vent valves, steam drum vent valves, and steam drum level indicators. The ASME BPVC has administrative jurisdiction, while the ASME Section Committee B31.1 has technical responsibility. This means that design and construction rules are contained in ANSI/ASME B31.1, but that ASME code certification, data forms, code symbol stamping and/or inspections by authorized inspectors are per ASME BPVC Section I when required.

The remainder of the power plant piping (non-boiler external piping) and is covered by ANSI/ASME B31.1, Power Plant Piping.

ASME Boiler and Pressure Vessel Code - Section I. While control valves are not included in the boiler proper the boiler external piping may include control equipment. A common example is a steam drum level controller. Design and construction of these devices must comply with the require-

ments of ANSI/ASME B31.1 and also comply with the quality assurance requirements of ASME BPVC Section 1. This implies that vendors must provide inspection, data reports and stamping, which many are not authorized to provide. However, the ASME BPVC Section I waives these requirements for certain parts that already comply with an ANSI product standard or manufacturer's standard and which comply with certain other requirements for materials, welding and radiography and heat treatment documentation. Under these conditions, manufacturer may comply with ASME BPVC Section I without providing code stamping. The Comments to ANSI/ASME B31.1 later contain more information.

ANSI/ASME B31.1, Power Piping Code. Control valves and other equipment may be supplied per ANSI/ASME B31.1 to meet requirements for either boiler external piping or non-boiler external piping. In most cases, this code will be applied to both valves and level controls.

Valves:

This code references ANSI B16.34 as an applicable design standard for valves. To comply with ANSI/ASME B31.1, manufacturers builds valves per ANSI B16.34 and provides some additional marking requirements, per ANSI B16.34 and ANSI B16.5. The code prohibits the use of ungasketed, screwed bonnets (such as used in the Design GS) on source valves in steam service over 250 psig.

Level Controls:

Standard cage style level controls often require modifications before complying with ANSI/ASME B31.1. All branch welds (such as the side connection saddle welds) must have a fillet weld added. Torque tube retainer flanges must be brought up to code dimensions.

On both valves and level controls, fabrication welds (including valve body to reducer welds) may require radiographic or liquid penetrant/magnetic particle examination. This requirement depends on nominal pipe size, wall thickness at the weld, design pressure and design temperature.

ANSI B16.34. This standard covers pressure-temperature ratings, dimensions, materials, nondestructive examination requirements, testing and marketing of cast, forged, and fabricated flanged and buttweld end, and wafer or flangeless valves.

Pressure-temperature ratings provided in the code are divided into four groups as follows:

1. Standard Class

These are the normal ANSI Classes 150 through 4500P-T ratings. Most standard products fall in these standard classes. Pressure temperature ratings are published for a variety of materials.

2. Intermediate Standard Class

These ratings fall between standard class ratings and are

achieved by designing the valve body and bonnet with extra wall thickness and by designing the body-to-bonnet bolting to handle higher loads. NDE is not required. Only BWE valves may carry intermediate ratings. They many times allow use of less expensive products in high duty applications.

3. Special Class

These ratings are typically <u>higher</u> than standard class ratings and are obtained by ultrasonic or radiographic testing of the body and bonnet castings. Any BWE globe or angle valve may be given a special class rating. See ANSI B16.34 for these ratings.

4. Intermediate Special Class

These ratings require both the nondestructive examination of the body and bonnet (as in special class) and the extra wall thickness/bolt strength (as an intermediate class). These ratings fall between the special class ratings, and may be applied only to BWE valves which have intermediate ratings. Intermediate special class ratings for applicable products are published in vendor literature.

Special Class, Intermediate Standard Class and Intermediate Special Class ratings all require pricing considerations.

Valves built to comply with B16.34 must also meet marking requirements. To meet these requirements, manufacturer uses two nameplates, one with valve body information, one with actuator information. The full nameplate requirements are met only when ANSI B16.34 compliance is specified in writing by the customer.

ANSI B16.5. This standard covers the design of flanges and flanged fittings and also establishes flanged fitting ratings. Although the current edition of this standard is not a valve design standard, earlier issues (before 1973) were applied to valve design. Design responsibility was transferred to ANSI B16.34 in 1973 for buttweld end valves and in 1977 for flanged end valves.

ANSI B16.5 may be applied to valves several ways:

- As a dimensional/design standard for the flanged ends of valves. Literature will commonly say "Mates with ANSI XXX flanges."
- To designate the pressure-temperature rating of the valve. The bulletin will commonly say "Pressures consistent with the applicable ANSI flange rating."
- As a valve design standard. This is not common now that ANSI B16.34 covers valve design, but many older valves or older specifications may reference ANSI B16.5 as the design specification.

MSS SP-66. This standard was published as a valve design standard prior to ANSI B16.34. Conformance to ANSI B16.34 should generally be specified in lieu of MSS SP-66. "Special inspections" per MSS SP-66 to increase the pressure-temperature ratings are now replaced by ANSI B16.34 special class ratings.

MSS SP-67. This standard covers design and test performance requirements for butterfly valves and divides them into three leak classes. In most situations, these leak classes have been superseded for control valve usage by the ANSI/ISA B16.104 Standards.

Type I: Tight shutoff valve. No leakage allowed.

Type II: Low leakage valve. Leakage within tolerances is allowed in the closed position. Type II valves are not subjected to a seat test unless required by the purchaser. When a test is required, the valve is to be subjected to a hydrostatic or air seat test at the rated shutoff pressure, and the leakage must not exceed the leak rate specified by the purchaser.

Type III: Nominal leakage valve. No seat leak test required.

MSS SP-67 also defines face-to-face dimensions for certain butterfly valves.

ASME Boiler and Pressure Vessel Code - Section VIII. This code covers requirements for pressure vessels. It is not used for valve design, although some design calculations for diffusers and actuators are based on Section VIII.

ANSI B16.10. This standard defines face-to-face dimensions for gate, plug, check, ball and control valves. Control valves covered include Class 125 and 250 cast iron through 8 inch size, and Class 150, 300, 400 and 600 steel flanged valves through 8 inch size. Face-to-face dimensions for large valves and high pressure valves will vary by manufacturer as necessary to suit the constraints of each design. Socket weld valves are covered by ANSI B16.11.

ANSI B16.37. This standard covers hydrostatic testing of control valves. Test pressures are 1.5 times the cold working pressure given in ANSI B16.34. The manufacturer complies with ANSI B16.37 on those products whose pressure shell is rated per ANSI Class B16.34 (i.e., with ANSI 150,300...etc. ratings). Testing is completed, when specified in full compliance with methods prescribed. As standard, manufacturer product is hydro tested by component using ANSI B16.37 pressures and procedures. This component hydrotest is followed by an aerostatic test after assembly to confirm gasket joint integrity. This procedure allows us to ensure the integrity of valve parts and joints and contributes more efficient manufacture.

ANSI/FCI 70-2 (formerly ANSI B16.104). This standard defines seat leak classes and testing procedures. Manufacturer complies with this standard on those valves which are given ANSI leak rates (i.e., ANSI Class III, IV, V...etc.). The standard prescribes test procedures for each leak class as well as allowable leak rates. For more information see Control Valve Selection in Chapter 1.

MSS SP-61. This standard covers pressure testing of steel valves. It includes testing of stem seals, shell hydro-test, and seat leakage. Specification of MSS SP-61 will lead to problems. The standard requires testing with packing which can lead to significant corrosion problems (see Packing Materials & Systems Chapter 12). Also, the seat leak test procedure is not adequate to recognize leak rates of different trim styles and sizes. This may lead to over or under-specification of leak rate. ANSI B16.37 and ANSI/FCI 70-2 should be requested instead.

SNT-TC-1A. This standard defines qualification requirements for personnel who perform non-destructive examination. All personnel doing NDE should be qualified per SNT-TC-1A.

ANSI B16.34. This standard allows increased pressuretemperature ratings for valves which are non-destructively examined (special class). Radiography or, with customer acceptance, ultrasonic testing, is performed on certain areas of the body and bonnet. Consequently, this standard includes test procedures and acceptance criteria for diographic, ultrasonic, magnetic particle and liquid penetrant examinations. Use of B16.34 is recommended in lieu of comparable MSS standards due to broader acceptance.

MSS SP-55. This standard covers visual examination of castings.

MSS SP-54. This standard covers radiographic examination of castings. Radiographic examination per ANSI B16.34 or ASTM E94 should be proposed, however, due to broader acceptance of the standard.

MSS SP-53. This standard covers magnetic particle examination. Again, magnetic particle examination per ANSI B16.34 should be proposed.

ASME Boiler and Pressure Vessel Code - Section V. Section V contains requirements and methods for non-destructive testing and describes procedures for various types of testing. This section is applicable only when it is specifically referenced and required by other ASME BPVC sections or other design specifications.

ASME Boiler and Pressure Vessel Code - Section IX. This standard defines requirements for qualification of welders and welding procedures. Welders and welding procedures should all comply with ASME Section IX. Non-compliance will violate other code and standard requirements.

SSPC-SP5, SSPC-SP6, SPPC-SP10. These standards define requirements for blast cleaning metal surfaces. Most vendor procedures will comply with either SSPC-SP6 or SSPC-SP10. Requirements for special blast cleaning will often be coupled with special painting requirements.



THE TIME IS NOW

Industrial Cybersecurity is a Global Imperative

It's time to join forces. We are stronger together.

Get Engaged!

- Follow our blog: www.isa.org/isagcablog
- · Download our white papers and guides: www.isa.org/isagcashare
- · Join the End User Council: www.isa.org/endusercouncil

MEMBERS:






























































































www.isa.org/isagca

International Society of Automation



YOUR COMPLETE SOURCE FOR INSTRUMENTATION, **CONTROLS AND INDUSTRIAL AUTOMATION**

Head Office

110 Snow Blvd., Unit # 2, Vaughan, ON L4K 4B8 Tel: 905-760-9399 or 1-866-342-5222 • Fax: 905-760-9319

Sarnia Office

Tel: 519-336-4482 or 1-866-342-5222 • Fax: 905-760-9319 sales@cbautomation.com · www.cbautomation.com



With Moore Industries **Functional Safety Series Instruments**

Designed and built from the ground up to meet IEC 61508 standards, Moore Industries FS Functional Safety Series instruments help bring the confidence you need to your SIS implementation. Our FS Series now includes the easily programmable, SIL 3 capable SLA Multiloop Safety Logic Solver and Alarm, with powerful built-in math and voting capability.

Learn more about our Functional Safety Series Instruments Call 800-999-2900 or visit www.miinet.com/FS-SERIES-ISA

















































Excellence Since 1953





CGIS represents the highest performance valves and automation across Canada.

With over 40 years of experience, we specialize in valve selection, repair, and distribution. Whether you require an immediate replacement or a tailored solution, contact our team today.















